

N64W23760 Main Street Sussex, Wisconsin 53089 (262) 246-5200 info@sussexwi.gov villagesussex.org

TO: Parks and Recreation Board

FROM: Halie Dobbeck, Parks and Recreation Director

RE: Grogan Park Neighborhood Meeting Summary

DATE: March 12, 2024

The Grogan Park Neighborhood Meeting was held on Wednesday March 6 from 4:30-6:30pm in an open house format. The neighborhood was mailed postcards to invite them to the meeting and owners of multifamily housing in the area were mailed a letter with flyers to hang or disperse to their tenants.

There were two opportunities to provide feedback on Grogan Park. The in-person neighborhood meeting and through an online comment form. Between both feedback opportunities, we heard from 41 people; 21 of these people reside in the subdivision that Grogan Park services.

At the open house, attendees were asked to select their favorite play components that they'd like to see included in the playground structure. The top selected components were: Rope Netting Climber, Monkey Bars, Slides and Vertical Climbers.

Scans of both data sets are included in your packet – green dots reflect feedback from the open house and pink dots reflect the online feedback.

Below is a summary of additional considerations that were requested of the park board by the neighborhood:

Request for Consideration:	How we are addressing this request:		
Rubber Surfacing	This was required in the RFP.		
Lighter Colored Surfacing	The board may consider this when selecting a final		
	design.		
Surveillance/Cameras	This would need to be a policy consideration for the		
	board in regard to neighborhood parks.		
Additional Seating	Already planned for inclusion in this project.		
Play for young kids	A stand alone 2-5 play component was requested		
Double Swing for Both Parent and Child to Swing On	The board may consider this when selecting a final		
	design.		
Open Sight Lines in Play Equipment	This was requested in the RFP.		
Add walking paths	The board may consider adding this as a part of the		
	project.		
Water Filling Station	Already planned for inclusion in this project		
	(2026/2027 with road program)		
Umbrellas or shade tarps	The board may consider adding this as a part of the		
	project		
Creative Spot – Outdoor theater/stage play area	The board may consider this when selecting a final		
	design.		

Please keep in mind that some of these options may add significant cost and have implications beyond this neighborhood park.



PLEASE PLACE A DOT TO REPRESENT WHERE YOU LIVE.

DON'T LIVE IN THE
NEIGHBORHOOD? NO
WORRIES, PLACE YOUR DOT
HERE, IN THE WHITE SPACE!



= IN PERSON RESPONCES 3-6-24

= FEEDBACK FROM
ON UNE COMMENT
FORM

WHAT PLAY COMPONENTS DO YOU WANT TO SEE AT GROGAN?

PLACE A DOT NEXT TO YOUR TOP TWO (2) PLAY FEATURES.

BALANCE BEAMS	
INTERACTIVE PLAY PANELS	
CRAWL TUBES	
VERTICAL CLIMBERS	
MERRY GO ROUNDS/SPINNERS	
ROPE NETTING CLIMBER	0000 0000000000000000000000000000000000
SEESAWS	
SLIDES	0000000
ONKEY BARS (OVERHEAD LADDER)	••••••
SLIDING POLE	
BRIDGE	
MUSIC INSTRUMENTS	
ROOF/SHADE COMPONENT	
SPRING RIDERS	• •
SENSORY PLAYGROUND EQUIPMENT	• • •












General Notes:

Age Group

2-5yrs 5-12 yrs 2-12yrs 13+ yrs

- The Americans with Disabilities Act (ADA) may requited that you make your park and/or playground accessible when viewed in its entirety. Please consult your legal counsel to determine if the ADA applies to you. when viewed in its entirety. Please consult your legal your legal per control of the control of



Project: Grogan Park , WI \$120,000 Option LTCPS rep: Ericka Steltz Northland Recreation, LLC.

little tikes.

COMMERCIAL

(262) 313-8636

Ground Space: 67'-6" x 26'-0" Protective Area: 80'-0" x 34'-0"

Drawn by: Ericka Steltz Date: 2/23/2024 DWG Name: R0324_45345258104

LTCPS - Farmington 878 East Highway 60 Monett, Missouri 65708 Voice: 1-800-325-8828 Fax: 417-354-2273







Accessibility Chart

Drawing Name: Gorgan Park Playground- \$120,000 Option

Project Number: R0324_45345258104

Age Group: 5-12			
Elevated Play Activities Total:	6		
Elevated Play Activities Accessible By Transfer:	6	Req'd:	3
Elevated Play Activities Accessible By Ramp:	0	Req'd:	0
Ground Level Activity Type:	6	Req'd:	2
Ground Level Quantity:	9	Req'd:	2

Description	Elevation	Access	Type of Play	Qty
70 74 SGL WIDE SLD KB W 2014	Elevated	Transfer	SLIDE-A	1
KB QUANTUM II SPIRAL SLIDE RIGHT	Elevated	Transfer	SLIDE-A	1
KB SWITCHBACK CLIMBER W/WIRE	Elevated	Transfer	CLIMBER-I1	1
NU-EDGE BIRCH CLIMBER F/KB	Elevated	Transfer	CLIMBER	1
KB TANDEM NET CLIMB SGL	Elevated	Transfer	CLIMBER-D	1
SLIDE WAVE KB 1422 MM/56" KB	Elevated	Transfer	SLIDE-A	1
Belt ~ Standard Beam 8' 2-12 Age	Ground	Ground	SWING	2
Inclusive Seat ~ 8' 2-12 Age	Ground	Ground	SWING	1
NU-EDGE BIRCH COUNTER PANEL 2-	Ground	Ground	PANEL	1
12 Age				
Tot ~ Standard Beam 8' 2-5 Age	Ground	Ground	SWING	1
TRUCK SPRING RIDER W/C SPRING	Ground	Ground	RIDER	1
2-5 Age				
SOLO SPINNER 2-12 Age	Ground	Ground	BALANCE-G	1
TOT BUILDERS FRIENDLY FENCE	Ground	Ground	MANIPULATIVE_EQUIP	1
18 Month +				
TOT BUILDERS FRIENDLY FENCE	Ground	Ground	PANEL SENSORY	1
18 Month +				

PlayPower LT Farmington, Inc. 878 E. US Hwy 60 Monett, MO 65708 1-800-325-8828

QUOTE: R0324240056 CUSTOMER: sus123 Project: R0324_45345258104_06

1 10,000. 11,002 1_ 100 10200 10

Gordan Park \$120,000 Option

Halie Dobbeck
Village of Sussex
W244N6125 Weaver Drive
Sussex, WI 53089
262-246-5200 Ext. 105 (phone)
hdobbeck@villagesussex.org

Customer:

Quote Number: R0324240056 Quote Date: 3/8/2024

Valid For: 30 Days From Quote Date

Prepared by:

Northland Recreation 10085 Bridgewater Bay Woodbury, MN 55129 USA 2623138636 (phone) ericka@northlandrec.com

Grogan Park 5-12 Play Structure w/ 2-12 Ground Level Components

Product line: KidBuilders

Age group: 5-12

Supply and installation of a Little Tikes Kid Builder structure that is shown on the plan. The structure features 3 slides and 3 climbers. There is also a ground level play panel, a solo spinner and a swing set that is perfect for all kids 2-12. The play area also features a truck spring rider that are 2-5 year old rated and our Tot Builder Friendly Fence that is rated 18 months plus. Since this is a neighborhood park, I wanted to make sure that there is a little bit for everyone.

Northland Recreation will provide two supervisors for up to 4 days to lead and assist with the installation. Our supervisors will bring their tools that are playground specific, but the Village will be responsible for receiving the equipment from the trucking company, a skid steer with bucket and auger for the installation, 5 to 8 workers, concrete for the footings, and misc hand tools that included but are not limited to rakes, shovel, wheelbarrow, ladders, electric drills, sockets, etc.

Components

Part Number	Description	Qty
100001127	KB LONG DK/DK PLATE 205MM/8"	1
200008193	TOOL BOX KID BUILDERS #2, S.S. (MM)	1
200013798	KB 136" GALV POST WITH CAP	1
200013810	KB 148" GALV POST WITH CAP	1
200013813	KB 4165/164" GALV POST WITH CAP	1
200069058	KB 213"/5410MM GALV POST W/CAP	1
200131018	KB 172" GALV POST WITH CAP	1
200131020	KB 188" GALV POST WITH CAP	2
200200164	KB 1422MM SGL. WAVE SLIDE	1
200200401	STEPS DK/DK 610MM W/SFTY RLS F/KB SMLHL	1
200200530	KIT MAINTENANCE KB W/PAINT W/O LIST	1
200201307	KB STEPS DK/DK 406MM W/SFTY RL(SM.HOLE)	1
200202501	KB DECK 1/2 SQUARE SMALL HOLE 11GA	2
200202503	KB DECK SQUARE SMALL HOLE 11GA	1
200202504	KB DECK TRIANGLE SMALL HOLE 11GA	1
200203131	KB QUANTUM II SLIDE 8' SPIRAL RIGHT	1
200203317	KB SWITCHBACK CLIMBER 96" W/WIRE ENCL	1
200203328	KB WAVE SLIDE 72" W/2014 HOOD	1
200203613	KB TANDEM NET CLIMB SGL	1
200203713	KB POST TOPPER TREE 3D	2
200203765	NU-EDGE BIRCH TRANS STAT F/KB 48" SM HL	1
200203766	NU-EDGE BIRCH TREE CANOPY F/KB	2

3/8/2024 Page 1 of 4

HW7704-1	HRDW PKG F/CLAMP ELIMINATION S1/1	1
200131018	KB 172" GALV POST WITH CAP	2
200203760	NU-EDGE BIRCH CLIMBER F/KB 72"	1
200069056	KB 186"/4725MM GALV POST W/CAP	2

2-12 Play Equipment

Product line: KidBuilders

Age group: 2-5

Components

Part Number	Description	Qty	
LT0902	TOT BUILDERS FRIENDLY FENCE	1	18 Month Plus
200203725	TRUCK SPRING RIDER W/C SPRING	1	2-5 Age Range
200201870	SOLO SPINNER	1	2-12 Age Range
200203433	INCLUSIVE SWING SEAT W/CHAINS 8'	1	2-12 Age Range
200203753	NU-EDGE BIRCH COUNTER PANEL F/KB	1	2-12 Age Range
200202835	ASSY BELT SEAT F/8' SWING W/CHAIN	2	2-12 Age Range
200202836	ASSY TOT SEAT F/8' SWING W/CHAIN	1	2-5 Age Range
200202202	MAXPLAY 8' STANDARD BEAM	1	2-12 Age Range
200202204	MAXPLAY 8' ADD-ON STANDARD BEAM	1	2-12 Age Range

Surfacing

Supply and installation of approximately 2,800 ft2 of poured in place rubber surfacing at an 8' fall height. The rubber will be 50% black and 50% standard color. We will also install 6"of compact stone base.

Installation of approximately 240 linear feet of concrete curbing around the playground. \$9,060.00

Totals:

Equipment & Supervision: \$46,976.00

Surfacing Curb: \$73,024.00

Freight: Included

Estimated Sales Tax*: Exempt

Grand Total: \$120,000.00

Please Note:

Make Purchase Orders Out To:

PlayPower LT Farmington, Inc.

Remit Purchase Orders To:

PlayPower LT Farmington, Inc. Attention: Sales Administration

878 E US Hwy 60

Monett, Missouri, USA 65708

1-800-325-8828

Make Checks Payable To:

PlayPower LT Farmington, Inc.

Remit Checks To:

PlayPower LT Farmington

PO Box 734155

Dallas, TX 75373-4155

3/8/2024 Page 2 of 4

^{***}Site excavation, preparation, restoration, required drain tile and concrete sidewalks are not included in our proposal

^{***}No bonding or prevailing wages were included in this proposal.

NOTE:

* Applicable sales taxes will be confirmed once order and any tax certificates are received † Denotes drop ship item.

Unloading, storage, installation, surfacing and site work are not included unless specifically noted on quotation. Not responsible for filter cloth, irrigation rerouting, grass damage, or checking for underground utilities. If installation is quoted, it is assumed that the site has been prepared and that any grade slope in any direction does not exceed 2%. In the event that unexpected soil conditions, such as subsurface rock, are encountered during installation, additional costs to the customer will be applicable.

The acceptance signature below serves as authorization to order the items quoted and indicates acceptance of the prices listed. All terms are subject to credit approval.

COMMENTS:

This playground contains 10.46% recycled content This playground qualifies for 1 LEED point(s)

This Quote shall not become a binding contract until signed and delivered by both Customer and PlayPower LT Farmington Inc ("PPLT"). Sales Representative is not authorized to sign this Quote on behalf of PPLT or Customer, and signed Quotes cannot be accepted from Sales Representative. To submit this offer, please sign below and forward a complete signed copy of this Quote directly to "PPLT Sales Administration" via fax (417)354-2273 or email outdoordes@LTCPS.com. Upon acceptance, PPLT will return a fully-signed copy of the Quote to Customer (with copy to Sales Representative) via fax or e mail.

THIS QUOTE IS LIMITED TO AND GOVERNED BY THE TERMS CONTAINED HEREIN. PPLT objects to any other terms proposed by Customer, in writing or otherwise, as material alterations, and all such proposed terms shall be void. Customer authorizes PPLT to ship the Equipment and agrees to pay PPLT the total amount specified. Shipping terms are FOB the place of shipment via common carrier designated by PPLT. Payment terms are Net-30 days from invoice date with approved credit and all charges are due and payable in full at PO Box 734155, Dallas, TX 75373-4155, unless notified otherwise by PPLT in writing. Customer agrees to pay all additional service charges for past due invoices. Customer must provide proper tax exemption certificates to PPLT, and shall promptly pay and discharge all otherwise applicable taxes, license fees, levies and other impositions on the Equipment at its own expense.

CUSTOMER HEREBY SUBMITS ITS OFFER TO PURCHASE THE EQUIPMENT ACCORDING TO THE TERMS STATED IN THIS QUOTE AND SUBJECT TO FINAL APPROVAL BY PPLT.

Submitted By	Printed Name and Title	Date
THE FOREGOING QUOTE AND OFFER FARMINGTON INC.	ARE HEREBY APPROVED AND ACCEPTE	ED BY PLAYPOWER LT
By:	Date:	

ADDITIONAL TERMS & CONDITIONS OF SALE

- 1. Use & Maintenance. Customer agrees to regularly inspect and maintain the Equipment, and to provide, inspect and maintain appropriate safety surfacing under and around the Equipment, in accordance with PPLT's product literature and the most current Consumer Product Safety Commission Handbook for Public Playground Safety.
- 2. Default, Remedies & Delinquency Charges. Customer's failure to pay any invoice when due, or its failure to otherwise comply with the terms of this Quote, shall constitute a default under all unsatisfied invoices ("Event of Default"). Upon an Event of Default, PPLT shall have all remedies available to it at law or equity, including, without limitation, all remedies afforded a secured creditor under the Uniform Commercial Code. Customer agrees to assist and cooperate with PPLT to accomplish its filing and enforcement of mechanic's or other liens with respect to the Equipment or its location or its repossession of the Equipment, and Customer expressly waives all rights to possess the Equipment after an Event of Default. All remedies are cumulative and not alternative, and no exercise by PPLT of a remedy will prohibit or waive the exercise of any other remedy. Customer shall pay all reasonable attorneys' fees plus any costs of collection incurred by PPLT in enforcing its rights hereunder. Subject to any limitations under law, Customer shall pay to PPLT as liquidated

3/8/2024 Page 3 of 4

damages, and not as a penalty, an amount equal to 1.5% per month of any payment that is delinquent in such month and is not received by PPLT within ten (10) days after the date on which due.

- 3. Limitation of Warranty/ Indemnity. PPLT MAKES NO EQUIPMENT WARRANTIES EXCEPT FOR THOSE STANDARD WARRANTIES ISSUED WITH THE EQUIPMENT, WHICH ARE INCORPORATED HEREIN BY THIS REFERENCE. PPLT SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. CUSTOMER AGREES TO DEFEND, INDEMNIFY AND SAVE PPLT HARMLESS FROM ALL CLAIMS OF ANY KIND FOR DAMAGES OF ANY KIND ARISING OUT OF CUSTOMER'S ALTERATION OF THE EQUIPMENT, ITS FAILURE TO MAINTAIN THE EQUIPMENT, ITS FAILURE TO PROPERLY SUPERVISE EQUIPMENT USE, OR ITS FAILURE TO PROVIDE AND MAINTAIN APPROPRIATE TYPES AND DEPTHS OF SAFETY SURFACING BENEATH AND AROUND THE EQUIPMENT IN ACCORDANCE WITH PPLT'S INSTALLATION AND OWNER'S MANUALS AND THE MOST CURRENT CONSUMER PRODUCT SAFETY COMMISSION HANDBOOK FOR PUBLIC PLAYGROUND SAFETY.
- 4. Restrictions. Until all amounts due hereunder are paid in full, Customer shall not: (i) permit the Equipment to be levied upon or attached under any legal process; (ii) transfer title to the Equipment or any of Customer's rights therein; or (iii) remove or permit the removal of the Equipment to any location not specified in this Quote.
- 5. Purchase Money Security Interest. Customer hereby grants, pledges and assigns to PPLT, and PPLT hereby reserves a purchase money security interest in, the Equipment in order to secure the payment and performance in full of all of Customer's obligations hereunder. Customer agrees that PPLT may file one or more financing statements, in order to allow it to perfect, acquire and maintain a superior security interest in the Equipment.
- 6. Choice of Law and Jurisdiction. All agreements between Customer and PPLT shall be interpreted, and the parties' obligations shall be governed, by the laws of the State of Missouri without reference to its choice of law provisions. Customer hereby consents to the personal jurisdiction of the state and federal courts located in the city and county of St. Louis, Missouri.
- 7. Title; Risk of Loss; Insurance. PPLT Retains full title to all Equipment until full payment is received by PPLT. Customer assumes all risk of loss or destruction of or damage to the Equipment by reason of theft, fire, water, or any other cause, and the occurrence of any such casualty shall not relieve the Customer from its obligations hereunder and under any invoices. Until all amounts due hereunder are paid in full, Customer shall insure the Equipment against all such losses and casualties.
- 8. Waiver; Invalidity. PPLT may waive a default hereunder, or under any invoice or other agreement between Customer and PPLT, or cure such a default at Customer's expense, but shall have no obligation to do either. No waiver shall be deemed to have taken place unless it is in writing, signed by PPLT. Any one waiver shall not constitute a waiver of other defaults or the same kind of default at another time, or a forfeiture of any rights provided to PPLT hereunder or under any invoice. The invalidity of any portion of this Quote shall not affect the force and effect of the remaining valid portions hereof.
- 9. Entire Agreement; Amendment; Binding Nature. This fully-executed Quote, as supplemented by Change Orders and invoices containing exact amounts of estimates provided herein, constitutes the complete and exclusive agreement between the parties. A Change Order is a written instrument signed by the Customer and PPLT stating their agreement as to any amendment in the terms of this Quote. Customer acknowledges that Change Orders may result in delays and additional costs. The parties agree that all Change Orders shall include appropriate adjustments in price and time frames relating to any requested amendments. Upon full execution, this Quote shall be binding upon and inure to the benefit of the parties and their successors and assigns.
- 10. Counterparts; Electronic Transmission. This Quote, any invoice, and any other agreement between the parties, may be executed in counterparts, each of which shall constitute an original. The facsimile or other electronic transmission of any signed original document, and retransmission of any signed facsimile or other electronic transmission, shall be the same as the transmission of an original. At the request of either party, the parties will confirm facsimile or other electronically transmitted signatures by signing an original document.

3/8/2024 Page 4 of 4



CERTIFICATE OF LIABILITY INSURANCE

DATE(MM/DD/YYYY) 10/23/2023

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this

certificate does not comer rights to the certificate holder in fled of such endorsement(s).							
PRODUCER		CONTACT NAME:					
Aon Risk Services Central, I St. Louis MO Office		PHONE (A/C. No. Ext):	(866) 283-7122	FAX (A/C. No.): (800) 363-01	05		
4220 Duncan Avenue Suite 401		E-MAIL ADDRESS:					
St Louis MO 63110 USA			INSURER(S) AFFORDING COV	/ERAGE	NAIC #		
INSURED		INSURER A:	James River Insurance	Company	12203		
Playpower Holdings, Inc.		INSURER B:	Pennsylvania Manufactu	rers' Assoc Ins Co	12262		
11515 Vanstory Drive #100		INSURER C:	Allied World Assurance	Company (US) Inc	19489		
HUNTERSVILLE NC 28078 USA		INSURER D:	Columbia Casualty Comp	any	31127		
		INSURER E:					
		INSURER F:					
COVEDACEC	CERTIFICATE MUMBER, 5704000007	16	DEVICION	MIIMDED.			

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

	EXCLUSIONS AND CONDITIONS OF SUCH			-				Limits show	wn are as requested
INSR LTR	TR TYPE OF INSURANCE		ADDL INSD	SUBR WVD			POLICY EXP (MM/DD/YYYY)	LIMITS	
Α	Χ	COMMERCIAL GENERAL LIABILITY			000959654		10/01/2024	EACH OCCURRENCE	\$1,000,000
		CLAIMS-MADE X OCCUR			SIR applies per policy ter	ns & condi	tions	DAMAGE TO RENTED PREMISES (Ea occurrence)	\$300,000
								MED EXP (Any one person)	\$10,000
								PERSONAL & ADV INJURY	\$1,000,000
	GEI	N'L AGGREGATE LIMIT APPLIES PER:						GENERAL AGGREGATE	\$2,000,000
		POLICY X PRO- JECT X LOC						PRODUCTS - COMP/OP AGG	\$2,000,000
		OTHER:						SIR	\$500,000
В	AU	TOMOBILE LIABILITY			152300 0652321B CA	10/01/2023	10/01/2024	COMBINED SINGLE LIMIT (Ea accident)	\$1,000,000
В	Х	ANY AUTO			152300 0652321A	10/01/2023	10/01/2024	BODILY INJURY (Per person)	
		OWNED SCHEDULED			AOS			BODILY INJURY (Per accident)	
	Х	AUTOS ONLY HIRED AUTOS ONLY \$1,000 Ded. Comp X \$1,000 Ded. Collisior						PROPERTY DAMAGE (Per accident)	
С	^	, , , , , , , , , , , , , , , , , , ,			03140086	10/01/2023	10/01/2024	EACH OCCURRENCE	\$5,000,000
	Х	UMBRELLA LIAB X OCCUR			03140080	10/01/2023	10/01/2024	-	
		EXCESS LIAB CLAIMS-MADE						AGGREGATE	\$5,000,000
		DED X RETENTION \$10,000							
В		DRKERS COMPENSATION AND IPLOYERS' LIABILITY Y / N			2023750652321	10/01/2023	10/01/2024	X PER STATUTE OTH-	
	ANY PROPRIETOR / PARTNER / EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH)		N/A					E.L. EACH ACCIDENT	\$1,000,000
			11/ A					E.L. DISEASE-EA EMPLOYEE	\$1,000,000
	If y	es, describe under SCRIPTION OF OPERATIONS below						E.L. DISEASE-POLICY LIMIT	\$1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

RE: Bidding Purposes.

CERTIFICATE HOLDER	CANCELLATIO
--------------------	-------------

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS

Playpower LT Farmington Inc. Attn: Jeff Prangler 878 E. US Hwy. 60 Monett MO 65708 USA

AUTHORIZED REPRESENTATIVE

Aon Risk Services Central Inc.



LOC #:



ADDITIONAL REMARKS SCHEDULE

Page _ of _

	AGENCY Aon Risk Services Central, Inc.	NAMED INSURED Playpower Holdings, Inc.						
POLICY NUMBER See Certificate Number: 570102382715								
	CARRIER	NAIC CODE						
	See Certificate Number: 570102382715		EFFECTIVE DATE:					

ADDITIONAL REMARKS

THIS ADDITIONAL	. REMARKS F	ORM IS A SCHE	EDULE TO ACORD FORM,
FORM NUMBER:	ACORD 25	FORM TITLE:	Certificate of Liability Insurance

	INSURER(S) AFFORDING COVERAGE	NAIC#
INSURER		

ADDITIONAL POLICIES If a policy below does not include limit information, refer to the corresponding policy on the ACORD certificate form for policy limits.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YYYY)	POLICY EXPIRATION DATE (MM/DD/YYYY)	LIN	MITS
	EXCESS LIABILITY							
D				7040440664 01 Excess Liab\$5M xs \$5M	10/01/2023	10/01/2024	Aggregate	\$5,000,000
							Each Occurrence	\$5,000,00

AGENCY CUSTOMER ID: 570000052633

LOC#:



ADDITIONAL REMARKS SCHEDULE

Page _ of _

AGENCY		NAMED INSURED
Aon Risk Services Central, Inc.		Playpower Holdings, Inc.
POLICY NUMBER See Certificate Number: 570102382715		
CARRIER	NAIC CODE	
See Certificate Number: 570102382715		EFFECTIVE DATE:

```
ADDITIONAL REMARKS
THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,
FORM NUMBER: ACORD 25 FORM TITLE: Certificate of Liability Insurance
                                                                                  Named Insured Schedule
PlayPower Inc. (First named insured)
Additional Named Insureds
Play Holdings Inc.
PlayPower, Inc.
PlayPower Holdings, Inc.
PlayPower Finance, Inc.
Miracle Recreation Equipment Company, Inc.
Miracle Recreation Equipment Co
E-Z Dock, Inc.
Kid Play, Inc.
Soft Play, L.L.C.
PlayPower LT Farmington, Inc.
Play Design International SARL
PlayWorld Systems, Inc.
PlayWorld Preferred, Inc.
Playtime LLC
No Fault LLC
```



WARRANTY

Little Tikes Commercial Brand warrants its products against structural failure due to defects in materials and workmanship for the warranty periods and material categories prescribed below.

Buyer agrees that products sold by PPLT Farmington, Inc. (PlayPower Little Tikes Commercial) carry only the following warranties:

- LIMITED WARRANTY FOR AS LONG AS YOU OWN THE PRODUCT: Aluminum deck posts, steel deck posts, stainless steel hardware and KidBuilder® steel clamps.
- LIMITED FIFTEEN (15) YEAR WARRANTY: All rigid steel playground components, decks, steps, and weldments, rotationally molded and sheet plastic components, plastic lumber, roof panels, and stainless steel slides, except as otherwise specified below.
- 3. **LIMITED TEN (10) YEAR WARRANTY:** Fabric shade steel frames, Naturtek™ products, and Shadesure™ fabrics (Note Exception: Limited Five (5) Year Warranty on Shadesure™ fabrics in colors Red, Yellow, Electric Purple, Zesty Lime, Cinnamon, and Olive.)
- 4. LIMITED EIGHT (8) YEAR WARRANTY:
 - Fiberglass signage, accessible swing seats, precast PolyFiberCrete or precast concrete products.
 - · LandSoft Synthetic Turf safety surfacing against deterioration of specified attenuation performance and appearance.
 - Shade fabric and components against rot, UV deterioration and defects in materials and workmanship (Note Exception: Limited Three (3) Year Warranty for fabric in shades of red).
- 5. LIMITED FIVE (5) YEAR WARRANTY:
 - Clever ClimbersTM products, including, but not limited to polyethylene slides, enclosures, main structure, decks, and plastic components.
 - PVC coating against cracking or peeling.
 - Park and Site Amenities (i.e. benches, tables, trash receptacles, etc.).
 - Steel core cable nets and rope fittings and connections (Note Exception: Warranty does not cover normal wear and tear such as fraying or facing of cable coating).
- 6. **LIMITED THREE (3) YEAR WARRANTY:** KidTiles®, Playground Sculptures, KidRiders® products (excluding spring assemblies), flexible belting, plastic border timbers and accessories, and electronic panel speakers, sound chips, and circuit boards.
- 7. LIMITED ONE (1) YEAR WARRANTY:
 - GFRP (Glass Fiber Reinforced Polymer) Products. Learning Lab Sensory Tables, and Tot Tree plastic components.
 - Belt Swing Seats, and Bucket Tot Swing Seats.
 - All other products and components that are not specifically listed above, including, without limitation, all moving parts, such as swing
 hangers and bearings, swivels, chains, whirls, springs and flexible components, and all high wear items, such as trolleys, cables, wheels, and
 bumper stops related to rail and cable ride products.

BUYER'S REMEDY: If any products prove defective or non-conforming under normal use and within the above-prescribed warranty periods and material categories, Buyer must promptly notify Little Tikes Commercial in writing at 878 E. Hwy 60, Monett, MO 65708 USA. Little Tikes Commercial may elect to inspect the alleged defect at Buyer's site or at Little Tikes Commercial's facility. Buyer shall not return products to Little Tikes Commercial unless authorized by Little Tikes Commercial to do so. Authorized returns must be properly packaged and shipped prepaid and insured, at Buyer's expense. Upon verification of warranty coverage, Little Tikes Commercial may elect, in its sole discretion, to repair defective or non-conforming products, or replace them by delivering products or part(s) free of charge to the site. Little Tikes Commercial's limited warranties do not cover the cost of labor to remove defective or non-conforming part(s) or to install repaired or replacement part(s). By use of these limited warranties, Buyer accepts their terms and limitations, and waives any rights it would otherwise have to claim or assert that such warranties fail of their essential purpose. Buyer agrees that venue for any court action to enforce these limited warranties shall be in Barry or Greene Counties in the State of Missouri.

LIMITATIONS: All warranty periods begin on the date of Little Tikes Commercial's invoice. Repaired and/or replacement part(s) are warranted only for the balance of the original limited warranty period. Warranties extend only to the original Buyer/end user for products purchased from Little Tikes Commercial or a Little Tikes Commercial authorized reseller and are not transferrable.

Warranties apply only to Little Tikes Commercial products that are erected and installed in conformance with Little Tikes Commercial's installation instructions, and that are maintained and inspected in conformance with Little Tikes Commercial maintenance and operational instructions.

Warranties specifically do not cover Little Tikes Commercial products:

- for cosmetic damage or flaws occurring under normal use, such as surface scratches, minor chips, hairline cracks, dents, marring, efflorescence, color fade (except for shade fabric as noted above), discoloration, corrosion, fraying, or warping of recycled plastic lumber;
- that have been modified, altered, or repaired by unauthorized third parties;
- that have not been used as designed or intended, or misused;
- to which non-Little Tikes Commercial parts have been added or substituted;
- that have been removed from their original location and re-installed elsewhere, without pre-approval by Little Tikes Commercial;
- or that have been damaged due to excessive wear and tear, vandalism, abnormal use, abuse, negligence, environmental factors (such as wind-blown sand, salt spray, or airborne emissions from industrial sources), extreme weather (such as hail, flooding, lightning, tornados, sandstorms, earthquakes, or wind storms), and acts of God.

THE FOREGOING LIMITED WARRANTY IS THE SOLE AND EXCLUSIVE WARRANTY FOR SELLER'S PRODUCTS, AND IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, IN LAW OR IN FACT. SELLER SPECIFICALLY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE OR PURPOSE, AND ANY IMPLIED WARRANTIES ARISING OUT OF COURSE OF DEALING OR PERFORMANCE OR TRADE USAFGE. SELLER SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL, EXEMPLARY, SPECIAL, OR PUNITIVE DAMAGES, OR ANY LOSS OF REVENUE, PROFICT OR USE, ARISING OUT OF A BREACH OF THIS WARRANTY OR IN CONNECTION WITH THE SALE, INSTALLATION, MAINTENANCE, USE, OPERATION OR REPAIR OF ANY PRODUCT. IN NO EVENT WILL SELLER BE LIABLE FOR ANY AMOUNT GREATER THAN THE PURCHASE PRICE OF A DEFECTIVE PRODUCT.

2023 Project Reference















Little Tikes Commercial / Northland Recreation References 1-888-371-4958

www.northlandrec.com

Village of Jackson Park and Recreation

Hickory Lane Park- \$275,013.50 Installation of playground equipment and poured in place with detailed images. - May 2019

Kelly Valentino- Park and Recreation Director kvalentino@villageofjackson.com

262-677-9665 x 103

Milwaukee World Festive- Summerfest

Northwester Mutual Community Park- \$520,292.00 installation of standard and custom playground equipment- June 2021

Robert Gosse- Director of Design and Construction- at time of project (Now Senior Project Manager with The Sigma Group)

Rgosse@thesigmagroup.com 414-643-4121

Hortonville School District

Hortonville Elementary School- \$139,171.50

Community installation of playground equipment and poured in place surfacing- August 2023

Jared Deli- Principal- jareddeli@hasd.org 920-779-7911



Grogan Park Playground \$150,000 Option















General Notes: little tikes. COMMERCIAL Age Group 2-5yrs 5-12 yrs 2-12yrs 13+ yrs The Americans with Disabilities Act (ADA) may requited that you make your park and/or playground accessible when viewed in its entirety. Please consult your legal counsel to determine if the ADA applies to you. when viewed in its entirely. Please consult your legal year. For playgroung equipment to be considered accessible, accessible surfacing must be utilized in applicable area, the proposed Access Board Regulations in regards to the appropriate number of ground level events; the actual existing play components. All desk heights are measured from too or ground cover, account all play equipment. The minimum recommends some in the entire around all play equipment. The minimum recommends some in the entire tripping or collision hazards for goots provide the entire tripping or collision hazards for goots provide the tripping or collision hazards for goots provide tripping or collision hazards for soft provided tripping or collision tripping TOT BUILDERS **GARDEN WALL** DBL LONG **GALLAGHER** W/ HYPNOTIZE PLASTIC SLIDE THE GRASSHOPPER **INSERT** 200203328 M00000962 SGL WIDE LT0888ING PLASTIC SLIDE 200006980 3 POST TOPPER TREE 3D 200203713 **INCLUSIVE** TOT SEAT 2 BELT SEATS SWITCHBACK NU-EDGE BIRCH SEAT 200202836 200202835 TRANS STAT CLIMBER 200203433 200203765 200203317 NU-EDGE BIRCH 72 COUNTER PANEL INCLUSIVE REVOLTION 200203753 SPINNER 40'-10" 200203413 NU-EDGE BIRCH KB TANDEM NET CLIMBER 72" CLIMB DBL 200203760 QUANTUM II SPIRAL 200203614 200203131 3 NU-EDGE BIRCH **KB TRAIL** TREE CANOPY 2 BAY MAX PLAY CLIMBER 48" 200203766 SWING SET 200203457 200202202 SGL WIDE PLASTIC SLIDE TOT BUILDERS FRIENDLY FENCE 200203326 3.570 ft2 POURED IN PLACE RUBBER LT0902 SURFACING WITH 250 LINEAR FEET OF CONCRETE CURB

Project: GROGAN PARK , WI 150,000 OPTION

LTCPS rep: Ericka Steltz

Northland Recreation, LLC. (262) 313-8636

Ground Space: 79'-0" x 31'-6" Protective Area: 91'-6" x 40'-0"

Drawn by: Ericka Steltz Date: 2/22/2024

DWG Name: R0324_45338522632

LTCPS - Farmington 878 East Highway 60 Monett, Missouri 65708 Voice: 1-800-325-8828 Fax: 417-354-2273

Playground Layout Compliance:

 ✓ ASTM F1487 - Playground Equipment for Public Use.
 ✓ CPSC Handbook for Public Playground Safety









Component Accessibility Chart

Drawing Name: Gorgan Park Playground- \$150,000 Opion

Project Number: R0324_45338522632

Age Group: 5-12 with 2-5 & 2-12 Ground Level Play					
Elevated Play Activities Total:	9				
Elevated Play Activities Accessible By Transfer:	6	Req'd:	5		
Elevated Play Activities Accessible By Ramp:	0	Req'd:	0		
Ground Level Activity Type:	6	Req'd:	3		
Ground Level Quantity:	11	Req'd:	3		

Description	Elevation	Access	Type of Play	Qty
50-56 SGL WIDE SLD KB	Elevated	Transfer	SLIDE-A	1
70 74 SGL WIDE SLD KB	Elevated	Transfer	SLIDE-A	1
KB QUANTUM II SPIRAL SLIDE RIGHT	Elevated	Transfer	SLIDE-A	1
KB SWITCHBACK CLIMBER W/WIRE	Elevated	Transfer	CLIMBER-I1	1
NU-EDGE BIRCH CLIMBER F/KB	Elevated	Transfer	CLIMBER	1
KB TANDEM NET CLIMB DBL	Elevated	Transfer	CLIMBER-D	1
KB TANDEM NET CLIMB DBL	Elevated	None	CLIMBER-D	1
KB TRAIL CLIMBER 48"	Elevated	None	CLIMBER-D	1
SLIDE WAVE KB 1220 MM/48"	Elevated	None	SLIDE-A	1
Belt ~ Standard Beam 8' 2-12 Age	Ground	Ground	SWING	2
GALLAGHER THE GRASSHOPPER	Ground	Ground	RIDER	1
SPRING RIDER 2-5 Age				
INCLUSIVE REVOLUTION SPINNER	Ground	Ground	CLIMBER-D	1
2-12 Age				
Inclusive Seat ~ 8' 2-12 Age	Ground	Ground	SWING	1
NU-EDGE BIRCH COUNTER PANEL	Ground	Ground	PANEL	1
2-12 Age				
Tot ~ Standard Beam 8' 2-5 age	Ground	Ground	SWING	1
ACTIVITY PANEL HYPNOTIZE INSERT	Ground	Ground	PANEL	1
2-12 Age				
MC GARDEN WALL 1 2-5 Age	Ground	Ground	MANIPULATIVE_EQUIP	1
TOT BUILDERS FRIENDLY FENCE	Ground	Ground	MANIPULATIVE_EQUIP	1
18 MONTH +				
TOT BUILDERS FRIENDLY FENCE	Ground	Ground	PANEL SENSORY	1
KB TANDEM NET CLIMB DBL KB TRAIL CLIMBER 48" SLIDE WAVE KB 1220 MM/48" Belt ~ Standard Beam 8' 2-12 Age GALLAGHER THE GRASSHOPPER SPRING RIDER 2-5 Age INCLUSIVE REVOLUTION SPINNER 2-12 Age Inclusive Seat ~ 8' 2-12 Age NU-EDGE BIRCH COUNTER PANEL 2-12 Age Tot ~ Standard Beam 8' 2-5 age ACTIVITY PANEL HYPNOTIZE INSERT 2-12 Age MC GARDEN WALL 1 2-5 Age TOT BUILDERS FRIENDLY FENCE 18 MONTH +	Elevated Elevated Elevated Ground	None None None Ground Ground Ground Ground Ground Ground Ground Ground Ground	CLIMBER-D CLIMBER-D SLIDE-A SWING RIDER CLIMBER-D SWING PANEL SWING PANEL MANIPULATIVE_EQUIP MANIPULATIVE_EQUIP	1 1 2 1 1 1 1 1 1

PlayPower LT Farmington, Inc. 878 E. US Hwy 60 Monett, MO 65708 1-800-325-8828

QUOTE: R0324240044 CUSTOMER: sus123

Project: R0324_45338522632_09

Gordan Park \$150,000 Option

Halie Dobbeck Village of Sussex W244N6125 Weaver Drive Sussex, WI 53089 262-246-5200 Ext. 105 (phone) hdobbeck@villagesussex.org

Customer:

Quote Number: R0324240044 Quote Date: 2/22/2024

Valid For: 90 Days From Quote Date

Prepared by:

Northland Recreation 10085 Bridgewater Bay Woodbury, MN 55129 USA 2623138636 (phone) ericka@northlandrec.com

Grogan Park 5-12 Play Structure w/ 2-12 Ground Level Components

Product line: KidBuilders

Age group: 5-12

Supply and installation of a Little Tikes Kid Builder structure that is shown on the plan. The structure features 4 slides, 3 climbers, and 1 deck to deck rope climber. There is also a ground level play panel, a revolution spinner and a swing set that is perfect for all kids 2-12. The play area also features our Tot Builder Garden wall and Gallagher the Grasshoppers that are 2-5 year old rated and our Tot Builder Friendly Fence. Since this is a neighborhood park, I wanted to make sure that there is a little bit for everyone.

Northland Recreation will provide two supervisors for up to 4 days to lead and assist with the installation. Our supervisors will bring their tools that are playground specific, but the Village will be responsible for receiving the equipment from the trucking company, a skid steer with bucket and auger for the installation, 5 to 8 workers, concrete for the footings, and misc hand tools that included but are not limited to rakes, shovel, wheelbarrow, ladders, electric drills, sockets, etc.

Components

Part Number	Description	Qty
100001127	KB LONG DK/DK PLATE 205MM/8"	1
200006980	SLIDE WAVE KB 1220 MM/48" KB	1
200008193	TOOL BOX KID BUILDERS #2, S.S. (MM)	1
200013798	KB 136" GALV POST WITH CAP	3
200013813	KB 4165/164" GALV POST WITH CAP	6
200069056	KB 186"/4725MM GALV POST W/CAP	1
200069057	KB 200"/5080MM GALV POST W/CAP	1
200069058	KB 213"/5410MM GALV POST W/CAP	1
200131019	KB 180" GALV POST WITH CAP	1
200131020	KB 188" GALV POST WITH CAP	1
200200401	STEPS DK/DK 610MM W/SFTY RLS F/KB SMLHL	1
200200530	KIT MAINTENANCE KB W/PAINT W/O LIST	1
200201307	KB STEPS DK/DK 406MM W/SFTY RL(SM.HOLE)	1
200202501	KB DECK 1/2 SQUARE SMALL HOLE 11GA	2
200202503	KB DECK SQUARE SMALL HOLE 11GA	1
200202504	KB DECK TRIANGLE SMALL HOLE 11GA	2
200203131	KB QUANTUM II SLIDE 8' SPIRAL RIGHT	1
200203317	KB SWITCHBACK CLIMBER 96" W/WIRE ENCL	1
200203326	KB WAVE SLIDE 48" W/2014 HOOD	1
200203328	KB WAVE SLIDE 72" W/2014 HOOD	1
200203457	KB TRAIL CLIMBER 48"	1
200203614	KB TANDEM NET CLIMB DBL	1
2/20/2024		

2/29/2024 Page 1 of 4

200203713	KB POST TOPPER TREE 3D	3
200203760	NU-EDGE BIRCH CLIMBER F/KB 72"	1
200203765	NU-EDGE BIRCH TRANS STAT F/KB 48" SM HL	1
200203766	NU-EDGE BIRCH TREE CANOPY F/KB	3
HW7704-1	HRDW PKG F/CLAMP ELIMINATION S1/1	1

2-12 Play Equipment

Product line: KidBuilders

Age group: 2-5

Components

Part Number	Description	Qty	
200203474	ACTIVITY PANEL HYPNOTIZE INSERT	1	2-12 Age Range
LT0888ING	TOT BUILDERS SENSORY GARDEN WALL SGL	1	2-5 Age Range
LT0902	TOT BUILDERS FRIENDLY FENCE	1	18 Month Plus
M00000962	SPRING RIDER GRASSHOPPER,GALLAGHER	1	2-5 Age Range
200203413	REVOLUTION INCLUSIVE SPINNER	1	2-12 Age Range
200203433	INCLUSIVE SWING SEAT W/CHAINS 8'	1	2-12 Age Range
200203753	NU-EDGE BIRCH COUNTER PANEL F/KB	1	2-12 Age Range
200202835	ASSY BELT SEAT F/8' SWING W/CHAIN	2	2-12 Age Range
200202836	ASSY TOT SEAT F/8' SWING W/CHAIN	1	2-5 Age Range
200202202	MAXPLAY 8' STANDARD BEAM	1	2-12 Age Range
200202204	MAXPLAY 8' ADD-ON STANDARD BEAM	1	2-12 Age Range

Surfacing

Supply and installation of approximately 3,565 ft2 of poured in place rubber surfacing at an 8' fall height. The rubber will be 50% black and 50% standard color. We will also install 6"of compact stone base.

Installation of approximately 250 linear feet of concrete curbing around the playground. \$9,400.00

Totals:

Equipment & Supervision: \$59,546.00 Surfacing Curb: \$90,454.00

Freight: Included

Estimated Sales Tax*: Exempt

Grand Total: \$150,000.00

Please Note:

Make Purchase Orders Out To:

PlayPower LT Farmington, Inc.

Remit Purchase Orders To:

PlayPower LT Farmington, Inc. Attention: Sales Administration 878 E US Hwy 60 Monett, Missouri, USA 65708 1-800-325-8828 Make Checks Payable To:

PlayPower LT Farmington, Inc.

Remit Checks To:

PlayPower LT Farmington PO Box 734155 Dallas, TX 75373-4155

2/29/2024 Page 2 of 4

^{***}Site excavation, preparation, restoration, required drain tile and concrete sidewalks are not included in our proposal

^{***}No bonding or prevailing wages were included in this proposal.

NOTE:

* Applicable sales taxes will be confirmed once order and any tax certificates are received † Denotes drop ship item.

Unloading, storage, installation, surfacing and site work are not included unless specifically noted on quotation. Not responsible for filter cloth, irrigation rerouting, grass damage, or checking for underground utilities. If installation is quoted, it is assumed that the site has been prepared and that any grade slope in any direction does not exceed 2%. In the event that unexpected soil conditions, such as subsurface rock, are encountered during installation, additional costs to the customer will be applicable.

The acceptance signature below serves as authorization to order the items quoted and indicates acceptance of the prices listed. All terms are subject to credit approval.

COMMENTS:

This Quote shall not become a binding contract until signed and delivered by both Customer and PlayPower LT Farmington Inc ("PPLT"). Sales Representative is not authorized to sign this Quote on behalf of PPLT or Customer, and signed Quotes cannot be accepted from Sales Representative. To submit this offer, please sign below and forward a complete signed copy of this Quote directly to "PPLT Sales Administration" via fax (417)354-2273 or email outdoordes@LTCPS.com. Upon acceptance, PPLT will return a fully-signed copy of the Quote to Customer (with copy to Sales Representative) via fax or e mail.

THIS QUOTE IS LIMITED TO AND GOVERNED BY THE TERMS CONTAINED HEREIN. PPLT objects to any other terms proposed by Customer, in writing or otherwise, as material alterations, and all such proposed terms shall be void. Customer authorizes PPLT to ship the Equipment and agrees to pay PPLT the total amount specified. Shipping terms are FOB the place of shipment via common carrier designated by PPLT. Payment terms are Net-30 days from invoice date with approved credit and all charges are due and payable in full at PO Box 734155, Dallas, TX 75373-4155, unless notified otherwise by PPLT in writing. Customer agrees to pay all additional service charges for past due invoices. Customer must provide proper tax exemption certificates to PPLT, and shall promptly pay and discharge all otherwise applicable taxes, license fees, levies and other impositions on the Equipment at its own expense.

CUSTOMER HEREBY SUBMITS ITS OFFER TO PURCHASE THE EQUIPMENT ACCORDING TO THE TERMS STATED IN THIS QUOTE AND SUBJECT TO FINAL APPROVAL BY PPLT.

Submitted By	Printed Name and Title	Date
THE FOREGOING QUOTE AND OFFER FARMINGTON INC.	R ARE HEREBY APPROVED AND ACCEPTE	D BY PLAYPOWER LT
By:	Date:	

ADDITIONAL TERMS & CONDITIONS OF SALE

- 1. Use & Maintenance. Customer agrees to regularly inspect and maintain the Equipment, and to provide, inspect and maintain appropriate safety surfacing under and around the Equipment, in accordance with PPLT's product literature and the most current Consumer Product Safety Commission Handbook for Public Playground Safety.
- 2. Default, Remedies & Delinquency Charges. Customer's failure to pay any invoice when due, or its failure to otherwise comply with the terms of this Quote, shall constitute a default under all unsatisfied invoices ("Event of Default"). Upon an Event of Default, PPLT shall have all remedies available to it at law or equity, including, without limitation, all remedies afforded a secured creditor under the Uniform Commercial Code. Customer agrees to assist and cooperate with PPLT to accomplish its filing and enforcement of mechanic's or other liens with respect to the Equipment or its location or its repossession of the Equipment, and Customer expressly waives all rights to possess the Equipment after an Event of Default. All remedies are cumulative and not alternative, and no exercise by PPLT of a remedy will prohibit or waive the exercise of any other remedy. Customer shall pay all reasonable attorneys' fees plus any costs of collection incurred by PPLT in enforcing its rights hereunder. Subject to any limitations under law, Customer shall pay to PPLT as liquidated damages, and not as a penalty, an amount equal to 1.5% per month of any payment that is delinquent in such month and is not received by PPLT within ten (10) days after the date on which due.

2/29/2024 Page 3 of 4

- 3. Limitation of Warranty/ Indemnity. PPLT MAKES NO EQUIPMENT WARRANTIES EXCEPT FOR THOSE STANDARD WARRANTIES ISSUED WITH THE EQUIPMENT, WHICH ARE INCORPORATED HEREIN BY THIS REFERENCE. PPLT SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. CUSTOMER AGREES TO DEFEND, INDEMNIFY AND SAVE PPLT HARMLESS FROM ALL CLAIMS OF ANY KIND FOR DAMAGES OF ANY KIND ARISING OUT OF CUSTOMER'S ALTERATION OF THE EQUIPMENT, ITS FAILURE TO MAINTAIN THE EQUIPMENT, ITS FAILURE TO PROPERLY SUPERVISE EQUIPMENT USE, OR ITS FAILURE TO PROVIDE AND MAINTAIN APPROPRIATE TYPES AND DEPTHS OF SAFETY SURFACING BENEATH AND AROUND THE EQUIPMENT IN ACCORDANCE WITH PPLT'S INSTALLATION AND OWNER'S MANUALS AND THE MOST CURRENT CONSUMER PRODUCT SAFETY COMMISSION HANDBOOK FOR PUBLIC PLAYGROUND SAFETY.
- 4. Restrictions. Until all amounts due hereunder are paid in full, Customer shall not: (i) permit the Equipment to be levied upon or attached under any legal process; (ii) transfer title to the Equipment or any of Customer's rights therein; or (iii) remove or permit the removal of the Equipment to any location not specified in this Quote.
- 5. Purchase Money Security Interest. Customer hereby grants, pledges and assigns to PPLT, and PPLT hereby reserves a purchase money security interest in, the Equipment in order to secure the payment and performance in full of all of Customer's obligations hereunder. Customer agrees that PPLT may file one or more financing statements, in order to allow it to perfect, acquire and maintain a superior security interest in the Equipment.
- 6. Choice of Law and Jurisdiction. All agreements between Customer and PPLT shall be interpreted, and the parties' obligations shall be governed, by the laws of the State of Missouri without reference to its choice of law provisions. Customer hereby consents to the personal jurisdiction of the state and federal courts located in the city and county of St. Louis. Missouri.
- 7. Title; Risk of Loss; Insurance. PPLT Retains full title to all Equipment until full payment is received by PPLT. Customer assumes all risk of loss or destruction of or damage to the Equipment by reason of theft, fire, water, or any other cause, and the occurrence of any such casualty shall not relieve the Customer from its obligations hereunder and under any invoices. Until all amounts due hereunder are paid in full, Customer shall insure the Equipment against all such losses and casualties.
- 8. Waiver; Invalidity. PPLT may waive a default hereunder, or under any invoice or other agreement between Customer and PPLT, or cure such a default at Customer's expense, but shall have no obligation to do either. No waiver shall be deemed to have taken place unless it is in writing, signed by PPLT. Any one waiver shall not constitute a waiver of other defaults or the same kind of default at another time, or a forfeiture of any rights provided to PPLT hereunder or under any invoice. The invalidity of any portion of this Quote shall not affect the force and effect of the remaining valid portions hereof.
- 9. Entire Agreement; Amendment; Binding Nature. This fully-executed Quote, as supplemented by Change Orders and invoices containing exact amounts of estimates provided herein, constitutes the complete and exclusive agreement between the parties. A Change Order is a written instrument signed by the Customer and PPLT stating their agreement as to any amendment in the terms of this Quote. Customer acknowledges that Change Orders may result in delays and additional costs. The parties agree that all Change Orders shall include appropriate adjustments in price and time frames relating to any requested amendments. Upon full execution, this Quote shall be binding upon and inure to the benefit of the parties and their successors and assigns.
- 10. Counterparts; Electronic Transmission. This Quote, any invoice, and any other agreement between the parties, may be executed in counterparts, each of which shall constitute an original. The facsimile or other electronic transmission of any signed original document, and retransmission of any signed facsimile or other electronic transmission, shall be the same as the transmission of an original. At the request of either party, the parties will confirm facsimile or other electronically transmitted signatures by signing an original document.

2/29/2024 Page 4 of 4



CERTIFICATE OF LIABILITY INSURANCE

DATE(MM/DD/YYYY) 10/23/2023

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this

certificate does not confer right	its to the certificate holder in fied of Such e	naorsemen	ι(S).				
PRODUCER		CONTACT NAME:					
Aon Risk Services Central, I St. Louis MO Office		PHONE (A/C. No. Ext):	(866) 283-7122	FAX (A/C. No.): (800) 363-01	05		
4220 Duncan Avenue Suite 401		E-MAIL ADDRESS:					
St Louis MO 63110 USA			INSURER(S) AFFORDING COV	/ERAGE	NAIC #		
INSURED		INSURER A:	James River Insurance	Company	12203		
INSURED Playpower Holdings, Inc. 11515 Vanstory Drive		INSURER B:	Pennsylvania Manufactu	rers' Assoc Ins Co	12262		
#100		INSURER C:	Allied World Assurance	Company (US) Inc	19489		
HUNTERSVILLE NC 28078 USA		INSURER D:	Columbia Casualty Comp	any	31127		
		INSURER E:					
		INSURER F:					
COVEDACEC	CERTIFICATE MUMBER, 5704000007	16	DEVICION	MIIMDED.			

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

				-	. LIMITS SHOWN MAY HAVE BEEN			Limits show	wn are as requested
INSR LTR		TYPE OF INSURANCE	ADDL INSD	SUBR WVD			POLICY EXP (MM/DD/YYYY)	LIMITS	
Α	Χ	COMMERCIAL GENERAL LIABILITY			000959654		10/01/2024	EACH OCCURRENCE	\$1,000,000
		CLAIMS-MADE X OCCUR			SIR applies per policy ter	ns & condi	tions	DAMAGE TO RENTED PREMISES (Ea occurrence)	\$300,000
								MED EXP (Any one person)	\$10,000
								PERSONAL & ADV INJURY	\$1,000,000
	GEI	N'L AGGREGATE LIMIT APPLIES PER:						GENERAL AGGREGATE	\$2,000,000
		POLICY X PRO- JECT X LOC						PRODUCTS - COMP/OP AGG	\$2,000,000
		OTHER:						SIR	\$500,000
В	AU	TOMOBILE LIABILITY			152300 0652321B CA	10/01/2023	10/01/2024	COMBINED SINGLE LIMIT (Ea accident)	\$1,000,000
В	Х	ANY AUTO			152300 0652321A	10/01/2023	10/01/2024	BODILY INJURY (Per person)	
		OWNED SCHEDULED			AOS			BODILY INJURY (Per accident)	
	Х	AUTOS ONLY HIRED AUTOS ONLY \$1,000 Ded. Comp X \$1,000 Ded. Collisior						PROPERTY DAMAGE (Per accident)	
С	^	, , , , , , , , , , , , , , , , , , ,			03140086	10/01/2023	10/01/2024	EACH OCCURRENCE	\$5,000,000
	Х	UMBRELLA LIAB X OCCUR			03140080	10/01/2023	10/01/2024	-	
		EXCESS LIAB CLAIMS-MADE						AGGREGATE	\$5,000,000
		DED X RETENTION \$10,000							
В		DRKERS COMPENSATION AND IPLOYERS' LIABILITY Y / N			2023750652321	10/01/2023	10/01/2024	X PER STATUTE OTH-	
		Y PROPRIETOR / PARTNER / EXECUTIVE	N/A					E.L. EACH ACCIDENT	\$1,000,000
	(Ma	andatory in NH)	11/ A					E.L. DISEASE-EA EMPLOYEE	\$1,000,000
	If y	es, describe under SCRIPTION OF OPERATIONS below						E.L. DISEASE-POLICY LIMIT	\$1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

RE: Bidding Purposes.

CERTIFICATE HOLDER	CANCELLATIO
--------------------	-------------

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS

Playpower LT Farmington Inc. Attn: Jeff Prangler 878 E. US Hwy. 60 Monett MO 65708 USA

AUTHORIZED REPRESENTATIVE

Aon Risk Services Central Inc.



LOC #:



ADDITIONAL REMARKS SCHEDULE

Page _ of _

		NAMED INSURED Playpower Holdings, Inc.						
	POLICY NUMBER See Certificate Number: 570102382715							
	CARRIER	NAIC CODE						
	See Certificate Number: 570102382715		EFFECTIVE DATE:					

ADDITIONAL REMARKS

THIS ADDITIONAL	. REMARKS F	ORM IS A SCHE	EDULE TO ACORD FORM,
FORM NUMBER:	ACORD 25	FORM TITLE:	Certificate of Liability Insurance

	INSURER(S) AFFORDING COVERAGE	NAIC#
INSURER		

ADDITIONAL POLICIES If a policy below does not include limit information, refer to the corresponding policy on the ACORD certificate form for policy limits.

INSR LTR		ADDL INSD		POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YYYY)	POLICY EXPIRATION DATE (MM/DD/YYYY)	LIMITS	
	EXCESS LIABILITY							
D				7040440664 01 Excess Liab\$5M xs \$5M	10/01/2023	10/01/2024	Aggregate	\$5,000,000
							Each Occurrence	\$5,000,00

AGENCY CUSTOMER ID: 570000052633

LOC#:



ADDITIONAL REMARKS SCHEDULE

Page _ of _

AGENCY		NAMED INSURED
Aon Risk Services Central, Inc.		Playpower Holdings, Inc.
POLICY NUMBER See Certificate Number: 570102382715		
CARRIER	NAIC CODE	
See Certificate Number: 570102382715		EFFECTIVE DATE:

```
ADDITIONAL REMARKS
THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,
FORM NUMBER: ACORD 25 FORM TITLE: Certificate of Liability Insurance
                                                                                  Named Insured Schedule
PlayPower Inc. (First named insured)
Additional Named Insureds
Play Holdings Inc.
PlayPower, Inc.
PlayPower Holdings, Inc.
PlayPower Finance, Inc.
Miracle Recreation Equipment Company, Inc.
Miracle Recreation Equipment Co
E-Z Dock, Inc.
Kid Play, Inc.
Soft Play, L.L.C.
PlayPower LT Farmington, Inc.
Play Design International SARL
PlayWorld Systems, Inc.
PlayWorld Preferred, Inc.
Playtime LLC
No Fault LLC
```



WARRANTY

Little Tikes Commercial Brand warrants its products against structural failure due to defects in materials and workmanship for the warranty periods and material categories prescribed below.

Buyer agrees that products sold by PPLT Farmington, Inc. (PlayPower Little Tikes Commercial) carry only the following warranties:

- LIMITED WARRANTY FOR AS LONG AS YOU OWN THE PRODUCT: Aluminum deck posts, steel deck posts, stainless steel hardware and KidBuilder® steel clamps.
- LIMITED FIFTEEN (15) YEAR WARRANTY: All rigid steel playground components, decks, steps, and weldments, rotationally molded and sheet plastic components, plastic lumber, roof panels, and stainless steel slides, except as otherwise specified below.
- 3. **LIMITED TEN (10) YEAR WARRANTY:** Fabric shade steel frames, Naturtek™ products, and Shadesure™ fabrics (Note Exception: Limited Five (5) Year Warranty on Shadesure™ fabrics in colors Red, Yellow, Electric Purple, Zesty Lime, Cinnamon, and Olive.)
- 4. LIMITED EIGHT (8) YEAR WARRANTY:
 - Fiberglass signage, accessible swing seats, precast PolyFiberCrete or precast concrete products.
 - · LandSoft Synthetic Turf safety surfacing against deterioration of specified attenuation performance and appearance.
 - Shade fabric and components against rot, UV deterioration and defects in materials and workmanship (Note Exception: Limited Three (3) Year Warranty for fabric in shades of red).
- 5. LIMITED FIVE (5) YEAR WARRANTY:
 - Clever ClimbersTM products, including, but not limited to polyethylene slides, enclosures, main structure, decks, and plastic components.
 - PVC coating against cracking or peeling.
 - Park and Site Amenities (i.e. benches, tables, trash receptacles, etc.).
 - Steel core cable nets and rope fittings and connections (Note Exception: Warranty does not cover normal wear and tear such as fraying or facing of cable coating).
- 6. **LIMITED THREE (3) YEAR WARRANTY:** KidTiles®, Playground Sculptures, KidRiders® products (excluding spring assemblies), flexible belting, plastic border timbers and accessories, and electronic panel speakers, sound chips, and circuit boards.
- 7. LIMITED ONE (1) YEAR WARRANTY:
 - GFRP (Glass Fiber Reinforced Polymer) Products. Learning Lab Sensory Tables, and Tot Tree plastic components.
 - Belt Swing Seats, and Bucket Tot Swing Seats.
 - All other products and components that are not specifically listed above, including, without limitation, all moving parts, such as swing
 hangers and bearings, swivels, chains, whirls, springs and flexible components, and all high wear items, such as trolleys, cables, wheels, and
 bumper stops related to rail and cable ride products.

BUYER'S REMEDY: If any products prove defective or non-conforming under normal use and within the above-prescribed warranty periods and material categories, Buyer must promptly notify Little Tikes Commercial in writing at 878 E. Hwy 60, Monett, MO 65708 USA. Little Tikes Commercial may elect to inspect the alleged defect at Buyer's site or at Little Tikes Commercial's facility. Buyer shall not return products to Little Tikes Commercial unless authorized by Little Tikes Commercial to do so. Authorized returns must be properly packaged and shipped prepaid and insured, at Buyer's expense. Upon verification of warranty coverage, Little Tikes Commercial may elect, in its sole discretion, to repair defective or non-conforming products, or replace them by delivering products or part(s) free of charge to the site. Little Tikes Commercial's limited warranties do not cover the cost of labor to remove defective or non-conforming part(s) or to install repaired or replacement part(s). By use of these limited warranties, Buyer accepts their terms and limitations, and waives any rights it would otherwise have to claim or assert that such warranties fail of their essential purpose. Buyer agrees that venue for any court action to enforce these limited warranties shall be in Barry or Greene Counties in the State of Missouri.

LIMITATIONS: All warranty periods begin on the date of Little Tikes Commercial's invoice. Repaired and/or replacement part(s) are warranted only for the balance of the original limited warranty period. Warranties extend only to the original Buyer/end user for products purchased from Little Tikes Commercial or a Little Tikes Commercial authorized reseller and are not transferrable.

Warranties apply only to Little Tikes Commercial products that are erected and installed in conformance with Little Tikes Commercial's installation instructions, and that are maintained and inspected in conformance with Little Tikes Commercial maintenance and operational instructions.

Warranties specifically do not cover Little Tikes Commercial products:

- for cosmetic damage or flaws occurring under normal use, such as surface scratches, minor chips, hairline cracks, dents, marring, efflorescence, color fade (except for shade fabric as noted above), discoloration, corrosion, fraying, or warping of recycled plastic lumber;
- that have been modified, altered, or repaired by unauthorized third parties;
- that have not been used as designed or intended, or misused;
- to which non-Little Tikes Commercial parts have been added or substituted;
- that have been removed from their original location and re-installed elsewhere, without pre-approval by Little Tikes Commercial;
- or that have been damaged due to excessive wear and tear, vandalism, abnormal use, abuse, negligence, environmental factors (such as wind-blown sand, salt spray, or airborne emissions from industrial sources), extreme weather (such as hail, flooding, lightning, tornados, sandstorms, earthquakes, or wind storms), and acts of God.

THE FOREGOING LIMITED WARRANTY IS THE SOLE AND EXCLUSIVE WARRANTY FOR SELLER'S PRODUCTS, AND IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, IN LAW OR IN FACT. SELLER SPECIFICALLY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE OR PURPOSE, AND ANY IMPLIED WARRANTIES ARISING OUT OF COURSE OF DEALING OR PERFORMANCE OR TRADE USAFGE. SELLER SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL, EXEMPLARY, SPECIAL, OR PUNITIVE DAMAGES, OR ANY LOSS OF REVENUE, PROFICT OR USE, ARISING OUT OF A BREACH OF THIS WARRANTY OR IN CONNECTION WITH THE SALE, INSTALLATION, MAINTENANCE, USE, OPERATION OR REPAIR OF ANY PRODUCT. IN NO EVENT WILL SELLER BE LIABLE FOR ANY AMOUNT GREATER THAN THE PURCHASE PRICE OF A DEFECTIVE PRODUCT.

2023 Project Reference















Little Tikes Commercial / Northland Recreation References 1-888-371-4958

www.northlandrec.com

Village of Jackson Park and Recreation

Hickory Lane Park- \$275,013.50 Installation of playground equipment and poured in place with detailed images. - May 2019

Kelly Valentino- Park and Recreation Director kvalentino@villageofjackson.com

262-677-9665 x 103

Milwaukee World Festive- Summerfest

Northwester Mutual Community Park- \$520,292.00 installation of standard and custom playground equipment- June 2021

Robert Gosse- Director of Design and Construction- at time of project (Now Senior Project Manager with The Sigma Group)

Rgosse@thesigmagroup.com 414-643-4121


Hortonville School District

Hortonville Elementary School- \$139,171.50

Community installation of playground equipment and poured in place surfacing- August 2023

Jared Deli- Principal- jareddeli@hasd.org 920-779-7911





Warning: Accessible safety surfacing material is required beneath and around this equipment that is compliant with ASTM, CPSC, and ADAAG requirements.

SERIES LINE: Nucleus | Intensity | Burke Basics

GROUP: Group 1

DESIGNED FOR AGES: 5 to 12




Grogan Park 1 - Sussex Lee Recreation, LLC

Designer: Ryan Lee

COMPONENT VIEW

03/11/2024



ITEM	COMP.	DESCRIPTION	
1	270-0129	TRIANGLE PLATFORM	
2	370-1731	TAKTIKS BOLT CLIMBER	- 1
3	370-0287	TOPO CLIMBER	
4	370-0288	ARRAY CLIMBER	
5	370-1616	TAKTIKS, TALL ROPE WALL	
6	270-0287	SLIDE PLATFORM	
7	470-0754	VELO SLIDE 64"-72", W/O HOOD	
8	370-1640	CONVERGE CLIMBER 72"	_ =
9	560-2603	FS TRANGO CLIMBER, 5 TO 12	
10	370-1683	S HORIZONTAL LADDER, NUCLEUS	
11	370-1608	OVISTEP LAUNCH PAD	
12	270-0122	EVOLUTION OFFSET ENCLOSURE	
13	470-0075	CRESCENT PLATFORM	
14	270-0009	8" CLOSURE PLATE, ELLIPSE	

ITEM

COMP.

550-0201

550-0202

550-0111

550-0099

550-0171

DESCRIPTION

SINGLE POST SWING ASSEMBLY 5" OD

TOT SEAT, 7' & 8' SINGLE, STD CHAIN

FREEDOM SWING SEAT, 8' BEAM, STD CHAIN

SINGLE POST SWING ADD-ON 5" OD

BELT SEAT, 8' SINGLE, STD CHAIN

GROUP: Group 2

DESIGNED FOR AGES: 5 to 12

SERIES LINE: Burke Basics

COMPONENT VIEW

Lee Recreation, LLC 03/11/2024

Grogan Park 1 - Sussex

Designer: Ryan Lee

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM

2





GROUP: Group 3

DESIGNED FOR AGES: 2 to 5

COMPONENT VIEW

03/11/2024


Grogan Park 1 - Sussex Lee Recreation, LLC

Designer: Ryan Lee

Design BCI BURKE COMPANY, LIC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM

ITEM	COMP.	DESCRIPTION	
1	580-1373	PLAYHOUSE	
2	560-2735	ARO SPINNING CHAIR	
3	580-1411	GAMES PLAYFUL BENCH	==]







SERIES LINE: Nucleus | Intensity | Burke Basics

GROUP: Group 1 | Group 2 | Group 3

DESIGNED FOR AGES: 5 to 12, 2 to 5

Design BCI BURKE COMPANY, LIC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM

ISOMETRIC VIEW

03/11/2024

Grogan Park 1 - Sussex Lee Recreation, LLC

Designer: Ryan Lee



PROJECT NAME GOES HERE PROJECT NAME

Proposal Grogan Park 1 - Sussex | 3/11/2024 | 2024 Pricing

The play components identified in this proposal are IPEMA certified. The use and layout of these components conform to the requirements of ASTMF1487. To verify product certification, visit www.ipema.org.







The space requirements shown in this proposal are to ASTM standards. Requirements for other standards may be different.

Component N	lo. Description	Qty	User Cap	Ext. User Cap	Weight	Ext. Weight	
		Grou	p 1				
Nucleus							
072-0500-1000	C 5" OD X 100" CAPPED POST	1	0	0	53	53	
072-0500-1160	C 5" OD X 116" CAPPED POST	1	0	0	61	61	
072-0500-1200	C 5" OD X 120" CAPPED POST	4	0	0	63	252	
072-0500-1360	C 5" OD X 136" CAPPED POST	4	0	0	71	284	
270-0009	8" CLOSURE PLATE, ELLIPSE	1	0	0	8	8	
270-0122	EVOLUTION OFFSET ENCLOSURE	2	0	0	34	68	
270-0129	TRIANGLE PLATFORM	1	2	2	48	48	
370-0287	TOPO CLIMBER	2	3	6	76	152	
370-0288	ARRAY CLIMBER	1	3	3	49	49	
370-1640	CONVERGE CLIMBER 72"	1	7	7	65	65	
470-0075	CRESCENT PLATFORM	1	1	1	52	52	
470-0754	VELO SLIDE 64"-72", W/O HOOD	1	2	2	111	111	
600-0104	NPPS SUPERVISION SAFETY KIT	1	0	0	3	3	
660-0103	MAINTENANCE KIT, STRUCTURE	1	0	0	7	7	
660-0104	INSTALLATION KIT, STRUCTURE	1	0	0	5	5	
		Grou	p 1				
Intensity	CLIDE DI ATEODIA	4	4	4	450	450	
270-0287	SLIDE PLATFORM	1	1	1	152	152	
370-1608	OVISTEP LAUNCH PAD	2	1	2	10	20	
370-1616	TAKTIKS, TALL ROPE WALL	1	2	2	31	31	
370-1683	S HORIZONTAL LADDER, NUCLEUS	1	6	6	56	56	
370-1731	TAKTIKS BOLT CLIMBER	1	8	8	246	246	
		Grou	p 1				
Burke Basics							
560-2603	FS TRANGO CLIMBER, 5 TO 12	1	5	5	32	32	

Total User Capacity: 45
Total Weight: 1755 lbs.
Total Price: \$35,062

Burke Basics						
550-0099	TOT SEAT, 7' & 8' SINGLE, STD	1	1	1	12	12
550-0111	Belt Seat, 8' Single, Std Chain	2	1	2	10	20
550-0171	FREEDOM SWING SEAT, 8' BEAM,	1	1	1	38	38
550-0201	SINGLE POST SWING ASSEMBLY 5" OD	1	0	0	220	220
550-0202	SINGLE POST SWING ADD-ON 5" OD	1	0	0	145	145
660-0101	INSTALL KIT BLIRKE BASICS - P	1	0	0	2	2

Total User Capacity: 4
Total Weight: 437 lbs.
Total Price: \$4,497

Group 3

Burke Basics						
560-2735	ARO SPINNING CHAIR	1	1	1	42	42
580-1373	PLAYHOUSE	1	8	8	360	360
580-1411	GAMES PLAYFUL BENCH	1	2	2	115	115
660-0101	INSTALL KIT, BURKE BASICS - P	1	0	0	2	2

Total User Capacity: 11
Total Weight: 519 lbs.
Total Price: \$10,194

Special Notes:

Prices do not include freight, unloading, material storage, site excavation/preparation, removal of existing equipment, removal of excess soil from footing holes, site security, safety surfacing, installation, or sales tax (if applicable). Prices are based on standard colors per CURRENT YEAR BCI Burke Catalog. Custom colors, where available, would be an extra charge. **Pricing is valid for 30 days from the date of this proposal.**


COLORS THAT MOVE YOU

POWDER COAT PAINT





SOLIS HUE TOPPERS



ROCKIT CLIMBERS



Sandstone

PLATFORMS











Blue

Gray Recycled **Plastic**


HDPE PLASTIC PANELS



SHADE CANOPIES



ROTOMOLD PLASTIC



VISIT BCIBURKE.COM/COLOR TO CUSTOMIZE YOUR PLAYGROUND COLORS!

BURKE GENERATIONS WARRANTY®

The Longest and Strongest warranty in the industry

BCI Burke Company, LLC ("Burke") warrants that all standard products are warranted to be free from defects in materials and workmanship, under normal use and service, for a period of one (1) year from the date of shipment.

We stand behind our products. In addition, the following products are warranted, under normal use and service from the date of shipment as follows:

- One Hundred (100) Year Limited Warranty on aluminum and steel upright posts (including Intensity®, Synergy™, Nucleus®, Voltage®, Little Buddies®, ELEVATE®, ACTIVATE®, INVIGORATE™) against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on KoreKonnect® clamps against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on Hardware (nuts, bolts, washers)
- One Hundred (100) Year Limited Warranty on bolt-through fastening and clamp systems (Synergy™, Intensity®, Nucleus®, Voltage®, Little Buddies®, ELEVATE®).
- Twenty-Five (25) Year Limited Warranty on spring assemblies and aluminum cast animals.
- Fifteen (15) Year Limited Warranty on structure platforms and decks, metal roofs, table tops, bench tops, railings and barriers against structural failure due to materials or workmanship.
- Fifteen (15) Year Limited Warranty on all plastic components including StoneBorders against structural failure due to materials or workmanship.
- Ten (10) Year Limited Warranty on ShadePlay Canopies fabric, threads, and cables against degradation, cracking or material breakdown resulting from ultra-violet exposure, natural
 deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications.
- Ten (10) Year Limited Warranty on NaturePlay[®] Boulders and GFRC products against structural failure due to natural deterioration or workmanship, Natural wear, which may occur with
 any concrete product with age, is excluded from this warranty
- Ten (10) Year Limited Warranty on Full Color Custom Signage against manufacturing defects that cause delamination or degradation of the sign. Full Color Custom Signs also carry a
 two (2) year warranty against premature fading of the print and graphics on the signs.
- Five (5) Year Limited Warranty on Intensity® and RopeVenture® cables and LEVEL X® flex bridge against premature wear due to natural deterioration or manufacturing defects. Determination of premature wear will be at the manufacturer's discretion.
- · Five (5) Year Limited Warranty on moving parts, including swing components, against structural failure due to materials or workmanship.
- Five (5) Year Limited Warranty on PlayEnsemble® cables and mallets against defects in materials and workmanship.
- . Three (3) Year Limited Warranty on electronic panel speakers, sound chips and circuit boards against electronic failure caused by manufacturing defects.

The warranty stated above is valid only if the equipment is erected in conformity with the layout plan and/or installation instructions furnished by BCI Burke Company, LLC using approved parts; have been maintained and inspected in accordance with BCI Burke Company, LLC instructions. Burke's liability and your exclusive remedy hereunder will be limited to repair or replacement of those parts found in Burke's reasonable judgment to be defective. Any claim made within the above stated warranty periods must be made promptly after discovery of the defect. A part is covered only for the original warranty period of the applicable part. Replacement parts carry the applicable warranty from the date of shipment of the replacement from Burke. After the expiration of the warranty period, you must pay for all parts, transportation and service charges.

Burke reserves the right to accept or reject any claim in whole or in part. Burke will not accept the return of any product without its prior written approval. Burke will assume transportation charges for shipment of the returned product if it is returned in strict compliance with Burke's written instructions.

THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IF THE FOREGOING DISCLAIMER OF ADDITIONAL WARRANTIES IS NOT GIVEN FULL FORCE AND EFFECT, ANY RESULTING ADDITIONAL WARRANTY SHALL BE LIMITED IN DURATION TO THE EXPRESS WARRANTIES AND BE OTHERWISE SUBJECT TO AND LIMITED BY THE TERMS OF BURKE'S PRODUCT WARRANTY. SOME STATES DO NOT ALLOW THE EXCLUSION OF CERTAIN IMPLIED WARRANTIES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

Warranty Exclusions: The above stated warranties do not cover: "cosmetic" defects, such as scratches, dents, marring, or fading; damage due to incorrect installation, vandalism, misuse, accident, wear and tear from normal use, exposure to extreme weather; immersion in salt or chlorine water, unauthorized repair or modification, abnormal use, lack of maintenance, or other cause not within Burke's control; and

Limitation of Remedies: Burke is not liable for consequential or incidental damages, including but not limited to labor costs or lost profits resulting from the use of or inability to use the products or from the products being incorporated in or becoming a component of any other product. If, after a reasonable number of repeated efforts, Burke is unable to repair or replace a defective or nonconforming product, Burke shall have the option to accept return of the product, or part thereof, if such does not substantially impair its value, and return the purchase price as the buyer's entire and exclusive remedy. Without limiting the generality of the foregoing, Burke will not be responsible for labor costs involved in the removal of products or the installation of replacement products. Some states do not allow the exclusion of incidental damages, so the above exclusion may not apply to you.

The environment near a saltwater coast can be extremely corrosive. Some corrosion and/or deterioration is considered "normal wear" in this environment. Product installed within 500 yards of a saltwater shoreline will only be covered for half the period of the standard product warranty, up to a maximum of five years, for defects caused by corrosion. Products installed in direct contact with saltwater or that are subjected to salt spray are not covered by the standard warranty for any defects caused by corrosion.

Contact your local Burke Representative for warranty information regarding Burke Turf® and Burke Tile products.

Terms of Sale

Pricing: Prices published in this catalog are in USD, are approximate and do not include shipping & handling, surfacing, installation nor applicable taxes. All prices are subject to change without notice. Contact your Burke representative for current pricing. Payments are to be made in USD.

Weights: Weights are approximate and may vary with actual orders.

Installation: All equipment is shipped unassembled. For a list of factory-certified installers in your area, please contact your Burke representative.

Specifications: Product specifications in this catalog were correct at the time of publication. However, product improvements are origoing at Burke, and we reserve the right to change or discontinue specifications without notice.

Loss or Damage in Transit: A signed bill of lading is our receipt from a carrier that our shipment to you was complete and in good condition upon arrival. Before you sign, please check the Bill of Lading carefully when the shipment arrives to make sure nothing is missing and there are no damages. Once the shipment leaves our plant, we are no longer responsible for any damage, loss or shortage.

For more information regarding the warranty, call Customer Service at 920-921-9220 or 1-800-356-2070.

01/2021



Burke NOVO® PLAYFUL BENCHES

PLAY THAT MOVES YOU.

There's so much to do on Novo Playful Benches! Sit, relax, engage your senses, play games, learn your numbers, practice language skills, and have fun to name a few! Bringing learning outside creates a relaxed space where kids will guide their own learning, build their confidence, and develop skills that transcend the playground while engaging with each other, their caregivers, or playing solo.

Learn more at bciburke.com/novo





BCIBURKE.COM



Burke NOVO® PLAYFUL BENCHES







BCIBURKE.COM



Burke NOVO® PLAYFUL BENCHES

FEATURES & BENEFITS

- The name "Playful Benches" comes from infusing play and learning into a playground staple a bench!
- Creates opportunities for children to learn, socialize and have fun at the same time! Kids learn through play and Novo Playful Benches help to foster this process.
- The variety of options in Novo Playful Benches means kids will have many different ways to learn, explore, make decisions and engage, all through play!
- Playful Benches have so many options for varying ages, preferences and play experiences and can be part of an outdoor classroom, a playspace, sensory garden or a regular seating area!
- Bringing education outside is an incredible way to enhance learning, improve concentration and increase engagement for both students and teachers!
- Being outdoors promotes feelings of well-being and decreases stress and anxiety great for children and adults of all ages!
- Burke Built® and backed by Burke's Generations Warranty® with a 100-year limited warranty on hardware, 15-year limited warranty on HDPE plastic and a 5-year limited warranty on moving parts.

DEVELOPMENTAL BENEFITS

Cognitive: Problem Solving, Strategic Thinking, Creative Thinking, Memory, Science Concepts

Sensory: Auditory, Proprioception, Tactile, Visual Motor: Eye-Hand Coordination, Fine Motor Skills

Social/Emotional: Cooperation, Imaginative Play, Social Skill Development, Turn-Taking



STEM PLAYFUL BENCH 580-1410



GAMES PLAYFUL BENCH 580-1411



FRIENDSHIP PLAYFUL BENCH 580-1408



SENSORY PLAYFUL BENCH 580-1409



Burke PLAYHOUSE

PLAY THAT MOVES YOU.

A cognitive, imaginative space that is perfect for children to pretend, engage or find a quiet space when they need it, the PlayHouse is an ideal addition to any Early Childhood environment. Customize your own colors or let our talented Design Team create a magical, whimsical space for your community.







Burke PLAYHOUSE

FEATURES & BENEFITS

- The PlayHouse is the launch point for imaginative and creative play for everyone. Children can role play, invent games and create their own worlds within the PlayHouse walls.
- This whimsical, fun play area helps children develop skills such as cooperation, creative problem solving and empathy.
- Created for children of all abilities, the door is wide enough for a wheelchair to enter and engage in the fun of imagination.
- Design the PlayHouse that fits your space! Customize the colors, add a fence or a tunnel or link it to a Synergy® Play Structure.
- Burke Built® and backed by Burke's Generations Warranty® with a 100-year limited warranty on posts, 15-year limited warranty on HDPE and 3-year limited warranty on moving parts.

DEVELOPMENTAL BENEFITS

Cognitive Skills: Problem Solving, Cognitive Planning, Creativity

Sensory: Visual, Tactile

Social/Emotional Skills: Cooperative Play, Imaginative Play, Self-expression, Role Playing















DATE:

March 12, 2024

TO:

Village of Sussex

N64W23760 Main Street

Sussex, WI 53089

FROM:

Jeff Thompson

RE:

Playground Proposal #LEE-031224-1

BCI BURKE "Play That Moves You"

Playground Proposal #LEE-031224-1

14 Play Events for an estimated 60 users ages 5-12 & 2-5

1-#IN-3426

Intensity Modular Structure - 5-12 Years

\$35,062.00

\$119,578.00

Early Bird Sale Savings (\$12,247.00)

DECKS: 1-Slide Platform, 1-Triangle Platform

SLIDES: Velo Slide @ 72" Platform

BALANCE: Lil Novo Balance Beam Link, Lil Novo Bean Step

CLIMBERS: Taktiks Bolt Climber, Converge Climber, Topo Climber, Array Climber, Taktiks Tall Rope Wall

Trango Climber

Upper Body: S Horizontal Ladder

1-#2BAYSWING	2-Bay Single Post Swings – Ages 2-12 Includes: 2 Belt Seats, 1 Tot Seat, 1 Freedom ADA Sweat, and Chain	\$ 4,497.00
1-560-2735	Aro Spinning Chair - Ages 2-12	\$ 1,452.00
1-580-1373	Playhouse – Ages 2-5	\$ 6,436.00
1-580-1411	Games Playful Bench - Ages 2-12	\$ 2,306.00
	Subtotal Equipment Additional Discount Supervised Installation 2,808 Sq Ft of Poured-in-Place Surfacing 222 Linear Ft of 12" wide Concrete Curb Freight	\$37,506.00 (\$2,200.00) \$ 7,000.00 \$67,392.00 \$ 8,880.00 \$ 1,000.00

TOTAL

SURFACING NOTE:

Playbound (TM)Poured-In-Place Surfacing consists of a 50% Color – 50% Black speckled mix, includes aggregate base. 24 hour security of site until product sets is the responsibility of the customer.

SUPERVISED INSTALLATION:

Lee Recreation will provide 2-3 Installers and an auger to dig the holes.

The Village of Sussex will provide a minimum of 8 volunteers at all times and all the concrete for the project.

Terms: Net 20

Marking of Private Lines, Site Preparation & Site Restoration are the responsibility of the customer.


Lead time: 10-12 Weeks Upon Receipt of Order

Quote Effective: Until 4-1-2024

WHY SURFACE AMERICA?

Long-standing expertise, highly respected business practices, proven systems, superior craftsmanship and maximum performance.

Surface America has the complete skill set, from concept to completion. Partner with us and together we'll deliver excellence – every time.



Surface America is a subsidiary of
Pennsylvania-based Ecore International. As
an Ecore company, our capabilities are broad,
our bonding capacity is great, our financial
strength is sure, our products are best-in-class,
our warranties are superior and our approach
to business is responsible. Ecore is also a
primary manufacturer of many of Surface
America's product components, such as the
ColorMill® EPDM granules. The combination
of Ecore's manufacturing expertise and
Surface America's contract management and
installation strength is powerful, bringing
needed turnkey options to the client.

Ecore is the only vertically integrated manufacturer in the playground surfacing industry. Its ColorMill® EPDM rubber yields the industry's most vibrant colors, a terrific complement to Ecore's highly engineered manufacturing process. The highest standards in colorfastness and consistency, as well as general product quality and innovation, have driven Ecore to an unquestioned leadership position. Its proprietary tile lamination process and EPDM manufacturing capabilities have created a terrific complement to Surface America's specifications and service level.

Our expertise, experience and product offerings make us uniquely qualified to build your vision into a reality.



The Widest Collection of Recycled Materials

Every Surface America product and system is designed and manufactured with long-term performance in mind. We select the best material components available and design each surfacing & flooring system with the characteristics necessary for the application.



All Surface America products and systems are made and assembled in the U.S.A.

Coast-to-Coast Installation And Construction

Since 1993, Surface America has completed thousands of projects and installed millions of square feet of recreational and athletic surfacing & flooring. Our projects are built to specification and guaranteed to meet expectations. As such, we commonly fill the role of contract holder, project manager and certified installer.

From Concept To Completion

Surface America has the expertise and experience to play a significant role on your overall project. Our staff can assist in design and planning, and manage the construction process as it relates to the installation of surfacing & flooring for recreational and athletic applications.



PLAYGROUND SURFACING

The choice is yours when it comes to IPEMA-certified and ADA-compliant systems.



Surface America playground surfacing systems meet critical fall heights up to 13 feet per ASTM F-1292, which is the industry's standard test to evaluate a surfacing system's ability to absorb shock. They also conform to the requirements of the Americans with Disabilities Act and ASTM F-1951 Determination of Playground Surface Accessibility.









PLAYGROUND SURFACING

The most complete line of bound playground surfacing in the world: poured-in-place, turf and tile.



PlayBound™ Poured-in-Place comes with a 7-year or 10-year warranty. The 2-layer rubber system has virtually unlimited design possibilities.

EverTop™ is the top layer of that surface, and is commonly used in play areas outside of equipment use zones to achieve aesthetic consistency at a lower cost.

PlayBound™ TurfTop™ has a natural grass look with no maintenance and world-class toughness.

Performance UltraTile® Play is an ultra-durable top wear layer bonded to a resilient underlayment. Its expected life is more than 100% longer than other rubber playground tiles.







KEY ATTRIBUTES:

- Types: poured-in place, turf and tile
- Slip-resistant, abrasion-resistant, wear-resistant
- Porous design
- Many colors, color combinations, logos and graphics
- IPEMA-certified, ADA-compliant

IDEAL APPLICATIONS:

Playgrounds and Play Areas







TRANSFORMING WHAT AMERICA PLAYS ON.

Since 1993, Surface America has completed thousands of recreational and athletic projects throughout the U.S. and installed millions of square feet of surfacing & flooring for facilities at every level of play, competition and training.

SurfaceAmerica.com

Visit our website for more detail, such as systems and products, color selections and downloadable specifications.


Surfacing & Flooring Types:



Mixed & Poured-in-Place Rubber and Urethane



Molded Products



Roll Goods



Synthetic Turf

THE WORLD OF SURFACING FOR RECREATION AND ATHLETICS IS FULL OF POSSIBILITIES.

Each Surface America surfacing & flooring choice has the potential to significantly enhance the facility and the enjoyment by those who use it. Since 1993, our mission has been to combine the best material components with old-fashioned client service. That mission, after more than 35 million square feet of surfacing & flooring installations, remains steadfast. It's how we've earned the reputation as delivering the industry's best value. May we go to work on your next project?












PO Box 157

Williamsville, NY 14231 Phone: 716-632-8413 Fax: 716-632-8324

800-999-0555 | SurfaceAmerica.com

Email: info@surfaceamerica.com





2

BCI BURKE COMPANY, LLC PO BOX 549 FOND DU LAC, WI 54936-0549 920.921.9220 BCIBURKE.COM	PLAY THAT MOVES YOU			
21.9220 BCIBURKE.COM	Designer: Ryan Lee	Grogan Park 2 - Sussex	Lee Recreation, LLC	03/12/2024

COMPONENT VIEW

GROUP: Group 1

DESIGNED FOR AGES: 5 to 12

SERIES LINE: Burke Basics | Nucleus

TEM	COMP.	DESCRIPTION	= 1
1	560-2699	LEVEL X EXTREME CENTER	
2	560-2717	LEVEL X EXTREME RIGHT WING	- 1
3	560-2716	LEVEL X EXTREME LEFT WING	
4	470-0758	VELO XL SLIDE, 88"-96" W/O HOOD	

SERIES LINE: Burke Basics

GROUP: Group 2

DESIGNED FOR AGES: 5 to 12





COMPONENT VIEW 03/12/2024

Lee Recreation, LLC

Grogan Park 2 - Sussex Designer: Ryan Lee

3 (2)

ITEM	COMP.	DESCRIPTION	
1	550-0201	SINGLE POST SWING ASSEMBLY 5" OD	
2	550-0202	SINGLE POST SWING ADD-ON 5" OD	
3	550-0111	BELT SEAT, 8' SINGLE, STD CHAIN	
4	550-0099	TOT SEAT, 7' & 8' SINGLE, STD CHAIN	
5	550-0171	FREEDOM SWING SEAT, 8' BEAM, STD CHAIN	





GROUP: Group 3

DESIGNED FOR AGES: 5 to 12

SERIES LINE: Burke Basics

COMPONENT VIEW

03/12/2024

Lee Recreation, LLC Grogan Park 2 - Sussex

Designer: Ryan Lee

549 FOND DU LAC, WI 54936-0549 920.921.9220 BCIBURKE.C	PLAY THAT MOVES YOU	
920.921.9220	_	
BCIBURKE.COM	Design	Grogan I

ЕМ	COMP.	DESCRIPTION	
1	560-2718	LEVEL X LAUNCH	
2	570-0055	2 SEAT ROCKER	



SERIES LINE: Burke Basics | Nucleus

GROUP: Group 1 | Group 2 | Group 3

DESIGNED FOR AGES: 5 to 12



ISOMETRIC VIEW

03/12/2024

Grogan Park 2 - Sussex Lee Recreation, LLC

Designer: Ryan Lee



PROJECT NAME GOES HERE PROJECT NAME

Proposal Grogan Park 2 - Sussex | 3/12/2024 | 2024 Pricing

The play components identified in this proposal are IPEMA certified. The use and layout of these components conform to the requirements of ASTMF1487. To verify product certification, visit www.ipema.org.







The space requirements shown in this proposal are to ASTM standards. Requirements for other standards may be different.

Component N	o. Description	Qty	User Cap	Ext. User Cap	Weight	Ext. Weight	
		Grou	n 1				
		Giou	рι				
Burke Basics							
560-2699	LEVEL X EXTREME CENTER	1	20	20	1556	1556	
560-2716	LEVEL X EXTREME LEFT WING	1	8	8	363	363	
560-2717 600-0104	LEVEL X EXTREME RIGHT WING NPPS SUPERVISION SAFETY KIT	1 1	8 0	8 0	298 3	298	
660-0103	MAINTENANCE KIT, STRUCTURE	1	0	0	3 7	3 7	
660-0104	INSTALLATION KIT, STRUCTURE	1	0	0	5	5	
	men tee men tan, emeerene	•	· ·	<u> </u>	Ü	o o	
		Grou	p 1				
Nucleus							
470-0758	VELO XL SLIDE, 88"-96" W/O HOOD	1	2	2	134	134	
			Tota	al Usor Capacit	v. 20		
				al User Capacit al Weight:	y: 38 2366 I	hs	
				•	\$44,412	D3.	
					, –		
		_					
		Grou	p 2				
Burke Basics							
550-0099	TOT SEAT, 7' & 8' SINGLE, STD	1	1	1	12	12	
550-0111	BELT SEAT, 8' SINGLE, STD CHAIN	2	1	2	10	20	
550-0171	FREEDOM SWING SEAT, 8' BEAM,	1	1	1	38	38	
550-0201	SINGLE POST SWING ASSEMBLY 5" OD	1	0	0	220	220	
550-0202	SINGLE POST SWING ADD-ON 5" OD	1	0	0	145	145	
660-0101	INSTALL KIT, BURKE BASICS - P	1	0	0	2	2	
				al User Capacit			
				al Weight:	437	bs.	
			IC	otal Price:	\$4,497		
		Grou	p 3				
Burke Basics							
560-2718	LEVEL X LAUNCH	1	10	10	817	817	
570-0055	2 SEAT ROCKER	1	2	2	131	131	

INSTALL KIT, BURKE BASICS - P...

0

2

2

Total User Capacity: 12
Total Weight: 950 lbs.
Total Price: \$14,958

Special Notes:

660-0101

Prices do not include freight, unloading, material storage, site excavation/preparation, removal of existing equipment, removal of excess soil from footing holes, site security, safety surfacing, installation, or sales tax (if applicable). Prices are based on standard colors per CURRENT YEAR BCI Burke Catalog. Custom colors, where available, would be an extra charge. **Pricing is valid for 30 days from the date of this proposal.**


COLORS THAT MOVE YOU

POWDER COAT PAINT





SOLIS HUE TOPPERS



ROCKIT CLIMBERS



Sandstone

PLATFORMS











Blue

Gray Recycled **Plastic**


HDPE PLASTIC PANELS



SHADE CANOPIES



ROTOMOLD PLASTIC



VISIT BCIBURKE.COM/COLOR TO CUSTOMIZE YOUR PLAYGROUND COLORS!

BURKE GENERATIONS WARRANTY®

The Longest and Strongest warranty in the industry

BCI Burke Company, LLC ("Burke") warrants that all standard products are warranted to be free from defects in materials and workmanship, under normal use and service, for a period of one (1) year from the date of shipment.

We stand behind our products. In addition, the following products are warranted, under normal use and service from the date of shipment as follows:

- One Hundred (100) Year Limited Warranty on aluminum and steel upright posts (including Intensity®, Synergy™, Nucleus®, Voltage®, Little Buddies®, ELEVATE®, ACTIVATE®, INVIGORATE™) against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on KoreKonnect® clamps against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on Hardware (nuts, bolts, washers)
- One Hundred (100) Year Limited Warranty on bolt-through fastening and clamp systems (Synergy™, Intensity®, Nucleus®, Voltage®, Little Buddies®, ELEVATE®).
- Twenty-Five (25) Year Limited Warranty on spring assemblies and aluminum cast animals.
- Fifteen (15) Year Limited Warranty on structure platforms and decks, metal roofs, table tops, bench tops, railings and barriers against structural failure due to materials or workmanship.
- Fifteen (15) Year Limited Warranty on all plastic components including StoneBorders against structural failure due to materials or workmanship.
- Ten (10) Year Limited Warranty on ShadePlay Canopies fabric, threads, and cables against degradation, cracking or material breakdown resulting from ultra-violet exposure, natural
 deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications.
- Ten (10) Year Limited Warranty on NaturePlay[®] Boulders and GFRC products against structural failure due to natural deterioration or workmanship, Natural wear, which may occur with
 any concrete product with age, is excluded from this warranty
- Ten (10) Year Limited Warranty on Full Color Custom Signage against manufacturing defects that cause delamination or degradation of the sign. Full Color Custom Signs also carry a
 two (2) year warranty against premature fading of the print and graphics on the signs.
- Five (5) Year Limited Warranty on Intensity® and RopeVenture® cables and LEVEL X® flex bridge against premature wear due to natural deterioration or manufacturing defects. Determination of premature wear will be at the manufacturer's discretion.
- · Five (5) Year Limited Warranty on moving parts, including swing components, against structural failure due to materials or workmanship.
- Five (5) Year Limited Warranty on PlayEnsemble® cables and mallets against defects in materials and workmanship.
- . Three (3) Year Limited Warranty on electronic panel speakers, sound chips and circuit boards against electronic failure caused by manufacturing defects.

The warranty stated above is valid only if the equipment is erected in conformity with the layout plan and/or installation instructions furnished by BCI Burke Company, LLC using approved parts; have been maintained and inspected in accordance with BCI Burke Company, LLC instructions. Burke's liability and your exclusive remedy hereunder will be limited to repair or replacement of those parts found in Burke's reasonable judgment to be defective. Any claim made within the above stated warranty periods must be made promptly after discovery of the defect. A part is covered only for the original warranty period of the applicable part. Replacement parts carry the applicable warranty from the date of shipment of the replacement from Burke. After the expiration of the warranty period, you must pay for all parts, transportation and service charges.

Burke reserves the right to accept or reject any claim in whole or in part. Burke will not accept the return of any product without its prior written approval. Burke will assume transportation charges for shipment of the returned product if it is returned in strict compliance with Burke's written instructions.

THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IF THE FOREGOING DISCLAIMER OF ADDITIONAL WARRANTIES IS NOT GIVEN FULL FORCE AND EFFECT, ANY RESULTING ADDITIONAL WARRANTY SHALL BE LIMITED IN DURATION TO THE EXPRESS WARRANTIES AND BE OTHERWISE SUBJECT TO AND LIMITED BY THE TERMS OF BURKE'S PRODUCT WARRANTY. SOME STATES DO NOT ALLOW THE EXCLUSION OF CERTAIN IMPLIED WARRANTIES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

Warranty Exclusions: The above stated warranties do not cover: "cosmetic" defects, such as scratches, dents, marring, or fading; damage due to incorrect installation, vandalism, misuse, accident, wear and tear from normal use, exposure to extreme weather; immersion in salt or chlorine water, unauthorized repair or modification, abnormal use, lack of maintenance, or other cause not within Burke's control; and

Limitation of Remedies: Burke is not liable for consequential or incidental damages, including but not limited to labor costs or lost profits resulting from the use of or inability to use the products or from the products being incorporated in or becoming a component of any other product. If, after a reasonable number of repeated efforts, Burke is unable to repair or replace a defective or nonconforming product, Burke shall have the option to accept return of the product, or part thereof, if such does not substantially impair its value, and return the purchase price as the buyer's entire and exclusive remedy. Without limiting the generality of the foregoing, Burke will not be responsible for labor costs involved in the removal of products or the installation of replacement products. Some states do not allow the exclusion of incidental damages, so the above exclusion may not apply to you.

The environment near a saltwater coast can be extremely corrosive. Some corrosion and/or deterioration is considered "normal wear" in this environment. Product installed within 500 yards of a saltwater shoreline will only be covered for half the period of the standard product warranty, up to a maximum of five years, for defects caused by corrosion. Products installed in direct contact with saltwater or that are subjected to salt spray are not covered by the standard warranty for any defects caused by corrosion.

Contact your local Burke Representative for warranty information regarding Burke Turf® and Burke Tile products.

Terms of Sale

Pricing: Prices published in this catalog are in USD, are approximate and do not include shipping & handling, surfacing, installation nor applicable taxes. All prices are subject to change without notice. Contact your Burke representative for current pricing. Payments are to be made in USD.

Weights: Weights are approximate and may vary with actual orders.

Installation: All equipment is shipped unassembled. For a list of factory-certified installers in your area, please contact your Burke representative.

Specifications: Product specifications in this catalog were correct at the time of publication. However, product improvements are origoing at Burke, and we reserve the right to change or discontinue specifications without notice.

Loss or Damage in Transit: A signed bill of lading is our receipt from a carrier that our shipment to you was complete and in good condition upon arrival. Before you sign, please check the Bill of Lading carefully when the shipment arrives to make sure nothing is missing and there are no damages. Once the shipment leaves our plant, we are no longer responsible for any damage, loss or shortage.

For more information regarding the warranty, call Customer Service at 920-921-9220 or 1-800-356-2070.

01/2021





DATE:

March 12, 2024

TO:

Village of Sussex

N64W23760 Main Street

Sussex, WI 53089

FROM:

Jeff Thompson

RE:

Playground Proposal #LEE-031224-2

BCI BURKE "Play That Moves You"

Playground Proposal #LEE-031224-2

8 Play Events for an estimated 54 users ages 5-12 & 2-5

1-#NU-3285

Level-X Extreme - 5-12 Years

\$44,412.00

Early Bird Sale Savings (\$13,262.00)

Cognitive: Problem Solving, Cognitive Planning, Creative Play

Sensory: Visual, Tactile, Auditory

Motor: Balance, Coordination, Core, Upper and Lower Body Strength, Agility, Motor Planning, Fine Motor Social/Emotional: Cooperative Play, Imaginative Play, Social Skill Development

1-#2BAYSWING

2-Bay Single Post Swings - Ages 2-12

\$ 4,497.00

Includes: 2 Belt Seats, 1 Tot Seat, 1 Freedom ADA Sweat, and Chain

1-560-2718

Level-X Launch - Ages 2-5

\$12,576.00

Cognitive: Problem Solving, Cognitive Planning, Creativity

Sensory: Visual, Tactile

Motor: Balance, Coordination, Core, Upper and Lower Body Strength, Agility, Motor Planning, Fine Motor Social/Emotional: Cooperative Play, Imaginative Play, Self-expression

1-570-0055

2 Seat Rocker - Ages 2-12

\$ 2,382.00

Subtotal Equipment	\$50,605.00
Additional Discount	(\$2,900.00)
Supervised Installation	\$ 8,000.00
3,400 Sq Ft of Poured-in-Place Surfacing	\$81,600.00
250 Linear Ft of 12" wide Concrete Curb	\$10,000.00
Freight	\$ 1,000.00
TOTAL	\$148,305.00

SURFACING NOTE:

Playbound (TM)Poured-In-Place Surfacing consists of a 50% Color – 50% Black speckled mix, includes aggregate base. 24 hour security of site until product sets is the responsibility of the customer.

SUPERVISED INSTALLATION:

Lee Recreation will provide 2-3 Installers and an auger to dig the holes.

The Village of Sussex will provide a minimum of 8 volunteers at all times and all the concrete for the project.

Terms: Net 20

Marking of Private Lines, Site Preparation & Site Restoration are the responsibility of the customer.

Lead time: 10-12 Weeks Upon Receipt of Order

Quote Effective: Until 4-1-2024

Burke LEVEL X® LAUNCH

PLAY THAT MOVES YOU.

Physical movement, imaginative and creative play are critical to child development. Between the ages of two and five, kids begin to transition from parallel to cooperative play and the Level X Launch facilitates this transition with loads of opportunities for children to play independently and together. Physical movement is encouraged with tunnels, hang out spaces, pull-up bars and a traversing climber. In the same space, kids can use their imaginations and have the opportunity to relate their pretend and fantasy play to real-life experiences and use props and language to enhance their play.

Learn more at bciburke.com/launch



Level X Launch 560-2718

BCIBURKE.COM



Burke LEVEL Xº LAUNCH



BCIBURKE.COM



Burke LEVEL Xº LAUNCH





BCIBURKE.COM



Burke LEVEL X® LAUNCH

FEATURES & BENEFITS

- Creative and imaginative play are paramount in both Level X Launch and Level X Launch XL. These types of play are critical and teach children important skills such as cooperation, creative problem solving and empathy.
- Movement is critical to a healthy lifestyle and Level X Launch and Level X Launch XL promote movement with traversing climbing opportunities, crawling through tunnels and a pull-up bar that is important to build and maintain upper body strength.
- Introducing the concept of awe at a young age helps children develop an adventurous spirit and positively impacts their health and well-being. A tunnel provides a sense of awe for young children when they come out on the other side and see a new world or a friend.
- Between the ages of two and five, kids begin to relate their pretend play to real-life experiences. The Market is a common place in a child's life giving them the opportunity to act out experiences in their own unique, creative way.
- Available in all of Burke's exciting color combinations, Level X Launch and Level X Launch XL are fun, colorful spaces designed especially for children ages 2-5!
- Burke Built® and backed by Burke's Generations Warranty® with a 100-year limited warranty on posts, 15-year limited warranty on HDPE and Rotomold plastic, 5-year limited warranty on moving parts.

DEVELOPMENTAL BENEFITS

Cognitive: Problem Solving, Cognitive Planning, Creativity


Sensory: Visual, Tactile

Motor: Balance, Coordination, Core, Upper and Lower Body Strength, Agility, Motor Planning, Fine Motor

Social/Emotional: Cooperative Play, Imaginative Play, Self-expression











Burke LEVEL X® EXTREME

PLAY THAT MOVES YOU.

Extreme play value is what the Level X Extreme is all about. Sliding, climbing, traversing, games and more provide something for everyone and the mixed materials in design bring a sensory element to the playspace. Kids will create their own pathways and use their imaginations to bring the Level X Extreme to life. Joining the rest of the Level X® collection of products, this exciting new play possibility adds even more opportunities for kids to play while developing everything from social skills to creativity to coordination and more!

Learn more at bciburke.com/extreme



BCIBURKE.COM



Burke LEVEL X® EXTREME



NU-3285

BCIBURKE.COM



800.266.1250

Burke LEVEL X® EXTREME





BCIBURKE.COM



800.266.1250

Burke LEVEL X® EXTREME

FEATURES & BENEFITS

- Sweeping arches, abstract forms and dynamic shapes create a sculptural form that is FULL of play value, variety and includes all children of all abilities ages 5-12.
- Level X encourages interactive play, teamwork and engagement by boasting moving elements that interplay with nearby surfaces making each play experience unique, exciting and cooperative.
- Creativity abounds when children discover the endless climbing paths and exciting ways to reach their destination.
- From a child's perspective, Level X appears to be a massive maze of paths and ropes ripe for exploration as bridges cross each other, a slide appears to take you to the ground level and each time you climb, you can choose your own adventure.
- The variety of play opportunities is endless kids can climb, socialize, relax, plan their play, slide, traverse, imagine and challenge themselves through play. All of these exciting elements add dimension and an element of surprise to the overall experience.
- Level X Extreme has design versatility written all over it! Customize it with Velo XL or single bedway Viper Slides fun colors, use it as a freestanding centerpiece or connect to a Nucleus® structure.
- Burke Built® and backed by Burke's Generations Warranty® with a 100-year limited warranty on posts, 5-year limited warranty on cables, 5-year on moving parts and a 15-year limited warranty on HDPE and rotomold.


DEVELOPMENTAL BENEFITS

Cognitive: Problem Solving, Cognitive Planning, Creative Play

Sensory: Visual, Tactile, Auditory

Motor: Balance, Coordination, Core, Upper and Lower Body Strength, Agility, Motor Planning, Fine Motor

Social/Emotional: Cooperative Play, Imaginative Play, Social Skill Development





BCIBURKE.COM




800.266.1250

WHY SURFACE AMERICA?

Long-standing expertise, highly respected business practices, proven systems, superior craftsmanship and maximum performance.

Surface America has the complete skill set, from concept to completion. Partner with us and together we'll deliver excellence – every time.



Surface America is a subsidiary of
Pennsylvania-based Ecore International. As
an Ecore company, our capabilities are broad,
our bonding capacity is great, our financial
strength is sure, our products are best-in-class,
our warranties are superior and our approach
to business is responsible. Ecore is also a
primary manufacturer of many of Surface
America's product components, such as the
ColorMill® EPDM granules. The combination
of Ecore's manufacturing expertise and
Surface America's contract management and
installation strength is powerful, bringing
needed turnkey options to the client.

Ecore is the only vertically integrated manufacturer in the playground surfacing industry. Its ColorMill® EPDM rubber yields the industry's most vibrant colors, a terrific complement to Ecore's highly engineered manufacturing process. The highest standards in colorfastness and consistency, as well as general product quality and innovation, have driven Ecore to an unquestioned leadership position. Its proprietary tile lamination process and EPDM manufacturing capabilities have created a terrific complement to Surface America's specifications and service level.

Our expertise, experience and product offerings make us uniquely qualified to build your vision into a reality.



The Widest Collection of Recycled Materials

Every Surface America product and system is designed and manufactured with long-term performance in mind. We select the best material components available and design each surfacing & flooring system with the characteristics necessary for the application.



All Surface America products and systems are made and assembled in the U.S.A.

Coast-to-Coast Installation And Construction

Since 1993, Surface America has completed thousands of projects and installed millions of square feet of recreational and athletic surfacing & flooring. Our projects are built to specification and guaranteed to meet expectations. As such, we commonly fill the role of contract holder, project manager and certified installer.

From Concept To Completion

Surface America has the expertise and experience to play a significant role on your overall project. Our staff can assist in design and planning, and manage the construction process as it relates to the installation of surfacing & flooring for recreational and athletic applications.



PLAYGROUND SURFACING

The choice is yours when it comes to IPEMA-certified and ADA-compliant systems.



Surface America playground surfacing systems meet critical fall heights up to 13 feet per ASTM F-1292, which is the industry's standard test to evaluate a surfacing system's ability to absorb shock. They also conform to the requirements of the Americans with Disabilities Act and ASTM F-1951 Determination of Playground Surface Accessibility.









PLAYGROUND SURFACING

The most complete line of bound playground surfacing in the world: poured-in-place, turf and tile.



PlayBound™ Poured-in-Place comes with a 7-year or 10-year warranty. The 2-layer rubber system has virtually unlimited design possibilities.

EverTop™ is the top layer of that surface, and is commonly used in play areas outside of equipment use zones to achieve aesthetic consistency at a lower cost.

PlayBound™ TurfTop™ has a natural grass look with no maintenance and world-class toughness.

Performance UltraTile® Play is an ultra-durable top wear layer bonded to a resilient underlayment. Its expected life is more than 100% longer than other rubber playground tiles.







KEY ATTRIBUTES:

- Types: poured-in place, turf and tile
- Slip-resistant, abrasion-resistant, wear-resistant
- Porous design
- Many colors, color combinations, logos and graphics
- IPEMA-certified, ADA-compliant

IDEAL APPLICATIONS:

Playgrounds and Play Areas







TRANSFORMING WHAT AMERICA PLAYS ON.

Since 1993, Surface America has completed thousands of recreational and athletic projects throughout the U.S. and installed millions of square feet of surfacing & flooring for facilities at every level of play, competition and training.

SurfaceAmerica.com

Visit our website for more detail, such as systems and products, color selections and downloadable specifications.


Surfacing & Flooring Types:



Mixed & Poured-in-Place Rubber and Urethane



Molded Products



Roll Goods



Synthetic Turf

THE WORLD OF SURFACING FOR RECREATION AND ATHLETICS IS FULL OF POSSIBILITIES.

Each Surface America surfacing & flooring choice has the potential to significantly enhance the facility and the enjoyment by those who use it. Since 1993, our mission has been to combine the best material components with old-fashioned client service. That mission, after more than 35 million square feet of surfacing & flooring installations, remains steadfast. It's how we've earned the reputation as delivering the industry's best value. May we go to work on your next project?











PO Box 157

Williamsville, NY 14231 Phone: 716-632-8413 Fax: 716-632-8324

800-999-0555 | SurfaceAmerica.com

Email: info@surfaceamerica.com



M landscape structures

Grogan Park

Option One • 3.11.2024











Grogan Park
Option One • 3.11.2024











Grogan Park
Option One • 3.11.2024











The play components identified on this plan are IPEMA certified. (Unless model number is preceded with *) The use and layout of these components conform to the requirements of ASTM F1487. To verify product certification, visit www.ipema.org

THIS PLAY AREA & PLAY EQUIPMENT IS DESIGNED FOR AGES 2—12 YEARS UNLESS OTHERWISE NOTED ON PLAN.

IT IS THE MANUFACTURERS OPINION THAT
THIS PLAY AREA DOES CONFORM TO
THE A.D.A. ACCESSIBILITY STANDARDS,
ASSUMING AN ACCESSIBLE PROTECTIVE
SURFACING IS PROVIDED, AS INDICATED, OR
WITHIN THE ENTIRE USE ZONE.

THIS CONCEPTUAL PLAN WAS BASED ON INFORMATION AVAILABLE TO US. PRIOR TO CONSTRUCTION, DETAILED SITE INFORMATION INCLUDING SITE DIMENSIONS, TOPOGRAPHY EXISTING UTILITIES, SOIL CONDITIONS, AND DRAINAGE SOLUTIONS SHOULD BE OBTAINED, EVALUATED, & UTILIZED IN THE FINAL DESIGN. PLEASE VERIFY ALL DIMENSIONS OF PLAY AREA, SIZE, ORIENTATION, AND LOCATION OF ALL EXISTING UTILITIES, EQUIPMENT, AND SITE FURNISHINGS PRIOR TO ORDERING. SLIDES SHOULD NOT FACE THE HOT AFTERNOON SUN.

CHOOSE A PROTECTIVE SURFACING MATERIAL THAT HAS A CRITICAL HEIGHT VALUE TO MEET THE MAXIMUM FALL HEIGHT FOR THE EQUIPMENT (REF. ASTM F1487 STANDARD CONSUMER SAFETY PERFORMANCE SPECIFICATION FOR PLAYGROUND EQUIPMENT FOR PUBLIC USE, SECTION 8 CURRENT REVISION). THE SUBSURFACE MUST BE WELL DRAINED. IF THE SOIL DOES NOT DRAIN NATURALLY IT MUST BE TILED OR SLOPED 1/8" TO 1/4" PER FOOT TO A STORM SEWER OR A "FRENCH DRAIN".

AREA OF
ACCESSIBLE/PROTECTIVE
SURFACING
(POURED-IN-PLACE SUGGESTED)
2,769 SQ FT

IT IS THE MANUFACTURER'S OPINION AND INTENT THAT THE LAYOUT OF THESE COMPONENTS CONFORM WITH THE U.S. CONSUMER PRODUCT SAFETY COMMISSION'S (CPSC)
"HANDBOOK FOR PUBLIC PLAYGROUND SAFETY".

DESIGNED BY:

KLP

COPYRIGHT: 3/6/24

LANDSCAPE STRUCTURES, INC.

601 7th STREET SOUTH - P.O. BOX 198

DELANO, MINNESOTA 55328

PH: 1-800-328-0035 FAX: 1-763-972-6091

Date	Previous Drawing #	Initials

SCALE: IN FEET

0' 1' 5' 10

TOTAL ELEVATED COMPONENTS ACCESSIBLE BY TRANSFER 0

TOTAL DIFFERENT TYPES OF GROUND LEVEL COMPONENTS 7


TOTAL ACCESSIBLE GROUND LEVEL COMPONENTS SHOWN

Evos (5–12 years) Max Fall Height: 96 inches

5-12 YEARS

TOTAL ELEVATED PLAY COMPONENTS 0

TOTAL ELEVATED COMPONENTS ACCESSIBLE BY RAMP




Grogan Park Option One Sussex, WI

Gerber Leisure Products, Inc Meghan Barrett SYSTEM TYPE:
Evos

DRAWING #: 24030601-01











The play components identified on this plan are IPEMA certified. (Unless model number is preceded with *) The use and layout of these components conform to the requirements of ASTM F1487. To verify product certification, visit www.ipema.org

THIS PLAY AREA & PLAY EQUIPMENT IS DESIGNED FOR AGES 2—12 YEARS UNLESS OTHERWISE NOTED ON PLAN.

IT IS THE MANUFACTURERS OPINION THAT
THIS PLAY AREA DOES CONFORM TO
THE A.D.A. ACCESSIBILITY STANDARDS,
ASSUMING AN ACCESSIBLE PROTECTIVE
SURFACING IS PROVIDED, AS INDICATED, OR
WITHIN THE ENTIRE USE ZONE.

THIS CONCEPTUAL PLAN WAS BASED ON INFORMATION AVAILABLE TO US. PRIOR TO CONSTRUCTION, DETAILED SITE INFORMATION INCLUDING SITE DIMENSIONS, TOPOGRAPHY EXISTING UTILITIES, SOIL CONDITIONS, AND DRAINAGE SOLUTIONS SHOULD BE OBTAINED, EVALUATED, & UTILIZED IN THE FINAL DESIGN. PLEASE VERIFY ALL DIMENSIONS OF PLAY AREA, SIZE, ORIENTATION, AND LOCATION OF ALL EXISTING UTILITIES, EQUIPMENT, AND SITE FURNISHINGS PRIOR TO ORDERING. SLIDES SHOULD NOT FACE THE HOT AFTERNOON SUN.

CHOOSE A PROTECTIVE SURFACING MATERIAL THAT HAS A CRITICAL HEIGHT VALUE TO MEET THE MAXIMUM FALL HEIGHT FOR THE EQUIPMENT (REF. ASTM F1487 STANDARD CONSUMER SAFETY PERFORMANCE SPECIFICATION FOR PLAYGROUND EQUIPMENT FOR PUBLIC USE, SECTION 8 CURRENT REVISION). THE SUBSURFACE MUST BE WELL DRAINED. IF THE SOIL DOES NOT DRAIN NATURALLY IT MUST BE TILED OR SLOPED 1/8" TO 1/4" PER FOOT TO A STORM SEWER OR A "FRENCH DRAIN".

AREA OF
ACCESSIBLE/PROTECTIVE
SURFACING
(POURED-IN-PLACE SUGGESTED)
2,769 SQ FT

IT IS THE MANUFACTURER'S OPINION AND INTENT THAT THE LAYOUT OF THESE COMPONENTS CONFORM WITH THE U.S. CONSUMER PRODUCT SAFETY COMMISSION'S (CPSC)
"HANDBOOK FOR PUBLIC PLAYGROUND SAFETY".

DESIGNED BY:

KLP

COPYRIGHT: 3/6/24

LANDSCAPE STRUCTURES, INC.


601 7th STREET SOUTH - P.O. BOX 198

DELANO, MINNESOTA 55328

PH: 1-800-328-0035 FAX: 1-763-972-6091

,	Date	Previous Drawing #	Initial

SCALE: IN FEET



Grogan Park Option One Sussex, WI

Gerber Leisure Products, Inc Meghan Barrett SYSTEM TYPE:
Evos

DRAWING #: 24030601-01





Gerber Leisure Products, INC.

PO Box 42 Mount Horeb, WI 53572

Phone: 800-236-7758

DATE: **QUOTE Name:**

3/13/2024 Option One

Valid Until: 4/13/2024

Prepared by: Meghan Barrett / meghan@gerberleisure.com

Village of Sussex-Grogan Park Playground Equipment Attn: Halie Dobbeck N64W23769 Main Street Sussex, WI 53089

hdobbeck@villagesussex.org

The state of the s				
DESCRIPTION	(QTY	PRICE	AMOUNT
New Landscape Structures play equipment, per attached 2D, 3D	s & Component List	1	62510	62,510.00
6% Sourcewell Discount on equipment		1	-3751	-3,751.00
Freight to installer		1	1400	1,400.00
5 Gerber Representatives (3 installers, project manager and rep) of Sussex installation of above listed equipment *includes 8 hours of supervision, for 1 day of work	supervising Village	1	2260	2,260.00
Poured-in-Place Rubber Surfacing, delivered & installed- 2,769 S *includes fall protecting rubber, 50/50 color/black top coat, 7-year was base delivered & installed *Please note -The Poured-in-Place Surfacing will take a minimum of During this time, the site needs to be guarded and/or fenced up to en the surfacing during the curing process. If you do not have access to fence, this can be provided for an additional cost.	rranty, aggregate sub- 72 hours to cure. sure nothing touches	1	53660	53,660.00
Concrete ribbon border, supplied and installed- 200 Linear Ft *quoted as 4" thick X 10" wide typical concrete ribbon *includes cable		1	3735	3,735.00
Village of Sussex to Complete				
- Excavation, site prep/leveling (includes removal of grass, digging do accommodate poured-in-place & border, site leveling, removal of spo - Assembly, installation, footers for all playground equipment - Updating the existing ADA access pathway as needed - Removal and disposal of existing playground equipment - Site restoration of exsiting playground area and area around new pl	ils)			

The equipment that I have proposed would comply with the current ADA guidelines in and of itself assuming that accessible resilient surfacing is supplied underneath the equipment including under and around the auxiliary ground level equipment, and an access pathway to the area is provided

TERMS AND CONDITIONS

- 1. Full payment of materials is due to place the order (unless purchasing equipment through Sourcewell- no deposit is required)
- 2. Customer will be billed for applicable installation services and surfacing materials at start of work
- 3. Additional services will be billed upon completion of the project
- 4. Payment will be due within 30 days of invoice date
- 5. Please mail or email signed price quote to the address above Customer Acceptance (sign below):

x	 	
Print Name:		

TOTAL Due	\$110 814 00
Other	\$0.00
Tax due	\$0.00
Tax rate	0.000%
Tuxubic	70.00
Taxable	\$0.00
Subtotal	\$119,814.00

Created By: kphelan

Date: 3/11/2024 9:55:19 AM



Grogan Park Sussex, WI

Gerber Leisure Products, Inc.

Meghan BarrettOpt1

Evos	(5-12 years)		C	* Palette		
QTY	NUMBER	DESCRIPTION			WEIGHT (lb)	TOTAL PRICE (2024)
Evos ⁶ Arch	® Clamps					
3	156440A	Clamp One Face (A-A)			0.0	0.00
		Clamps/Ball Connectors:		Sprout=538		
1	157585A	Clamp One Face (O-E)			0.0	0.00
		Clamps/Ball Connectors:		Sprout=538		
2	156441A	Clamp Two Faces 90* (A-B)			0.0	0.00
		Clamps/Ball Connectors:		Sprout=538		
Bridg	es					
1	156450A	Swiggle Stix DB Only			151.0	7,845.00
		Clamps/Ball Connectors:		Sprout=538		
		Play Components:		Lagoon=421		
		Slides/Tunnels/Gliders/E-Pods®:		Seafoam=536		
		Cables:		Tan=044		
Climb	pers					
1	156449A	Helix Net® DB Only Between One	Arch a	and One Arch Post	165.0	8,405.00
		Clamps/Ball Connectors:		Sprout=538		
		Play Components:		Lagoon=421		
		Cables:		Tan=044		
Main	structures					
1	171628A	Evos 1 Arch w/4 Attach Points DB	Only		750.0	19,875.00
		Posts/Arches:		Metallic Silver=349		
		Clamps/Ball Connectors:		Sprout=538		
		Play Components:		Lagoon=421		
		Cables:		Tan=044		
Overl	head Events					
1	156457A	ArcOver DB Only			150.0	3,550.00
		Clamps/Ball Connectors:		Sprout=538		
		Play Components:		Lagoon=421		
		Slides/Tunnels/Gliders/E-Pods®:		Seafoam=536		
Slides	s & Gliders					
1	182865A	Rush™ Slide DB Only			264.0	5,875.00
		Posts/Arches:		Metallic Silver=349		

Created By: kphelan

Date: 3/11/2024 9:55:19 AM



Grogan Park Sussex, WI

Gerber Leisure Products, Inc. Meghan BarrettOpt1

Clamps/Ball Connectors: Sprout=538 Play Components: Lagoon=421

		Play Components:		Lagoon=421		
		Slides/Tunnels/Gliders/E-Pods®:		Seafoam=536		
Frees	standing Play					
Learn	ing Wall					
1	184890A	Rock-n-Ring Panel			52.0	2,005.00
		Play Components:		Lagoon=421		
		Slides/Tunnels/Gliders/E-Pods®:		Seafoam=536		
		Primary Permalene:		Recycled Sprout w/Black=838		
		Secondary Permalene:		Recycled Sky w/Black=802		
Learn	ing Wall Posts					
2	115201B	LW POST DB			26.0	650.00
		Posts/Arches:		Metallic Silver=349		
Signs						
1	182503C	Welcome Sign (LSI Provided) Ages	5-12	years Direct Bury	24.0	0.00
		Posts/Arches:		Metallic Silver=349		
Swing	gs					
3	174018A	Belt Seat ProGuard Chains for 8' Beam Height				480.00
1	176038G	Full Bucket Seat ProGuard Chains for Toddler Swing			11.0	440.00
1	177351A	Molded Bucket Seat w/Harness Pr Height	oGua	rd Chains for 8' Beam	48.0	1,090.00
		Molded Bucket Seats:		Seafoam=536		
		Seat Harness:		Sprout=538		
1	177332A	Single Post Swing Frame 8' Beam H	leigh	t Only	213.0	1,630.00
		Posts:		Metallic Silver=349		
		Beams:		Lagoon=421		
		Clamps:		Lagoon=421		
1	177333A	Single Post Swing Frame Additiona	al Bay	8' Beam Height Only	129.0	1,210.00
		Posts:		Metallic Silver=349		
		Beams:		Lagoon=421		
		Clamps:		Lagoon=421		
1	177337A	Toddler Swing Add-On Beam			31.0	640.00
		Beams:		Lagoon=421		
		Clamps:		Lagoon=421		
F		(2.5				
Frees	standing Play	(2-5 years)				

Created By: kphelan

3

115201A

Date: 3/11/2024 9:55:19 AM



Grogan Park Sussex, WI

Gerber Leisure Products, Inc.

42.0

40.0

990.00

1,305.00

Meghan BarrettOpt1

PHAS	E-1 Direct Bury	Aluminum	Silv	CL: Metallic er/Lagoon/ oam/Sprou t		
QTY	NUMBER	DESCRIPTION			WEIGHT (lb)	TOTAL PRICE (2024)
Learn	ing Wall					
1	184898A	Color Splash Panel			52.0	3,640.00
		Primary Permalene	: 🙃	Recycled Sprout w/Black=8	38	
1	184897A	Marble Panel			54.0	2,880.00
		Primary Permalene	: 🙃	Recycled Sprout w/Black=8	38	
Learn	ing Wall Posts					

Posts/Arches: Metallic Silver=349

Motion & More Fun

1 152179A Saddle Spinner DB 12"Height

LW POST DB

Play Components: Lagoon=421

Slides/Tunnels/Gliders/E-Pods®: Seafoam=536

CLINANAADV		CONCRETE	FOOTINGS	LABOR	WEIGHT	PRICE
SUMMARY		(cu-ft)	(count)	(hours)	(lb)	(2024)
Evos (5-12 years	s) PHASE-1	79.1	33	32.8	2,038.0	\$53,695.00
Freestanding Pla	ay (2-5 years) PHASE-1	8.0	4	2.3	188.0	\$8,815.00
ALL PHASES	Evos®	53.7	27	19.0	1,480.0	\$45,550.00
	Freestanding Play	33.3	10	16.0	746.0	\$16,960.00
	Total	87.1	37	35.0	2,226.0	\$62,510.00



landscape structures












landscape structures

Grogan Park

Option Two • 3.11.2024







structures



The play components identified on this plan are IPEMA certified. (Unless model number is preceded with *) The use and layout of these components conform to the requirements of ASTM F1487. To verify product certification, visit www.ipema.org

THIS PLAY AREA & PLAY EQUIPMENT IS DESIGNED FOR AGES 2-12 YEARS UNLESS OTHERWISE NOTED ON PLAN.

IT IS THE MANUFACTURERS OPINION THAT THIS PLAY AREA DOES CONFORM TO THE A.D.A. ACCESSIBILITY STANDARDS, ASSUMING AN ACCESSIBLE PROTECTIVE SURFACING IS PROVIDED, AS INDICATED, OR WITHIN THE ENTIRE USE ZONE.

THIS CONCEPTUAL PLAN WAS BASED ON INFORMATION AVAILABLE TO US. PRIOR TO CONSTRUCTION, DETAILED SITE INFORMATION INCLUDING SITE DIMENSIONS, TOPOGRAPHY EXISTING UTILITIES, SOIL CONDITIONS, AND DRAINAGE SOLUTIONS SHOULD BE OBTAINED, EVALUATED, & UTILIZED IN THE FINAL DESIGN. PLEASE VERIFY ALL DIMENSIONS OF PLAY AREA, SIZE, ORIENTATION, AND LOCATION OF ALL EXISTING UTILITIES, EQUIPMENT, AND SITE FURNISHINGS PRIOR TO ORDERING. SLIDES SHOULD NOT FACE THE HOT AFTERNOON SUN.

CHOOSE A PROTECTIVE SURFACING MATERIAL THAT HAS A CRITICAL HEIGHT VALUE TO MEET THE MAXIMUM FALL HEIGHT FOR THE EQUIPMENT (REF. ASTM F1487 STANDARD CONSUMER SAFETY PERFORMANCE SPECIFICATION FOR PLAYGROUND EQUIPMENT FOR PUBLIC USE, SECTION 8 CURRENT REVISION). THE SUBSURFACE MUST BE WELL DRAINED. IF THE SOIL DOES NOT DRAIN NATURALLY IT MUST BE TILED OR SLOPED 1/8" TO 1/4" PER FOOT TO A STORM SEWER OR A "FRENCH DRAIN".

> AREA OF ACCESSIBLE/PROTECTIVE SURFACING (POURED-IN-PLACE SUGGESTED) 3,444 SQ FT

IT IS THE MANUFACTURER'S OPINION AND INTENT THAT THE LAYOUT OF THESE COMPONENTS CONFORM WITH THE U.S. CONSUMER PRODUCT SAFETY COMMISSION'S (CPSC) "HANDBOOK FOR PUBLIC PLAYGROUND SAFETY".

> DESIGNED BY: KLP

COPYRIGHT: 3/7/24 LANDSCAPE STRUCTURES, INC. 601 7th STREET SOUTH - P.O. BOX 198 DELANO, MINNESOTA 55328 PH: 1-800-328-0035 FAX: 1-763-972-6091


Date	Previous Drawing #	Initials

PlayBooster,Smart Play and Forma (5-12 years) Max Fall Height: 96 inches

TOTAL ELEVATED PLAY COMPONENTS 13

TOTAL ELEVATED COMPONENTS ACCESSIBLE BY RAMP

5-12 YEARS



Grogan Park Option Two Sussex, WI


Gerber Leisure Products, Inc Meghan Barrett

SYSTEM TYPE: SmarPlay

DRAWING #: 24030701-01











The play components identified on this plan are IPEMA certified. (Unless model number is preceded with *) The use and layout of these components conform to the requirements of ASTM F1487. To verify product certification, visit www.ipema.org

THIS PLAY AREA & PLAY EQUIPMENT IS DESIGNED FOR AGES 2-12 YEARS UNLESS OTHERWISE NOTED ON PLAN.

IT IS THE MANUFACTURERS OPINION THAT THIS PLAY AREA DOES CONFORM TO THE A.D.A. ACCESSIBILITY STANDARDS, ASSUMING AN ACCESSIBLE PROTECTIVE SURFACING IS PROVIDED, AS INDICATED, OR WITHIN THE ENTIRE USE ZONE.

THIS CONCEPTUAL PLAN WAS BASED ON INFORMATION AVAILABLE TO US. PRIOR TO CONSTRUCTION, DETAILED SITE INFORMATION INCLUDING SITE DIMENSIONS, TOPOGRAPHY EXISTING UTILITIES, SOIL CONDITIONS, AND DRAINAGE SOLUTIONS SHOULD BE OBTAINED, EVALUATED, & UTILIZED IN THE FINAL DESIGN. PLEASE VERIFY ALL DIMENSIONS OF PLAY AREA, SIZE, ORIENTATION, AND LOCATION OF ALL EXISTING UTILITIES, EQUIPMENT, AND SITE FURNISHINGS PRIOR TO ORDERING. SLIDES SHOULD NOT FACE THE HOT AFTERNOON SUN.

CHOOSE A PROTECTIVE SURFACING MATERIAL THAT HAS A CRITICAL HEIGHT VALUE TO MEET THE MAXIMUM FALL HEIGHT FOR THE EQUIPMENT (REF. ASTM F1487 STANDARD CONSUMER SAFETY PERFORMANCE SPECIFICATION FOR PLAYGROUND EQUIPMENT FOR PUBLIC USE, SECTION 8 CURRENT REVISION). THE SUBSURFACE MUST BE WELL DRAINED. IF THE SOIL DOES NOT DRAIN NATURALLY IT MUST BE TILED OR SLOPED 1/8" TO 1/4" PER FOOT TO A STORM SEWER OR A "FRENCH DRAIN".

> AREA OF ACCESSIBLE/PROTECTIVE SURFACING (POURED-IN-PLACE SUGGESTED) 3,444 SQ FT

IT IS THE MANUFACTURER'S OPINION AND INTENT THAT THE LAYOUT OF THESE COMPONENTS CONFORM WITH THE U.S. CONSUMER PRODUCT SAFETY COMMISSION'S (CPSC) "HANDBOOK FOR PUBLIC PLAYGROUND SAFETY".

DESIGNED BY:

KLP COPYRIGHT: 3/7/24 LANDSCAPE STRUCTURES, INC. 601 7th STREET SOUTH - P.O. BOX 198 DELANO, MINNESOTA 55328 PH: 1-800-328-0035 FAX: 1-763-972-6091


ļ	Date	Previous Drawing #	Initials

PlayBooster,Smart Play and Forma (5-12 years) Max Fall Height: 96 inches

TOTAL ELEVATED PLAY COMPONENTS 13

TOTAL ELEVATED COMPONENTS ACCESSIBLE BY RAMP

5-12 YEARS



Grogan Park Option Two Sussex, WI


Gerber Leisure Products, Inc Meghan Barrett

SYSTEM TYPE: SmarPlay

DRAWING #: 24030701-01







Q.

Gerber Leisure Products, INC.

PO Box 42 Mount Horeb, WI 53572

Phone: 800-236-7758

Prepared by: Meghan Barrett / meghan@gerberleisure.com

3/1:

3/13/2024 Option Two

Valid Until:

QUOTE Name:

DATE:

4/13/2024

^ustomer

Village of Sussex-Grogan Park Playground Equipment Attn: Halie Dobbeck N64W23769 Main Street Sussex, WI 53089

hdobbeck@villagesussex.org

3 3				
DESCRIPTION		QTY	PRICE	AMOUNT
New Landscape Structures play equipment, per attached 2D, 3D	Os & Component List	1	74860	74,860.00
6% Sourcewell Discount on equipment		1	-4492	-4,492.00
Freight to installer		1	1400	1,400.00
5 Gerber Representatives (3 installers, project manager and rep of Sussex installation of above listed equipment *includes 8 hours of supervision, for 1 day of work	o) supervising Village	1	2260	2,260.00
Poured-in-Place Rubber Surfacing, delivered & installed- 3,444 *includes fall protecting rubber, 50/50 color/black top coat, 7-year wabase delivered & installed *Please note -The Poured-in-Place Surfacing will take a minimum of During this time, the site needs to be guarded and/or fenced up to eithe surfacing during the curing process. If you do not have access to fence, this can be provided for an additional cost.	72 hours to cure.	1	69805	69,805.00
Concrete ribbon border, supplied and installed- 242 Linear Ft *quoted as 4" thick X 10" wide typical concrete ribbon *includes cable		1	4520	4,520.00
Village of Sussex to Complete				
- Excavation, site prep/leveling (includes removal of grass, digging of accommodate poured-in-place & border, site leveling, removal of spropersists of the second of spropersists of the second of th	oils)			

The equipment that I have proposed would comply with the current ADA guidelines in and of itself assuming that accessible resilient surfacing is supplied underneath the equipment including under and around the auxiliary ground level equipment, and an access pathway to the area is provided

TERMS AND CONDITIONS

- 1. Full payment of materials is due to place the order (unless purchasing equipment through Sourcewell- no deposit is required)
- $\hbox{2. Customer will be billed for applicable installation services and surfacing materials at start of work}\\$
- 3. Additional services will be billed upon completion of the project
- 4. Payment will be due within 30 days of invoice date
- 5. Please mail or email signed price quote to the address above *Customer Acceptance (sign below)*:

x	 	
Print Name:		

\$0.00
\$0.00
0.000%
\$0.00
\$148,353.00

Created By: kphelan

Date: 3/11/2024 10:22:16 AM



Grogan Park Sussex, WI

Gerber Leisure Products, Inc.

Meghan BarrettOpt2

Play	Booster,Smart	Play and Forma (5-12 years)	* Palette Overridden *		
PHAS	SE-1 Direct Bury	Aluminum	Al: Leaf/Brown/Ac orn/Acorn		
QTY	NUMBER	DESCRIPTION		WEIGHT (lb)	TOTAL PRICE (2024)
Forn	na™			(- /	(- ,
Clim					
1	307433A	Footprint™ Stepper 16", Direct Bu	<u>-</u>	30.0	415.00
		Play Components:	Brown=002		
Free Clim	standing Play bers				
1	201889A	IP JigJag Climber, Single, Alum Pos	ts, DB	187.0	2,690.00
		Posts/Arches:	Leaf=316		
		Clamps/Ball Connectors:	Brown=002		
		Play Components:	Brown=002		
Moti	ion & More Fun				
1	173591A	OmniSpin Spinner Surface Mount		499.0	10,465.00
		Slides/Tunnels/Gliders/E-Pods®:	Leaf=316 «		
Signs	S				
1	182503C	Welcome Sign (LSI Provided) Ages	5-12 years Direct Bury	24.0	0.00
		Posts/Arches:	Leaf=316		
Swin	_				
3	174018A	Belt Seat ProGuard Chains for 8' B		24.0	480.00
1	176038G	Full Bucket Seat ProGuard Chains for Toddler Swing		11.0	440.00
1	177350A	Molded Bucket Seat ProGuard Cha	_	29.0	770.00
		Molded Bucket Seats:	Acorn=318		
1	177332A	Single Post Swing Frame 8' Beam H		213.0	1,630.00
			Leaf=316		
		Beams:	Brown=002		
		Clamps:	Brown=002		
1	177333A	Single Post Swing Frame Additiona		129.0	1,210.00
		Posts:	Leaf=316		
		Beams:	Brown=002		
		Clamps:	Brown=002		
1	177337A	Toddler Swing Add-On Beam	_	31.0	640.00
		Beams:	Brown=002		

Created By: kphelan

Date: 3/11/2024 10:22:16 AM



Grogan Park Sussex, WI

Gerber Leisure Products, Inc. Meghan BarrettOpt2

Clamps: Brown=002

PlayBooster® Enclosures						
1	218172B	PB Digifuse® Barrier w/Medallions - Below Deck		ow Deck	46.0	2,690.00
		DigiFuse® Image Set:		Animal Tracks - 000000042		
		Clamps/Ball Connectors:		Brown=002		
Motio	on & More Fu	n				
1	166809A	E-Pod Seat			11.0	395.00
		Clamps/Ball Connectors:		Brown=002		
		Slides/Tunnels/Gliders/E-Pods®:		Acorn=318		
Posts						
2	111404J	76"Alum Post DB			38.0	660.00
		Posts/Arches:		Leaf=316		
1	111404H	92"Alum Post DB			23.0	355.00
		Posts/Arches:		Leaf=316		
Smart Play® Ages 5-12 Yrs						
1	210739A	Venti® w/Alum Posts DB			3770.0	52,020.00
		Posts/Arches:		Leaf=316		
		Clamps/Ball Connectors:		Brown=002		
		Slides/Tunnels/Gliders/E-Pods®:		Acorn=318		
		Primary Permalene:	0	Recycled Acorn w/Black=818		
		Cables:		Black=005		

SUMMARY		WEIGHT (lb)	PRICE (2024)
PlayBooster,Smart Play and Forma (5-12 years) PHASE-1		5,065.0	\$74,860.00
ALL PHASES	Forma [™] Freestanding Play PlayBooster [®] Smart Play [®] Total	30.0 1,147.0 118.0 3,770.0 5,065.0	\$415.00 \$18,325.00 \$4,100.00 \$52,020.00 \$74,860.00

GROGAN PARK-1 TOP VIEW

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

 ELEVATED
 ACCESSIBLE
 RAMP ACCESSIBLE
 GROUND
 TYPES

 0
 0/0
 0/0
 5/0
 1/0

 CHILD CAPACITY
 5
 MAX FALL HEIGHT
 96

FOR KIDS AGES 5-12

GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

PC 2181-1 8FT SINGLE POST SWING SMALL BAY ADD BAY Add Bay

BELT BELT FULL FULL
SEAT SEAT BUCKET BUCKET SEAT
SEAT SEAT SEAT

Add bay

FULL FULL
FULL
FULL
SEAT SEAT
SEAT
SEAT
SEAT

STRUCTURE # PROJECT # DATE FREPC2181+AB PEI24791D8A-1 3/11/2024

PC 2181-8 8ft Single Post Swing Bay

Play Environments Design, LLC
MIN. USE ZONE 44' x 31' (13.248m x 9.246m)



GROGAN PARK-1TOP VIEW

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

 ELEVATED
 ACCESSIBLE
 RAMP ACCESSIBLE
 GROUND
 TYPES

 0
 0/0
 0/0
 1/0
 1/0
 1/0

 CHILD CAPACITY
 6
 MAX FALL HEIGHT
 60


FOR KIDS AGES 2-5

GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

PC 1906-H THUNDER HALF WEDGE



STRUCTURE # PROJECT # DATE

FREPC1906 PEI24791D8A-1 3/11/2024





GROGAN PARK-1TOP VIEW

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

 ELEVATED
 ACCESSIBLE
 RAMP ACCESSIBLE
 GROUND
 TYPES

 5
 5/3
 0/0
 1/2
 1/2

MAX FALL HEIGHT 84

CHILD CAPACITY 40


FOR KIDS AGES 5-12

GENERAL NOTES

R35

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE # PROJECT # DATE

R356B4F8A PEI24791D8A-1 3/11/2024

Play Environments Design, LLC

MIN. USE ZONE 36' x 23' (10.856m x 6.819m)



GROGAN PARK-1 SITE PLAN

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

6 FT

MINIMUM

USE

ZONE

ELEVATED **ACCESSIBLE** RAMP ACCESSIBLE GROUND TYPES 5 5/3 0/0 7/2 3/2



FOR KIDS **AGES** [Mixed]

GENERAL NOTES

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.


The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

MIN

U

ZC



PROJECT #

DATE

6 FT

MUMININ


USE

ZONE

PEI24791D8A-1 3/11/2024

Play Environments Design, LLC **MIN. USE ZONE** 53' x 54' (15.874m x 16.19m)






FREPC2181+AB PEI24791D8A-1 3/11/2024



GROGAN PARK-1 SW VIEW

FOR KIDS AGES 2-5




STRUCTURE # PROJECT # DATE FREPC1906 PEI24791D8A-1 3/11/2024



GROGAN PARK-1 NE VIEW





STRUCTURE # PROJECT # DATE FREPC1906 PEI24791D8A-1 3/11/2024






























GROGAN PARK-1

Project # PEI24791D8A-1

Date 3/11/2024

Item / Part Number	Description	Qty
[FREPC2181+AB]		
A2-131410	Inclusive Seat	1
A2-2181	PC 2181 8ft Single Post Swing Bay (2 Seat)	1
A2-2181-1-AB	PC 2181 8ft Single Post Swing Bay (1 Seat) AB	1
A2-2181-AB	PC 2181 8ft Single Post Swing Bay (2 Seat) AB	1
A2-311010	Full Bucket Seat	2
A2-313010	Belt Seat	2
[FREPC1906]		
A2-1906-H	PC 1906-H Thunder Half Wedge	1
[R356B4F8A]		
HS-1004-R35	Collars	32
GG-8135	Dome Cap, R3.5	10
S-1011-R35-11ft	Post, 11ft R3.5	10
S-1101-R35	Square Deck	2
S-1206-12R35	ADA Stairs, 12in Rise w/ Walls	1
S-1209-24-R35	Transfer Station, 36in-R	1
S-1222-4R35	Climber, Snake 42-48in	1
S-1237-4R35	Climber, Vertical Rock 42-48in	1
S-1304-R35	Single Slide SitDown Wall	1
S-1403-R35	End Access Ladder (3-Rung)	1
S-1405-L-R35	Traverse, Horizontal Ladder (S-Shaped, Left)	1
S-1615-R35G	Store Panel	1
S-1625-R35	Driver Panel	1
S-1704-4	Slide, Wave 48in (Single)	1



563 College Avenue, Holland, MI 49423 Ph: 616-395-2565 or 800-685-6291

Fx: 616-395-2556

Email: heathervk@playenviro.com

BILL TO: QUOTE SHIP TO:

Village of Sussex ATTN:

Grogan Park Option 1

Village of Sussex N64W23760 Main Street

Sussex, WI 53089

PHONE

N64W23760 Main Street Sussex, WI 53089

info@villagesussex.org

03/07/24

mio o magososson.org		ж.огд	00/0//21			
	MODEL				UNIT	EXT.
QTY	NUMBER	VND TX	DESCRIPTION	VEIGH.	PRICE	PRICE
					-	-
1	PR-R35	PC	R35 Custom Play System - R356B4F8A		- 18,485.00	18,485.00
1	A2-2181	PC	PC 2181 8ft Single Post Swing Bay (2		1,885.00	1,885.00
1	A2-2181-AB	PC	PC 2181 8ft Single Post Swing Bay (2		1,406.00	1,406.00
2	A2-313010	PC	Belt Seat		181.00	362.00
2	A2-311010	PC	Full Bucket Seat		389.00	778.00
1	A2-2181-1-AB	PC	PC 2181 8ft Single Post Swing Bay (1		1,406.00	1,406.00
1	A2-131410	PC	Inclusive Seat		1,103.00	1,103.00
1	A2-1906-H	PC	PC 1906-H Thunder Half Wedge		4,582.00	4,582.00
1	Freight	PC	Freight Cost		6,250.00	6,250.00
1	Border	OS	Concrete Border		- 12,037.50	- 12,037.50
	Install	OS	Install Supervisors 2 People		6,250.00	6,250.00
	50/50 Color/Blo		Provide & Install 5278 sf of Standard color Perma Play (50% Color / 50%	7	20.94	59,923.13
	Sub Base	PT	Provide & Install Compacted Sub-Base for 5278sf of Compacte		3.44	9,838.13
	Dumpsters	OS	Dumpsters for Refuse		750.00	750.00
•	20		2 cm.ponero rei ricado			, 55.65
			Note: This does not include Excavation for the PIP		-	-

125,055.75

15,055.75

COMMENTS: Prices good for 30 days w/2024 Delivery.

THE PRICE DOES NOT INCLUDE: TAX, UNLOADING, TRASH REMOVAL SURFACING, SITE WORK, INSTALLATION, OR BAD DIGGING CONDITIONS UNLESS SPECIFICALLY QUOTED.

TOTAL: \$ 110,000.00

SUB-TOTAL:


DISCOUNT:

SIGNED: _____ACCEPTED BY:____

MAKE PURCHASE ORDERS OUT TO: Play Environments Design, 563 College, Holland, MI 49423

Acceptance of this quote indicates your agreement to abide by Play Environments Design terms of sale

TERMS: TBD



Fx: 616-395-2556



Email: heathervk@playenviro.com

Playground Equipment Proposal Experience & Qualifications

Play Environments

• Play Environments has been in business since 1992. We have completed playground projects of every size and in every corner of the state of Michigan. We re structured in 2015 and added Playcraft as a playground vendor. Since 2015 and with the addition of Playcraft we have become an elite company in the playground industry of Michigan. Play Environments has grown year after year adding members to our team and with the history behind us, we plan to continue our commitment to the playground industry for years to come.

Jared Blaszak

Playground designer and project manager

2000-present: Site work and landscaping for commercial and residential projects.

2005-present: Playground equipment installer for commercial projects.

2016-present: Playground designer, project manager, playground sales, installation in Michigan.

Jared has specialized in commercial playground installation throughout Michigan since 2005. He became a CPSC-certified playground safety inspector through the National Playground Safety Institute in 2010.

With his background in landscaping, he is a 100% start to finish project manager.

Service

Play Environments Design, LLC is a company based in Holland who serves the entire State of Michigan.

Services Provided

- CAD services
- Playground design, including grading, land balancing, drainage, borders, concrete work, equipment installation, and safety surfacing
- Project development to stay within budgets
- Playground master plans
- Full installation, including grading, land balancing, drainage, borders, concrete work, equipment installation, and safety surfacing
- Site restoration, seeding, straw mat
- Complete records of customer orders since the beginning
- Certificates of CPSC & ASTM compliance

Insurance

Fully insured by a Michigan admitted carrier for construction projects for municipalities and other commercial projects.



One of Play Environments Design's missions is to provide 100% customer satisfaction.

One way we can reach our goal is to offer you our Play Guarantee.

This Play Guarantee would come into play if there was an unfortunate event when something happened to a Warrantied piece of PlayCraft Equipment. We would never want our customers to have to shut their playground down for an extended amount of time because they received the warrantied part but don't have the proper people or equipment to install it.

Therefore, we Guarantee you don't have to worry about it - As long as the PlayCraft Warranty lasts, you have our Guarantee that we will too! We will provide you with installation to make sure the product is installed properly and as quickly as possible so you can continue to PLAY!










children's attention but also stimulate their senses, fostering engagement and creativity. Thoughtfully chosen colors can enhance visibility, aiding in the recognition of play elements and promoting safety by delineating pathways and boundaries. Additionally, incorporating a diverse palette in playground design not only fosters a visually stimulating environment but also supports inclusive play by accommodating children of varying ages, abilities, and sensory needs, ultimately contributing to the development of social, cognitive, and physical skills.



At Playcraft Systems, we have a deep understanding of child development and safety standards, which allows our team of consultants to integrate color into your design to create engaging and stimulating environments.

Please browse through this color theory brochure to learn more about the impact of color on your upcoming playground design.



Coloring by method revolves around utilizing a primary color and then expanding that visual appearance with secondary and accent colors. The amount of secondary and accent colors against the primary can create a variety of visual effects on your playground design. Along with the amount of secondary and accent colors, varying hues of color can also have an enhancing impact on the overall layout. Monochromatic primary Triadic secondary The COLOR KEY: Our color sets follow 3 main rules: (Primary & Secondary colors & accents) with the 3 additional colors being optional to the look.

MONOCHROMATIC

The use of one overall primary color for a structure might have slight variations from material to material but still bring together a unified look.



COMPLEMENTARY

When combining pairs of color opposite to each other on the color spectrum it has the effect of a more dramatic contrast among main elements.



SPLIT-COMPLEMENTARY

Using a combination of complementary (or opposite) colors is an effective way to balance cooler colors with warm ones.



ANALOGOUS TRI

Colors similar or close to each other on the color spectrum can create a natural flow because they share common properties and make for a harmonious clesign.

TRIADIC

Equally spaced color on the spectrum forms a triangle of colors that can be both vibrant and playful to the eye: a great choice for a children's playground.

TETRADIC


Two sets of two different complementary colors opposite to each other on the color spectrum expand the contrast of warm to cool color and can make a structure stand out even more.


























click a color set to see the structure in full view.



click a color set to see the structure in full view.



click a color set to see the structure in full view.





Playcraft offers one of the largest selections of material color in the industry, allowing your playground to meet any need when it comes to visual appearance.

POWDER-COATING

campfire

orange

wildflower

purple

charcoal

black

rhubarb

bigfoot brown

smoke

gray

bing cherry

acorn

brown

gull gray sweet

driftwood tan

snowcap

white



METALUXE

The added texture effect of our Metaluxe powder-coat colors add a softer and elegant look, and new colors have been added to assist with our already existing color sets.

Metal components receive a multi-stage powder-coating process with a highly durable protective finish unparalled in the industry.



Our in-house state-of-the-art Play-Tuff coating process offers unmatched protection on decks and steps.




is available in solid and layered colors for a

variety of design opportunities.

ROTO-MOLDING


Using hot-blended color compounded resins our roto-molded products stay bright and colorful even after years of play.





WARMER COLOR

click a color set to see the individual palette colors.





Our interactive playground viewer and coloring tool.



Click below to
DOWNLOAD
this booklet

this booklet as a PDF.





GROGAN PARK-2TOP VIEW

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

 ELEVATED
 ACCESSIBLE
 RAMP ACCESSIBLE
 GROUND
 TYPES

 0
 0/0
 0/0
 5/0
 1/0


 CHILD CAPACITY
 5
 MAX FALL HEIGHT
 96

FOR KIDS AGES 5-12

GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.





GROGAN PARK-2 TOP VIEW

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED ACCESSIBLE RAMP ACCESSIBLE GROUND TYPES 2 2/1 0/0 2/1 3/1

MAX FALL HEIGHT 96

CHILD CAPACITY 25




FOR KIDS AGES 5-12

GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE # PROJECT # DATE

NF544F4AA PEI243324EA-2 3/11/2024

Play Environments Design, LLC MIN. USE ZONE 28' x 29' (8.336m x 8.777m)



GROGAN PARK-2TOP VIEW

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

 ELEVATED
 ACCESSIBLE
 RAMP ACCESSIBLE
 GROUND
 TYPES

 0
 0/0
 0/0
 1/0
 1/0


 CHILD CAPACITY
 3
 MAX FALL HEIGHT
 12

FOR KIDS AGES 2-5

GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.





GROGAN PARK-2 SITE PLAN

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED ACCESSIBLE RAMP ACCESSIBLE GROUND TYPES 2/1 0/0 8/1 5/1 2







GENERAL NOTES

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.






STRUCTURE # PROJECT # DATE FREPC2120AB PEI243324EA-2 3/11/2024



GROGAN PARK-2 SW VIEW





STRUCTURE # PROJECT # DATE







STRUCTURE # PROJECT # DATE



GROGAN PARK-2 NE VIEW






STRUCTURE # PROJECT # DATE




GROGAN PARK-2 NW VIEW











STRUCTURE #

PROJECT # DATE PEI243324EA-2 3/11/2024





GROGAN PARK-2

Project # PEI243324EA-2

Date 3/11/2024

Item / Part Number	Description	Qty
[FREPC2120AB]		
A2-131410	Inclusive Seat	1
A2-2181	PC 2181 8ft Single Post Swing Bay (2 Seat)	1
A2-2181-1-AB	PC 2181 8ft Single Post Swing Bay (1 Seat) AB	1
A2-2181-AB	PC 2181 8ft Single Post Swing Bay (2 Seat) AB	1
A2-311010	Full Bucket Seat	2
A2-313010	Belt Seat	2
[NF544F4AA]		
HS-1004-R	Collars	15
HS-1004-R35	Collars R35	9
GF-7002	Dome Cap, R5	3
S-1010-R5-10ft	Post, 10ft R5	1
S-1012-R5-12ft	Post, 12ft R5	2
S-1102-R5	Tri-Deck	1
S-1209-24IW	Infinity Transfer Station, 36in-R	1
S-1237-3R5	Climber, Vertical Rock 30-36in	1
S-1705-3	Slide, Quarter Turn 36in	1
S-5101-H	Half Frame	1
S-5301	Hex Net Extension	1
S-5304-HGLS	Hourglass Extension	1
S-5701-L	Wave Slide Frame (48,L)	1
[Balance Beam]		
A2-2400	PC 2400 Balance Beam (Lightning)	1



563 College Avenue, Holland, MI 49423 Ph: 616-395-2565 or 800-685-6291

Fx: 616-395-2556

Email: heathervk@playenviro.com

BILL TO: QUOTE SHIP TO:

Village of Sussex ATTN:

Grogan Park Option 2

Village of Sussex N64W23760 Main Street

N64W23760 Main Street

info@villagesussex.org

Sussex, WI 53089

PHONE

Sussex, WI 53089

SIGNED: _

03/07/24

MODEL UNIT EXT. **NUMBER** VND TX **DESCRIPTION** VEIGH. **PRICE** QTY **PRICE** 1 PR-R5 PC R5 Custom Play System - NF544F4AA 17.623.00 17,623.00 PC PC 2181 8ft Single Post Swing Bay (2 1 A2-2181 1,885.00 1,885.00 1 A2-2181-AB PC PC 2181 8ft Single Post Swing Bay (2 1,406.00 1,406.00 1 A2-2181-1-AB PC PC 2181 8ft Single Post Swing Bay (1 1,406.00 1,406.00 2 A2-313010 PC Belt Seat 181.00 362.00 2 A2-311010 PC Full Bucket Seat 389.00 778.00 1 A2-131410 PC Inclusive Seat 1,103.00 1,103.00 1 A2-2400 PC PC 2400 Balance Beam (Lightning) 1,002.00 1,002.00 1 Freight PC Freight Charges 5,000.00 5,000.00 1 Border PC 11,812.50 Concrete Border 11,812.50 1 Install OS Install Supervisors 2 People 6,250.00 6,250.00 2714 50/50 Color/Bla PT Provide & Install 3717 sf of Standard color Perma Play (50% Color / 50% 20.39 55,331.68 2714 Sub Base PT Provide & Install Compacted Sub-Base for 5278sf of Compacted 3.44 9,329.38 1 Dumpsters 750.00 OS **Dumpsters for Refuse** 750.00 Note: This does not include Excavation for the PIP COMMENTS: Prices good for 30 days w/2024 Delivery. SUB-TOTAL: 114,038.55 THE PRICE DOES NOT INCLUDE: TAX, UNLOADING, TRASH REMOVAL DISCOUNT: 10,038.55 SURFACING, SITE WORK, INSTALLATION, OR BAD DIGGING CONDITIONS **UNLESS SPECIFICALLY QUOTED.** TOTAL: 104,000.00 \$

MAKE PURCHASE ORDERS OUT TO: Play Environments Design, 563 College, Holland, MI 49423

ACCEPTED BY:

Acceptance of this quote indicates your agreement to abide by Play Environments Design terms of sale TERMS: TBD



One of Play Environments Design's missions is to provide 100% customer satisfaction.

One way we can reach our goal is to offer you our Play Guarantee.

This Play Guarantee would come into play if there was an unfortunate event when something happened to a Warrantied piece of PlayCraft Equipment. We would never want our customers to have to shut their playground down for an extended amount of time because they received the warrantied part but don't have the proper people or equipment to install it.

Therefore, we Guarantee you don't have to worry about it - As long as the PlayCraft Warranty lasts, you have our Guarantee that we will too! We will provide you with installation to make sure the product is installed properly and as quickly as possible so you can continue to PLAY!



02/29/2024 Quote # 104719-01-01

CONSULTANT: RUSSELL WILLIAMS

RFP - Grogan Park - Option 1 - Sussex, WI - D121 17R

Village of Sussex Attn: Halie Dobbeck N64W23760 Main Street Sussex, WI 53089

Phone: 262-246-5200 hdobbeck@villagesussex.org Ship to Zip 53089

Quantity	Part#	Description		
1	RDU	GameTime - Play Unit		
		(2) 7088 Rock Step		
		(2) 7092 Rockscape Lightning Climber		
	(2) 7093 Rockscape Circle Stepper			
		(2) 19818 Access Platform		
		(2) 26057 2 Way X-Pod Step		
		(1) 26084 Arched Trapeze Ring Overhead		
		(10) 26094 Triangular Shroud		
		(1) 26143 90 Deg 2 Way X-Pod Step		
		(2) 26155 Primetime Cross Beam(Join Pt & Xscape)		
		(2) 27079 Trapezoid Overhead Ladder 90 Deg PT		
		(1) 27081 Stretched Trapezoid Overhead - 90 Deg		
		(2) G12023 3 1/2"Uprt Ass'Y Galv 8'		
		(4) G12025 3 1/2" Uprt Ass'Y Galv 10'		
		(4) G12026 3 1/2" Uprt Ass'Y Galv 11'		
1 RDU	RDU	GameTime - Swing Set		
		(1) 8537 Adaptive Swing W/Chain		
		(3) 8910 Belt Seat 3 1/2"Od(8910)		
		(1) 81751 Single Post Swing, Two Bay		
1	3889RP	GameTime - Tiny Tot Swing Attachment		
1	178749	GameTime - Owner's Kit		
1	PIP	Other - TURF safety surfacing - 2948 SF, 8' CFH		
1	CONC	Other - Concrete Border - 6" X 9" Includes 2" sand base 218 LF		
1	18394	GameTime - 4' Double Zip Slide, F/S		
1	CONSULT	Install - Consultation for volunteer build - Excludes layout and digging for footings Excludes concrete for footings		
			Total	\$120,000.00





02/29/2024 Quote # 104719-01-01

CONSULTANT: RUSSELL WILLIAMS

RFP - Grogan Park - Option 1 - Sussex, WI - D121 17R

Quantity Comments Part #

Description

Owner is responsible for providing a flat and level area with less than 1% grade change Owner is responsible for providing adequate border to contain Play area safety Surfacing Owner is responsible for installation of play equipment outlined herein Owner is responsible for providing 8 - 12 volunteers on day installation

Owner is responsible for accepting delivery of play equipment

This quotation is subject to current MWP Recreation (MWP) policies as well as the following terms and conditions. Our quotation is based on shipment of all items at one time to a single destination, unless noted, and changes are subject to price adjustment. Purchases in excess of \$1,000.00 to be supported by your written purchase order made out to MWP Recreation.

Each quote is handled on a per order/project basis. Unless a long-term agreement is in place between purchaser and MWP, terms and conditions of this quotation shall be as outlined herein with no other requirements applicable.

Any changes made to product and/or services after initial order(s) has/have been received by MWP will result in production and/or schedule time frame modifications. Please contact your regional representative to receive a revised schedule for your order/project.

Indemnification; Owner/Owner's Representative will indemnify and hold Minnesota Playground, Inc., dba, MWP Recreation (MWP), harmless for all claims, damages and related costs, including reasonable legal fees and costs, arising out of Owner/Owner's Representative's negligence or noncompliance with any of its commitments under this document. MWP will indemnify and hold Owner/Owner's Representative harmless for all claims, damages and related costs, including reasonable legal fees and costs, arising out of MWP's negligence or noncompliance with any of its commitments under this document.

Excusable Delays/Additional Costs: MWP, and/or its affiliates, shall be liable for default unless delay of performance, whether supplying materials only or including installation in accordance with our project scope, is caused by an occurrence beyond reasonable control of MWP, and/or its affiliates, such as, but not limited to, acts of Superior Force or the public enemy, acts of Government in either its sovereign or contractual capacity, fire, floods, epidemics, quarantine restrictions, strikes, unusually severe weather, delays of common carriers (for transportation of goods whether raw materials or finished product) and attainability of raw materials. Such events resulting in additional costs are not included in quoted amounts and shall be the responsibility of the Owner/Owner's Representative. Any additional costs shall be provided in writing for purchaser's records and shall be due upon payment of invoice.

This quotation is subject to polices in the current GameTime Park and Playground catalog and the following terms and conditions. Our quotation is based on shipment of all items at one time to a single destination, unless noted, and changes are subject to price adjustment. Purchases in excess of \$1,000.00 to be supported by your written purchase order made out to GameTime, c/o MWP Recreation.

Each quote is handled on a per order/project basis. Unless a long-term agreement is in place between purchaser and GameTime, terms and conditions of this quotation shall be as outlined herein with no other requirements applicable.

Any changes made to product and/or services after initial order(s) has/have been received by GameTime will result in production and/or schedule time frame modifications. Please contact your regional representative to receive a revised schedule for your order/project.

Pricing: f.o.b. factory, firm for 15 days from date of quotation. If placing an order after expiration of quote, please contact our office for updated pricing. A tax-exempt certificate is needed at time of order entry for all orders whether from tax-supported government agencies or not. Sales tax, if applicable, will be added at time of invoice unless a tax exempt certificate is provided at time of order entry.

Payment terms: net 30 days for tax supported governmental agencies. Should this quotation be forwarded to an agency not listed on this quote, credit terms, as well as other terms and conditions herein, may be need to be altered. For instance, non-tax supported organization purchasing any or all products and/or services quoted herein may require full payment for that amount due at time of order entry. Remaining balance owed by tax supported agency, if any, shall still be net 30 days. A 1.5% per month finance charge will be imposed on all past due accounts. Equipment shall be invoiced separately from other services and shall be payable in advance of those services and project completion. Retainage not accepted.

Payment terms: payment in full, check submitted with order. Should credit card be used, please contact your company representative or our office to determine if a credit card fee is applicable. A revised quote will be issued with credit card fee included if deemed applicable.



02/29/2024 Quote # 104719-01-01

CONSULTANT: RUSSELL WILLIAMS

RFP - Grogan Park - Option 1 - Sussex, WI - D121 17R

Unless already on file, please include a tax exempt certificate upon order entry whether a tax supported government agency or other.

Freight charges: Prepaid & added

Wet Site Conditions: installation areas located near wetlands, where a high water table exists or in any environment that produces excessive moisture will require additional planning prior to installation of your project. Unless excessively wet conditions have been conveyed prior to installation quote and accounted for in some manner, your installation will not proceed. Ideal dry conditions need to be present to begin, and complete, your project as quoted.



02/29/2024 Quote # 104719-01-01

CONSULTANT: RUSSELL WILLIAMS

RFP - Grogan Park - Option 1 - Sussex, WI - D121 17R

Consult Project Scope:

Please note, consult is based on site conditions that have been conveyed to our organization by the Owner/Owner's Representative and ideal conditions existing for a timely completion of your project as quoted. Unless addressed prior to this quote being issued or specifically mentioned herein, any issues that arise impeding the progress/completion of your project as quoted will result in additional charges.

Weather can change project scheduling in many ways. Take rain for an example. Day, or days, before rain... If weather forecasts show a high percentage chance for rain that will affect the site conditions, a postponement may be in order. Digging holes, laying certain surfacing materials, etc., are greatly affected by weather conditions and work may not begin/continue due to weather forecasts. There are the rain days themselves, which if heavy enough rainfall occurs, makes a site unworkable. Day, or days, after rain... Drying time will be needed after rain and the number of days needed will vary depending on amount of precipitation received. One actual rain day may equal multiple delay days depending on work scheduled to be done.

- + CONSULT INCLUSIONS +
- + One mobilization
- + One consultant, one eight-hour day (If more time is required, additional charges will be applicable.)
- + Public utility locates only
- + Consultant to supervise assembly of equipment as outlined in quote herein and as shown on drawing #D12117R
- + Standard insurance offerings for consultant only
- + Standard warranty offerings for product only
- + Standard industry accepted labor wages for consultant only
- + Supply of safety surfacing
- + Border to help contain safety surfacing
- * VOLUNTEER RESPONSIBILITY DAY OF BUILD (CONSULT EXCLUSIONS) *
- * Unpacking of play equipment
- * Disposal of packing materials
- * Assembly of play equipment
- * Supply concrete for footings as needed
- * Pouring of concrete for footings (Should time be limited due to assembly of equipment and concrete not be poured day of volunteer build, consultant will review concrete needs, specifically pouring of concrete, with volunteers prior to consultant's departure.)
- * Installation of safety surfacing (Consultant will not be a part of safety surfacing as this material will be the responsibility of the Owner/Owner's Representative.)
- * Construction tape/temporary bracing (as needed)
- * Site security

- OTHER EXCLUSIONS -

- Clear access path up to and into play area for installation equipment (minimum of 8-foot wide, includes but not limited to gates, walkways, driveways, etc.)
- Staging area for materials and installation equipment, trailers, etc.
- Unobstructed space for maneuvering installation equipment as well as performing work
- Security fencing of any type
- If fencing is in place (by others), ability to unlock fencing is to be provided to our office a minimum of one week prior to our start
- Accepting, unloading and storage of order(s)/shipment(s) prior to installation
- Private utility locates such as, but not limited to, irrigation, fiber optics, private lighting, etc.
- Marking and digging of footings holes to accept direct embedment supports as needed
- Setting depth of footing holes and placing blocks in bottom of footing holes with transit.
- Sitework of any kind such as, but not limited to, grading (play area to have max slope of 1%), site restoration, drainage, etc.
- Removal of existing play equipment, border, safety surfacing, etc.
- Backfill material and compaction of backfill after removal of existing items (for footing holes as an example) that leave voids in area (marking and digging of new footing holes based on workable site)
- Digging in compacted sub-surfaces, rock, hard pan, tree roots, unstable soil conditions, etc.
- Restoration of compacted sub-surfaces for playground surfacings such as, but not limited to, poured-in-place rubber, rubber tiles, artificial turf, etc.
- Digging/maneuvering in sand, pea gravel, mud, etc., whether along access path, staging area or within the play area





02/29/2024 Quote # 104719-01-01

CONSULTANT: RUSSELL WILLIAMS

RFP - Grogan Park - Option 1 - Sussex, WI - D121 17R


- Offsite removal of spoils from footing holes (can be stockpiled near play area for owner/owner's representative removal or spread within play area)
- Disposal of packing material by volunteers (can be deposited in owner/owner's representative onsite dumpster or stockpiled for removal by others)
- Removal of temporary braces, caution/construction tape, etc. (Can be removed and disposed of after concrete has cured.)
- Bonding of any type
- Permits of any kind
- Prevailing, Davis Bacon, Union, or similar, wages
- Restroom facilities, see below for specifics

Please provide access to restrooms. Should use of site facilities not be available, temporary/portable restrooms and/or washing stations will need to be brought on site. These temporary facilities should be removed once volunteer build has been completed.

Should volunteer build occur over a week	end or during non-standard business hours, please provide a si	te contact and more than one telephone
number to reach this person in case an un	rgent matter arises requiring immediate attention.	
(Name)		
(Cell)		
(Other Telephone Number)		
	his quotation excludes all site work and landscaping; removal of ods prior to installation; equipment assembly and installation; sa	
Order Information:		
Bill To:	Ship To:	
Company:	Project Name:	
Attn:	Attn:	
Address:	Address:	
City, State, Zip:	City, State, Zip:	
Contact:	Contact:	
Tel:	Tel:	
Fax:	Fax:	
Acceptance of quotation:		
	P.O. No:	
Signature:	Date:	
Title:	Phone:	
Eacsimile:	Purchase Amount: \$120,000,00	



Please Initial & Sign the Final Top View:



SCALE: 1" = 10'-0"

THIS PRINT IS THE PROPERTY OF MINNESOTA WISCONSIN PLAYGROUND INC. AND IS NOT TO BE USED, COPIED OR REPRODUCED WITHOUT THEIR EXPRESSED WRITTEN PERMISSION.






P.O. Box 27328, Golden Valley, MN 55427 763-546-7787 1-800-622-5425 Fax 763-546-5050 info@mwprecreation.com

Grogan Park Option 1 Sussex, WI

THIS PLAN REQUIRES A FINISHED GRADE RESOLUTION

2-5-24 DWG. D12117R

















Freestanding Play Events

Freestanding play equipment and accessories as manufactured by GameTime, a PlayCore Company, P.O. Box 680121, Fort Payne, Alabama 35968-0121, Phone: 1-800-235-2440, www.GameTime.com, shall adhere to the following specifications:

- A. Molded Polyethylene Products are to be rotationally molded plastic with a ¼" nominal wall thickness. All plastic is to be U.V. stabilized with optional graphics molded into the component during the molding process. Molded products shall have an anti-static additive and be available in any of the manufacturer's standard colors.
- B. High Density Polyethylene shall be made from either ½" or 3/4" thick (depending on application used) high density, UV-stabilized and color impregnated polyethylene.
- C. Cables shall be 18mm polyester twisted type with the following properties: calculated tensile strength of >60kN, quantity 6 strands 2.8mm diameter each, steel strands shall have QTY 19 steel wires diameter .62mm each, quantity 3 fiber core 2.7mm diameter each, UV protected polyester impregnated. Terminations shall be made of the following materials: Aluminum forks, stainless steel D-shackles, stainless steel lifting eye nuts. Connections shall be made of the following: Aluminum connector eggs, aluminum 2-piece T-joints, aluminum T-joints, aluminum in-line connector, aluminum ferrules.
- D. Hardware All nuts, bolts, screws, inserts, and lock washers used in the assembly of all play equipment shall be stainless steel, yellow dichromate plated steel, blue-coat plated steel, mechanically galvanized or powder coated/yellow dichromate plated steel. All primary fasteners shall be 304 alloy stainless steel. Fasteners with yellow dichromate treatment have an electro-deposited, 99.9% pure zinc substrate applied from a specially formulated solution sealed with a yellow dichromate topcoat designed to work in conjunction with the zinc plating. Yellow dichromate has a 320% longer life to white corrosion and 275% longer to red corrosion than does hot-dip galvanizing. PowerScape Plus stainless-steel fasteners shall be button pinin head, socket cap screws with a two-part epoxy locking patch added to the threads. The two-part locking patch shall consist of one part resin and one part catalyst which are activated during installation. After curing, the material shall require a minimum of five times the installation torque to remove the fastener. Manufacturer shall provide special installation tools for pinned fasteners.

FINISHES

- A. Polyester (Powder) Coating The polyester coating shall be uniformly applied by the electrostatic method to a minimum thickness of four mils. Promptly after application of the powder, the coating shall be oven-cured at 350 degrees Fahrenheit. The color(s) of the polyester coating shall be as selected by the Architect from the manufacturer's standard and/or custom color selection charts. The paint process must adhere to the Powder Coat Institute 4000 Certification.
- B. Galvanized Finish All components shall have a galvanized finish prior to powder coating and shall be protectively coated with ZRP, a zinc primer that forms a rust-resistant barrier layer. All galvanized surfaces shall be free of burs, splinters, and sharp edges.



Xscape Play Systems

PART 1 – GENERAL

1.01 SUMMARY

- A. Section includes composite structure, stand-alone play events and accessories.
- B. Basis of design is **Xscape®** modular play structures, free-standing play equipment and accessories as manufactured by GameTime, a PlayCore Company, P.O. Box 680121, Fort Payne, Alabama 35968-0121, Phone: 1-800-235-2440, www.GameTime.com.

1.02 SUBMITTALS

- A. Product Data: Include physical characteristics such as shape, dimensions, gauge and material for each component. Provide finish information and available colors.
- B. Shop Drawings: Include plans, elevations, details, and installation instructions for each component.
- C. Warranty: Include sample of manufacturer's standard warranty.

1.03 QUALITY ASSURANCE

- A. Manufacturer Qualifications: Equipment components shall be certified by IPEMA's third party product certification service. Equipment and structural components shall bear the IPEMA certification seal. IPEMA validation is available at www.ipema.org.
- B. Installer: Must be certified by the manufacturer.
- C. Safety Standards: Comply with requirements of ASTM F 1487.

1.04 WARRANTY

A. Warranty shall meet or exceed the warranty provisions of GameTime as follows:

Lifetime limited warranty on PowerScape®, PrimeTime®, Modern City®, Xscape® & IONiX® uprights.

Lifetime limited warranty on Tru-Loc® connections and upright bolt-through connections.

Lifetime limited warranty on all hardware.

- 20 Year limited warranty on Timber Décor™ & Timbers recycled plastic lumber.
- 15 Year limited warranty on metal decks, pipes, rungs, rails, loops, braces, and foot bucks.
- **15 Year** limited warranty on rotationally molded products.



- 15-Year limited warranty on VistaRope nylon bearings and ring junction pieces.
- 10 Year limited warranty on GTFit, THRIVE and Challenge Course posts & bars.
- **10 Year** limited warranty on site furnishings against structural failure.
- 10-Year limited warranty on SunBlox® products.
- 10 Year limited warranty on integrated GTShade® products.
- 10 Year limited warranty on fiberglass and DHPL signage.
- **10-Year** limited warranty on VistaRope WeaveTech cables.
- 5 Year limited warranty on TuffForms® structures, including TuffCrete™ and PolyShield.
- **5 Year** limited warranty on nylon covered cable net climbers and components.
- **5 Year** limited warranty on GT Symphony Freenotes™ Harmony Park components.
- **5 Year** limited warranty on Super Seats[™].
- **5-Year** limited warranty on premature wear of VistaRope cables.
- 3 Year limited warranty on Everybody Plays polyurea coated foam & rubber strips.
- 3 Year limited warranty on SaddleMates® rubber and "C" springs.
- 3-Year limited warranty on SureGrip Material
- 2 Year limited warranty on Challenge Course timing components.
- 1 Year limited warranty on all other GameTime products.

PART 2 - PRODUCTS

2.01 MATERIALS

- A. Main Structural Uprights shall be 3.5" outside diameter, 13 gauge (nominal .095") galvanized round tubing, manufactured to ASTM A-500 Grade B tolerances from cold-formed steel conforming to ASTM A-1011 Sheet Spec for steel coil. Minimum yield strength shall be 45,000 psi and minimum tensile strength shall be 48,000 psi. The exterior surface is In line Zinc Flo Coating with a zinc coating of .03 thickness minimum, chromate conversion coated, and a clear high performance organic polymer is applied. Galvanizing coverage shall demonstrate the ability to exceed 1000 hours salt spray corrosion exposure in accordance with ASTM B-117. Internal surface zinc rich 91% minimum zinc dust content in organic resin, as per ASTM F-1043. All upright posts shall be coated with a custom formula TGIC.
- B. Component Attachment Must be factory preset to the uprights to ensure full field compliance with current safety standards. Hinges, or any clamps, that require field locating



or field drilling or installation are not acceptable, due to the susceptibility of installation out of compliance with safety standards.

- C. Plastisol Coated Steel Platforms and steps shall be fabricated from 12-gauge perforated steel with a .08" minimum thickness, textured slip-resistant polyvinyl chloride plastisol dipped coating. Platforms must attach directly to support frame, using 3/8" bolts at each connection point. Plastisol coating shall be free of latex and tested to meet California standards for phthalate levels and safe for children. Available in manufacturers standard colors.
- D. Molded Polyethylene Products are to be rotationally molded plastic with a ¼" nominal wall thickness. All plastic is to be U.V. stabilized with optional graphics molded into the component during the molding process. Molded products shall have an anti-static additive and be available in any of the manufacturer's standard colors.
- E. High Density Polyethylene Products shall be made from either ½" or 3/4" thick (depending on application used) high density, UV-stabilized and color impregnated polyethylene.
- F. Metal Climbers and Enclosures Products shall be fabricated from 1 5/16" OD x .083" (14 gauge) wall galvanized steel tubing with frames fabricated of 2 3/8" OD x .134 (10 gauge) wall galvanized steel tubing. All tubing used shall be an electrical resistance welded, cold rolled, high strength steel tubing. The exterior coating will consist of an in-line Zinc Flo Coating with a zinc coating of .03 thickness minimum, chromate conversion, and acrylic overcoating. The interior coating will consist of a special organic acrylic modified polyester. All climbers shall be coated with a custom formula TGIC.
- G. Cables shall be 18mm polyester twisted type with the following properties: calculated tensile strength of >60kN, quantity 6 strands 2.8mm diameter each, steel strands shall have QTY 19 steel wires diameter .62mm each, quantity 3 fiber core 2.7mm diameter each, UV protected polyester impregnated. Terminations shall be made of the following materials: Aluminum forks, stainless steel D-shackles, stainless steel lifting eye nuts. Connections shall be made of the following: Aluminum connector eggs, aluminum 2-piece T-joints, aluminum T-joints, aluminum in-line connector, aluminum ferrules.
- H. Hardware All nuts, bolts, screws, inserts, and lock washers used in the assembly of all play equipment shall be stainless steel, yellow dichromate plated steel, blue-coat plated steel, mechanically galvanized or powder coated/yellow dichromate plated steel. All primary fasteners shall be 304 alloy stainless steel. Fasteners with yellow dichromate treatment have an electro-deposited, 99.9% pure zinc substrate applied from a specially formulated solution sealed with a yellow dichromate topcoat designed to work in conjunction with the zinc plating. Yellow dichromate has a 320% longer life to white corrosion and 275% longer to red corrosion than does hot-dip galvanizing.

2.02 REQUIRED COMPONENTS

- A. In addition to the requirements contained in this section, refer to layout drawings and schedules of components and accessories on drawings.
- B. All components, accessories, hardware, and other items required for a complete and usable system shall be provided.



2.03 FINISHES

- A. Polyester (Powder) Coating The polyester coating shall be uniformly applied by the electrostatic method to a minimum thickness of four mils. Promptly after application of the powder, the coating shall be oven-cured at 350 degrees Fahrenheit. The color(s) of the polyester coating shall be as selected by the Architect from the manufacturer's standard and/or custom color selection charts. The paint process must adhere to the Powder Coat Institute 4000 Certification.
- B. Galvanized Finish All components shall have a galvanized finish prior to powder coating and shall be protectively coated with ZRP, a zinc primer that forms a rust-resistant barrier layer. All galvanized surfaces shall be free of burs, splinters, and sharp edges.

PART 3 – EXECUTION

3.01 INSTALLATION

- A. General Comply with manufacturer's written installation instructions.
- B. Uprights Set posts in concrete footings. Protect finish during installation. Comply with locations, height, and plumb requirements.

3.02 FIELD QUALITY CONTROL

A. Installation shall be performed by factory certified technicians with at least 3 years' experience installing playground equipment

3.03 COMPLETION

- A. Protect installed products until completion of project.
- B. Touch up, repair, or replace damaged products before substantial completion.
- C. Installer shall turn over all installation instructions, parts lists, maintenance instructions, tool kits, and spare materials to the owner upon completion.



Freestanding Play Events

Freestanding play equipment and accessories as manufactured by GameTime, a PlayCore Company, P.O. Box 680121, Fort Payne, Alabama 35968-0121, Phone: 1-800-235-2440, www.GameTime.com, shall adhere to the following specifications:

- A. Molded Polyethylene Products are to be rotationally molded plastic with a ¼" nominal wall thickness. All plastic is to be U.V. stabilized with optional graphics molded into the component during the molding process. Molded products shall have an anti-static additive and be available in any of the manufacturer's standard colors.
- B. High Density Polyethylene shall be made from either ½" or 3/4" thick (depending on application used) high density, UV-stabilized and color impregnated polyethylene.
- C. Cables shall be 18mm polyester twisted type with the following properties: calculated tensile strength of >60kN, quantity 6 strands 2.8mm diameter each, steel strands shall have QTY 19 steel wires diameter .62mm each, quantity 3 fiber core 2.7mm diameter each, UV protected polyester impregnated. Terminations shall be made of the following materials: Aluminum forks, stainless steel D-shackles, stainless steel lifting eye nuts. Connections shall be made of the following: Aluminum connector eggs, aluminum 2-piece T-joints, aluminum T-joints, aluminum in-line connector, aluminum ferrules.
- D. Hardware All nuts, bolts, screws, inserts, and lock washers used in the assembly of all play equipment shall be stainless steel, yellow dichromate plated steel, blue-coat plated steel, mechanically galvanized or powder coated/yellow dichromate plated steel. All primary fasteners shall be 304 alloy stainless steel. Fasteners with yellow dichromate treatment have an electro-deposited, 99.9% pure zinc substrate applied from a specially formulated solution sealed with a yellow dichromate topcoat designed to work in conjunction with the zinc plating. Yellow dichromate has a 320% longer life to white corrosion and 275% longer to red corrosion than does hot-dip galvanizing. PowerScape Plus stainless-steel fasteners shall be button pinin head, socket cap screws with a two-part epoxy locking patch added to the threads. The two-part locking patch shall consist of one part resin and one part catalyst which are activated during installation. After curing, the material shall require a minimum of five times the installation torque to remove the fastener. Manufacturer shall provide special installation tools for pinned fasteners.

FINISHES

- A. Polyester (Powder) Coating The polyester coating shall be uniformly applied by the electrostatic method to a minimum thickness of four mils. Promptly after application of the powder, the coating shall be oven-cured at 350 degrees Fahrenheit. The color(s) of the polyester coating shall be as selected by the Architect from the manufacturer's standard and/or custom color selection charts. The paint process must adhere to the Powder Coat Institute 4000 Certification.
- B. Galvanized Finish All components shall have a galvanized finish prior to powder coating and shall be protectively coated with ZRP, a zinc primer that forms a rust-resistant barrier layer. All galvanized surfaces shall be free of burs, splinters, and sharp edges.



Individual Product Specifications

Balancing:

7088 - Rock Step

- 1 5/8" O.D. x .083" galvanized steel pipe
- 3/16" hot rolled steel
- · Linear low-density polyethylene
- · UV stabilized color
- · Anti-static compound additive
- · All-weld assembly
- Coated after fabrication with a custom formula of TGIC polyester powder

Climbers:

7092 - RockScape™ Lightning Climber

- 3.5" O.D. x .095", 1 5/8" O.D. x .083", and 1 5/16" O.D. x .083" galvanized steel tubing
- 3/16" stainless steel
- · All-weld assembly
- · Coated after fabrication with a custom formula of TGIC polyester powder coating

7093 - RockScape™ Circle Stepper

- 3.5" O.D. x .095", 1 5/8" O.D. x .083", and 1 5/16" O.D. x .083" galvanized steel tubing
- 3/16" stainless steel
- All-weld assembly
- · Coated after fabrication with a custom formula of TGIC polyester powder coating

Slides:

18394 - Double Zip Slide - 4'

- 1-5/16" O.D., 1-5/16" O.D. x .083", and 1-1/16" O.D. x .075" wall galvanized steel tubing
- 3.5" O.D. x 1/8" aluminum tubing
- 6005-T5 aluminum alloy
- 24" x 45-1/2" rectangular deck
- .109" and .120" punched steel
- 1/8" x 2 ½" and 1/8" hot rolled steel
- · Protective P&O finish
- · color-impregnated linear low-density polyethylene
- All-weld assembly
- Coated after fabrication with a custom formula of TGIC polyester powder coating and an oven cured matte finish PVC coating

Swings:

81751 - Double Bay Single Post Swing

- 5" O.D. and 3 1/2" O.D. steel tubing
- 3/16"-thick hot rolled steel
- · Electrostatically applied custom formula of TGIC polyester powder
- Baked finish



8537 – Adaptive Swing with Chain

- 1.315" x .083" wall galvanized steel tubing
- Linear low-density polyethylene
- 7/32"-diameter steel wire chain
- Hot dipped galvanized steel
- 1/8"-thick color-impregnated polyvinyl coating
- UV inhibitors
- Coated after fabrication with a custom formula of TGIC polyester powder coating

8910 – Belt Swing Seat

- 7/32"-diameter steel wire
- Hot dipped galvanized steel
- 4/0 welded link coil chain
- 1/8"-thick color-impregnated polyvinyl coating
- UV inhibitors
- Galvanized finish



Xscape Play Systems

PART 1 – GENERAL

1.01 SUMMARY

- A. Section includes composite structure, stand-alone play events and accessories.
- B. Basis of design is **Xscape®** modular play structures, free-standing play equipment and accessories as manufactured by GameTime, a PlayCore Company, P.O. Box 680121, Fort Payne, Alabama 35968-0121, Phone: 1-800-235-2440, www.GameTime.com.

1.02 SUBMITTALS

- A. Product Data: Include physical characteristics such as shape, dimensions, gauge and material for each component. Provide finish information and available colors.
- B. Shop Drawings: Include plans, elevations, details, and installation instructions for each component.
- C. Warranty: Include sample of manufacturer's standard warranty.

1.03 QUALITY ASSURANCE

- A. Manufacturer Qualifications: Equipment components shall be certified by IPEMA's third party product certification service. Equipment and structural components shall bear the IPEMA certification seal. IPEMA validation is available at www.ipema.org.
- B. Installer: Must be certified by the manufacturer.
- C. Safety Standards: Comply with requirements of ASTM F 1487.

1.04 WARRANTY

A. Warranty shall meet or exceed the warranty provisions of GameTime as follows:

Lifetime limited warranty on PowerScape®, PrimeTime®, Modern City®, Xscape® & IONiX® uprights.

Lifetime limited warranty on Tru-Loc® connections and upright bolt-through connections.

Lifetime limited warranty on all hardware.

- 20 Year limited warranty on Timber Décor™ & Timbers recycled plastic lumber.
- 15 Year limited warranty on metal decks, pipes, rungs, rails, loops, braces, and foot bucks.
- **15 Year** limited warranty on rotationally molded products.



- 15-Year limited warranty on VistaRope nylon bearings and ring junction pieces.
- 10 Year limited warranty on GTFit, THRIVE and Challenge Course posts & bars.
- **10 Year** limited warranty on site furnishings against structural failure.
- **10-Year** limited warranty on SunBlox® products.
- 10 Year limited warranty on integrated GTShade® products.
- 10 Year limited warranty on fiberglass and DHPL signage.
- **10-Year** limited warranty on VistaRope WeaveTech cables.
- 5 Year limited warranty on TuffForms® structures, including TuffCrete™ and PolyShield.
- **5 Year** limited warranty on nylon covered cable net climbers and components.
- **5 Year** limited warranty on GT Symphony Freenotes™ Harmony Park components.
- **5 Year** limited warranty on Super Seats[™].
- **5-Year** limited warranty on premature wear of VistaRope cables.
- 3 Year limited warranty on Everybody Plays polyurea coated foam & rubber strips.
- 3 Year limited warranty on SaddleMates® rubber and "C" springs.
- 3-Year limited warranty on SureGrip Material
- 2 Year limited warranty on Challenge Course timing components.
- 1 Year limited warranty on all other GameTime products.

PART 2 - PRODUCTS

2.01 MATERIALS

- A. Main Structural Uprights shall be 3.5" outside diameter, 13 gauge (nominal .095") galvanized round tubing, manufactured to ASTM A-500 Grade B tolerances from cold-formed steel conforming to ASTM A-1011 Sheet Spec for steel coil. Minimum yield strength shall be 45,000 psi and minimum tensile strength shall be 48,000 psi. The exterior surface is In line Zinc Flo Coating with a zinc coating of .03 thickness minimum, chromate conversion coated, and a clear high performance organic polymer is applied. Galvanizing coverage shall demonstrate the ability to exceed 1000 hours salt spray corrosion exposure in accordance with ASTM B-117. Internal surface zinc rich 91% minimum zinc dust content in organic resin, as per ASTM F-1043. All upright posts shall be coated with a custom formula TGIC.
- B. Component Attachment Must be factory preset to the uprights to ensure full field compliance with current safety standards. Hinges, or any clamps, that require field locating



or field drilling or installation are not acceptable, due to the susceptibility of installation out of compliance with safety standards.

- C. Plastisol Coated Steel Platforms and steps shall be fabricated from 12-gauge perforated steel with a .08" minimum thickness, textured slip-resistant polyvinyl chloride plastisol dipped coating. Platforms must attach directly to support frame, using 3/8" bolts at each connection point. Plastisol coating shall be free of latex and tested to meet California standards for phthalate levels and safe for children. Available in manufacturers standard colors.
- D. Molded Polyethylene Products are to be rotationally molded plastic with a ¼" nominal wall thickness. All plastic is to be U.V. stabilized with optional graphics molded into the component during the molding process. Molded products shall have an anti-static additive and be available in any of the manufacturer's standard colors.
- E. High Density Polyethylene Products shall be made from either ½" or 3/4" thick (depending on application used) high density, UV-stabilized and color impregnated polyethylene.
- F. Metal Climbers and Enclosures Products shall be fabricated from 1 5/16" OD x .083" (14 gauge) wall galvanized steel tubing with frames fabricated of 2 3/8" OD x .134 (10 gauge) wall galvanized steel tubing. All tubing used shall be an electrical resistance welded, cold rolled, high strength steel tubing. The exterior coating will consist of an in-line Zinc Flo Coating with a zinc coating of .03 thickness minimum, chromate conversion, and acrylic overcoating. The interior coating will consist of a special organic acrylic modified polyester. All climbers shall be coated with a custom formula TGIC.
- G. Cables shall be 18mm polyester twisted type with the following properties: calculated tensile strength of >60kN, quantity 6 strands 2.8mm diameter each, steel strands shall have QTY 19 steel wires diameter .62mm each, quantity 3 fiber core 2.7mm diameter each, UV protected polyester impregnated. Terminations shall be made of the following materials: Aluminum forks, stainless steel D-shackles, stainless steel lifting eye nuts. Connections shall be made of the following: Aluminum connector eggs, aluminum 2-piece T-joints, aluminum T-joints, aluminum in-line connector, aluminum ferrules.
- H. Hardware All nuts, bolts, screws, inserts, and lock washers used in the assembly of all play equipment shall be stainless steel, yellow dichromate plated steel, blue-coat plated steel, mechanically galvanized or powder coated/yellow dichromate plated steel. All primary fasteners shall be 304 alloy stainless steel. Fasteners with yellow dichromate treatment have an electro-deposited, 99.9% pure zinc substrate applied from a specially formulated solution sealed with a yellow dichromate topcoat designed to work in conjunction with the zinc plating. Yellow dichromate has a 320% longer life to white corrosion and 275% longer to red corrosion than does hot-dip galvanizing.

2.02 REQUIRED COMPONENTS

- A. In addition to the requirements contained in this section, refer to layout drawings and schedules of components and accessories on drawings.
- B. All components, accessories, hardware, and other items required for a complete and usable system shall be provided.



2.03 FINISHES

- A. Polyester (Powder) Coating The polyester coating shall be uniformly applied by the electrostatic method to a minimum thickness of four mils. Promptly after application of the powder, the coating shall be oven-cured at 350 degrees Fahrenheit. The color(s) of the polyester coating shall be as selected by the Architect from the manufacturer's standard and/or custom color selection charts. The paint process must adhere to the Powder Coat Institute 4000 Certification.
- B. Galvanized Finish All components shall have a galvanized finish prior to powder coating and shall be protectively coated with ZRP, a zinc primer that forms a rust-resistant barrier layer. All galvanized surfaces shall be free of burs, splinters, and sharp edges.

PART 3 – EXECUTION

3.01 INSTALLATION

- A. General Comply with manufacturer's written installation instructions.
- B. Uprights Set posts in concrete footings. Protect finish during installation. Comply with locations, height, and plumb requirements.

3.02 FIELD QUALITY CONTROL

A. Installation shall be performed by factory certified technicians with at least 3 years' experience installing playground equipment

3.03 COMPLETION

- A. Protect installed products until completion of project.
- B. Touch up, repair, or replace damaged products before substantial completion.
- C. Installer shall turn over all installation instructions, parts lists, maintenance instructions, tool kits, and spare materials to the owner upon completion.



Individual Product Specifications

Connectors:

26155 - Cross Beam

- 2 3/8" O.D. x .095" galvanized pipe
- 3/16" and 3/16" x 4 1/2" stainless steel
- All-weld assembly
- Coated after fabrication with a custom formula of TGIC polyester powder coating

Links:

26084 - Arched Trapeze Rings

- 2 3/8" O.D. x .165" galvanized round pipe
- 3/16" x 4 1/2" stainless steel
- · Exceedingly strong, light, heat and rust-resistant aluminum alloy
- All-weld assembly
- Coated after fabrication with a custom formula of TGIC polyester powder coating

27079 - 90° Inverted Loop Ladder

- 2-3/8" O.D. x .095" and 1-5/16" O.D. x .083" wall galvanized steel tubing
- 3/16 hot rolled steel
- All-weld assembly
- Coated after fabrication with a custom formula of TGIC polyester powder coating

27081 – 90° PT Stretched Trapezoid Overhead

- 2-3/8" O.D. x .095" and 1-5/16" O.D. x .083" wall galvanized steel tubing
- 3/16 hot rolled steel
- All-weld assembly
- Coated after fabrication with a custom formula of TGIC polyester powder coating

Miscellaneous:

19818 - Access Platform

- .109" hot rolled steel
- All-weld assembly
- · Coated after fabrication with a custom formula of TGIC polyester powder coating

26094 - Triangular Shroud

• EPDM 90-Durometer







IPEMA ASTM F1487-21 CERTIFICATE OF COMPLIANCE

ISSUE DATE: March 6, 2024

Requested By: Abdirahman Mohamud

Project: Grogan Park Option 1 - Sussex, WI - D12117R

In the interest of public playground safety, IPEMA provides a third-party certification service whereby TÜV SÜD America validates a manufacturer's certification of conformance to the ASTM F1487-21 (excluding sections 7.1.1, 10, 11.2, 11.3, 13.1.1, 13.1.2, 13.2, and 13.3) Standard Consumer Safety Performance Specification for Playground Equipment for Public Use.

The manufacturer listed below has received written validation from TÜV SÜD America that the product(s) listed conform with the requirements of ASTM F1487-21 (excluding sections 7.1.1, 10, 11.2, 11.3, 13.1.1, 13.1.2, 13.2, and 13.3).

This certificate is invalid if any component or part is replaced, unless purchased from the original manufacturer and assembled in accordance with the original equipment manufacturer's instructions. Check with the manufacturer to determine the validity of the certification of the product(s) listed prior to using this certificate for proof of certification.

MODEL #	COMMERCIAL NAME OF PRODUCT	PRODUCT LINE	MANUFACTURER
G12023	Upright, Steel, 8′	Primetime	GameTime
G12026	Upright, Steel, 11'	Primetime	GameTime
G12025	Upright, Steel, 10'	Primetime	GameTime
27093	The Hive 1-Way	Xscape	GameTime
7088	Rock Step	Gt event	GameTime
27079	PT TRAPEZOID OVERHEAD 90°	Xscape	GameTime
27081	PT STRETCH TRAPEZOID OVERHEAD 90°	Xscape	GameTime
7092	Lightning Climber Rockscape	Gt event	GameTime
26155	Cross Beam Connector (36" PT Single Link)	Xscape	GameTime
SS8910	Belt Swing Seat Package	Gt event	GameTime
8910	BELT SWING SEAT PACKAGE	Gt event	GameTime
SS8537	Adaptive Swing W/Stainless Steel 3-1/2" O.D. Top Rail 8'	Gt event	GameTime
8537	Adaptive Swing W/Chains	Gt event	GameTime
19818	ACCESS PLATFORM	Primetime	GameTime
26143	90 Degree 2 Way X-Pod Step	Xscape	GameTime
81751	5" O.D. Single Post Swing (Double Bay)	Gt event	GameTime
26057	2-Way X-Pod Step	Xscape	GameTime















IPEMA CSA Z614:20 UPDATE NO. 1 CERTIFICATE OF COMPLIANCE

ISSUE DATE: March 6, 2024

Requested By: Abdirahman Mohamud

Project: Grogan Park Option 1 - Sussex, WI - D12117R

In the interest of public playground safety, IPEMA provides a third-party certification service whereby TÜV SÜD America validates a manufacturer's certification of conformance to CSA Z614:20 Update No. 1 (excluding clauses 10 and 11) Children's Playspaces and Equipment.

The manufacturer listed below has received written validation from TÜV SÜD America that the product(s) listed conform with the requirements of CSA Z614:20 Update No. 1 (excluding clauses 10 and 11).

This certificate is invalid if any component or part is replaced, unless purchased from the original manufacturer and assembled in accordance with the original equipment manufacturer's instructions. Check with the manufacturer to determine the validity of the certification of the product(s) listed prior to using this certificate for proof of certification.

MODEL #	COMMERCIAL NAME OF PRODUCT	PRODUCT LINE	MANUFACTURER
G12023	Upright, Steel, 8'	Primetime	GameTime
G12026	Upright, Steel, 11'	Primetime	GameTime
G12025	Upright, Steel, 10'	Primetime	GameTime
27093	The Hive 1-Way	Xscape	GameTime
7088	Rock Step	Gt event	GameTime
27079	PT TRAPEZOID OVERHEAD 90°	Xscape	GameTime
27081	PT STRETCH TRAPEZOID OVERHEAD 90°	Xscape	GameTime
7092	Lightning Climber Rockscape	Gt event	GameTime
26155	Cross Beam Connector (36" PT Single Link)	Xscape	GameTime
SS8910	Belt Swing Seat Package	Gt event	GameTime
8910	BELT SWING SEAT PACKAGE	Gt event	GameTime
SS8537	Adaptive Swing W/Stainless Steel 3-1/2" O.D. Top Rail 8'	Gt event	GameTime
8537	Adaptive Swing W/Chains	Gt event	GameTime
19818	ACCESS PLATFORM	Primetime	GameTime
26143	90 Degree 2 Way X-Pod Step	Xscape	GameTime
81751	5" O.D. Single Post Swing (Double Bay)	Gt event	GameTime
26057	2-Way X-Pod Step	Xscape	GameTime









IPEMA CSA Z614:20 UPDATE NO. 1 CERTIFICAT DE CONFORMITÉ

Date de Délivrance Initiale: mars 6, 2024 Demandé par: Abdirahman Mohamud

Nom du parc: Grogan Park Option 1 - Sussex, WI - D12117R

Dans l'intérêt de la sécurité au terrain de jeu, IPEMA offre une certification par une tierce partie et TÜV SÜD America valide une certification par le fabricant de la conformité à la norme CSA Z614:20 Update No. 1 (excluant les articles 10, 11) les enfants les espaces de jeu et du matériel.

Le fabricant ci-dessous a reçu la validation de la part de TÜV SÜD America que les produits énumérés ci-dessous sont conformes aux exigences de la norme CSA Z614:20 Update No. 1 (excluant les articles 10, 11).

Ce certificat n'est pas valide si un composant ou une pièce est remplacé, à moins que le composant soit acheté du fabricant d'origine et assemblé conformément aux instructions du fabricant de l'équipement. Vérifiez auprès du fabricant pour déterminer la validité de la certification du (des) produit(s) indiqué(s) avant d'utiliser ce certificat pour la preuve de la certification.

MODĚLE n	NOM COMMERCIAL DU PRODUIT	LIGNE DE PRODUIT	MANUFACTURIER
G12023	Upright, Steel, 8'	Primetime	GameTime
G12026	Upright, Steel, 11'	Primetime	GameTime
G12025	Upright, Steel, 10'	Primetime	GameTime
27093	The Hive 1-Way	Xscape	GameTime
7088	Rock Step	Gt event	GameTime
27079	PT TRAPEZOID OVERHEAD 90°	Xscape	GameTime
27081	PT STRETCH TRAPEZOID OVERHEAD 90°	Xscape	GameTime
7092	Lightning Climber Rockscape	Gt event	GameTime
26155	Cross Beam Connector (36" PT Single Link)	Xscape	GameTime
SS8910	Belt Swing Seat Package	Gt event	GameTime
8910	BELT SWING SEAT PACKAGE	Gt event	GameTime
SS8537	Adaptive Swing W/Stainless Steel 3-1/2" O.D. Top Rail 8'	Gt event	GameTime
8537	Adaptive Swing W/Chains	Gt event	GameTime
19818	ACCESS PLATFORM	Primetime	GameTime
26143	90 Degree 2 Way X-Pod Step	Xscape	GameTime
81751	5" O.D. Single Post Swing (Double Bay)	Gt event	GameTime
26057	2-Way X-Pod Step	Xscape	GameTime









Minnesota Wisconsin Playground 5101 Highway 55, Suite 6000 Golden Valley, Minnesota 55422 Ph: 800-622-5425 | 763-546-7787 Fax: 763-546-5050 | info@mwprecreation.com

Design Option #2 to Follow

Ph: 763-546-7787 | Email: info@mwprecreation.com | www.mwprecreation.com



OP ID. RCL

ACORD

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 10/26/2021

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed

t	f SUBROGATION IS WAIVED, subject his certificate does not confer rights t	to the	cert	rms and conditions of t ificate holder in lieu of s	uch end	dorsement(s)		require an endo	orsemen	t. A	statement on
PRO	DDUCER					CT Bill Hod	gkins				
Pla	oper Insurance Service, Inc				PHONE (A/C, N	o, Ext):			FAX (A/C, No):		
P.C	yground Book . Box 638				E-MAIL ADDRE	ss.					
Lap	pel, IN 46051 Hodgkins				ADDITE		IIDED/S/ AEEOD	DING COVERAGE			NAIC #
BIII	Hougkins							ty Un Ins Co			13037
					INSURI	R B : Nationa	I Union Fir	e Ins Co			19445
Min	URED nesota Wisconsin Playground Inc. mium Park Products LLC							0 1113 00			10440
Pre	mium Park Products LLC 1 Olson Memorial Hwy				INSURI	ERC:					_
Min	neapolis, MN 55422				INSURI	RD:					1
					INSURI	RE:					
					INSUR	RF:					1
CC	VERAGES CER	TIFIC	CATI	NUMBER:				REVISION NUM	MBER:		
II C	HIS IS TO CERTIFY THAT THE POLICIES NDICATED. NOTWITHSTANDING ANY RECETIFICATE MAY BE ISSUED OR MAY EXCLUSIONS AND CONDITIONS OF SUCH	EQUIR PERT POLIC	REME AIN, CIES.	NT, TERM OR CONDITION THE INSURANCE AFFORD LIMITS SHOWN MAY HAVE	OF AN	Y CONTRACT THE POLICIE REDUCED BY	OR OTHER I S DESCRIBEI PAID CLAIMS	DOCUMENT WITH D HEREIN IS SUI	H RESPE	CT TO	WHICH THIS
INSR	TYPE OF INSURANCE	ADDL	SUBR	POLICY NUMBER		POLICY EFF (MM/DD/YYYY)	POLICY EXP		LIMIT	S	
A	X COMMERCIAL GENERAL LIABILITY	1						EACH OCCURRENCE	CE	\$	1,000,000
	CLAIMS-MADE X OCCUR			CSU0141534		10/26/2021	10/26/2022	DAMAGE TO RENT PREMISES (Ea occu		\$	100,000
	X XCU							MED EXP (Any one		\$	1,000
	X Contractual									\$	1,000,000
								PERSONAL & ADV			3,000,000
	GEN'L AGGREGATE LIMIT APPLIES PER:							GENERAL AGGREG		\$	3,000,000
	POLICY X PRO-							PRODUCTS - COMP	P/OP AGG	\$	3,000,000
	OTHER:				_			COMBINED SINGLE	LIMIT	\$	
	AUTOMOBILE LIABILITY							(Ea accident)	LIMIT	\$	
	ANY AUTO							BODILY INJURY (Pe	er person)	\$	
	OWNED SCHEDULED AUTOS							BODILY INJURY (Pe		\$	
	HIRED NON-OWNED AUTOS ONLY							PROPERTY DAMAG	3E	\$	
11	ASTOS SINE!									\$	
В	UMBRELLA LIAB X OCCUR							EACH OCCURRENCE	^E	\$	5,000,000
	X EXCESS LIAB CLAIMS-MADE			BE020773683		10/26/2021	10/26/2022	AGGREGATE	OL .	\$	5,000,000
	DED RETENTION\$							AGGREGATE		a a	
								PER STATUTE	OTH-	5	
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY							STATUTE	ER		
	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH)	N/A						E.L. EACH ACCIDE	NT	\$	
	(Mandatory in NH)							E.L. DISEASE - EA I	EMPLOYEE	\$	
	If yes, describe under DESCRIPTION OF OPERATIONS below							E.L. DISEASE - POL	ICY LIMIT	\$	
											15,17
DES	CRIPTION OF OPERATIONS / LOCATIONS / VEHIC	LES (A	CORI	o 101, Additional Remarks Schedu	ule, may t	e attached if mor	e space is requir	red)			
CE	RTIFICATE HOLDER				CANO	CELLATION					
				FORINFO	enc	III D ANV OF T	THE ABOVE D	ESCRIBED POLIC	IES BE C	ANCE	I ED BEFORE
	For Information Purposes	s Onl	ly		THE	EXPIRATION	DATE THE	EREOF, NOTICE CY PROVISIONS.			
					AUTHO	RIZED REPRESE	_				



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 09/27/2021

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER, THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed.

	f SUBROGATION IS WAIVED, subject to his certificate does not confer rights to						may require	an endorsement. A stat	ement	on
_	DDUCER	tilo (outo notaci in noa ci cac	CONTA		as			
	rth Risk Partners - Fink Agency				NAME: PHONE (A/C, No, Ext): (A/C, No, Ext): (A/C, No):					
	10 Centre Pointe Blvd				E-MAIL clare kulco@portbrickportpore					
20	TO Centre Pointe Bivu				ADDRE	SS: Clare.kula	is@norumskpa	irulers.com		
١				FF400	-	141		RDING COVERAGE		NAIC#
_	ndota Heights			55120	INSURE	RA: West Be	nd Mutual Gro	ир		15350
INSU	URED				INSURE	ERB:				
	Minnesota Playground Inc., DBA	A: Min	inesot	a/Wisconsin Playground	INSURE	RC:				
	P. O. Box 27328				INSURE	ERD:				
					INSURE	ERE:				
	Golden Valley			MN 55427	INSURE	ERF:				
co	VERAGES CER	TIFIC	ATE	NUMBER: 21/22 MASTE	₽R			REVISION NUMBER:		,
C	HIS IS TO CERTIFY THAT THE POLICIES OF I NDICATED. NOTWITHSTANDING ANY REQUIL PERTIFICATE MAY BE ISSUED OR MAY PERTA XCLUSIONS AND CONDITIONS OF SUCH PO	REME AIN, TI	ENT, TE	ERM OR CONDITION OF ANY SURANCE AFFORDED BY TH	CONTR	ACT OR OTHER	R DOCUMENT \ D HEREIN IS S	WITH RESPECT TO WHICH T	HIS	
INSR LTR	TYPE OF INSURANCE		SUBR			POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMIT	rs	
	COMMERCIAL GENERAL LIABILITY	INGD	VIVE			(minibariting)	(11111111111111111111111111111111111111	EACH OCCURRENCE	\$	
	CLAIMS-MADE OCCUR							DAMAGE TO RENTED	\$	
	CLAIIVIS-IVIADE OCCUR							PREMISES (Ea occurrence)		
	-						13	MED EXP (Any one person)	\$	
								PERSONAL & ADV INJURY	\$	
	GEN'LAGGREGATE LIMIT APPLIES PER:							GENERAL AGGREGATE	\$	
	POLICY JECT LOC							PRODUCTS - COMP/OP AGG	\$	
-	OTHER:							COMBINED SINGLE LIMIT	\$	20.000
	AUTOMOBILE LIABILITY							(Ea accident)	\$ 1,00	0,000
	ANYAUTO							BODILY INJURY (Per person)	\$	
Α	OWNED SCHEDULED AUTOS			A372929		10/26/2021	10/26/2022	BODILY INJURY (Per accident)	\$	
	HIRED NON-OWNED AUTOS ONLY							PROPERTY DAMAGE (Per accident)	\$	
Ц.,									\$	
	UMBRELLA LIAB OCCUR							EACH OCCURRENCE	\$	
	EXCESS LIAB CLAIMS-MADE							AGGREGATE	\$	
	DED RETENTION \$								\$	
	WORKERS COMPENSATION							PER OTH- STATUTE ER		
	AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE							E.L. EACH ACCIDENT	\$	
	OFFICER/MEMBER EXCLUDED? (Mandatory in NH)	N/A					- 8	E.L. DISEASE - EA EMPLOYEE	\$	
	If ves, describe under									
	DÉSCRIPTION OF OPERATIONS below							E.L. DISEASE - POLICY LIMIT	\$	
250		0 /10		04 4 4 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9						
DES	CRIPTION OF OPERATIONS / LOCATIONS / VEHICLE	S (AC	ORD 1	01, Additional Remarks Schedule,	, may be a	ttached if more s	pace is required)			
CEI	RTIFICATE HOLDER				CANC	ELLATION				
UL.	KIII IOATE HOLDER				T					
	Insured's Copy				THE	EXPIRATION E	DATE THEREOF	SCRIBED POLICIËS BE CAN F, NOTICE WILL BE DELIVER 7 PROVISIONS.) BEFORE
					AUTHO	RIZED REPRESEI	NTATIVE			
							Brue"	Marik		



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 04/06/2022

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy/ies) must have ADDITIONAL INSURED provisions or be endorsed

	f SUBROGATION IS WAIVED, subject his certificate does not confer rights	t to t	he te	rms and conditions of t	he poli	cy, certain p	olicies may		t. A si	tatement on
PRO	DDUCER				CONTA NAME:	CT Automat	ic Data Proce	ssing Insurance Agency, I	nc.	
Au	tomatic Data Processing Insurance Age	ncy, lı	nc.		PHONE (A/C, No	Ext): 1-800-	524-7024	FAX (A/C, No):		
١.,					E-MAIL ADDRE	SS:				
	Adp Boulevard					INS	SURER(S) AFFOI	RDING COVERAGE		NAIC#
-	seland			NJ 07068	INSURE	RA: Travelers	Casualty and Sur	ety Company		19038
INS	Minnesota Playground, Inc.				INSURE	RB:				
					INSURE	RC:				
	Po Box 27328				INSURE	RD:				
					INSURE	RE:				
	Minneapolis			MN 55427	INSURE	RF:				
CC	VERAGES CEF	RTIFIC	CATE	NUMBER: 2398071				REVISION NUMBER:		
II C	HIS IS TO CERTIFY THAT THE POLICIE: NDICATED. NOTWITHSTANDING ANY R SERTIFICATE MAY BE ISSUED OR MAY XCLUSIONS AND CONDITIONS OF SUCH	PERT POLICE	REME AIN, CIES.	ENT, TERM OR CONDITION THE INSURANCE AFFORI LIMITS SHOWN MAY HAVE	N OF AN	IY CONTRAC THE POLICII REDUCED BY	T OR OTHER ES DESCRIBI PAID CLAIMS	DOCUMENT WITH RESPE ED HEREIN IS SUBJECT T	CT TO	WHICH THIS
INSF LTR	TYPE OF INSURANCE	ADDL	SUBR WVD	POLICY NUMBER		POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	3	
	COMMERCIAL GENERAL LIABILITY CLÁIMS-MADE OCCUR							DAMAGE TO RENTED	\$	
	ODAINIO-NABE OCCUR	1							\$	
									\$	
	GEN'L AGGREGATE LIMIT APPLIES PER:								\$	
	POLICY PRO- LOC								_	
	OTHER:								\$	
	AUTOMOBILE LIABILITY							COMBINED SINGLE LIMIT	\$	
	ANY AUTO						i	(Ea accident)	\$	
	OWNED SCHEDULED							BODILY INJURY (Per accident)		
	AUTOS ONLY AUTOS NON-OWNED							PROPERTY DAMAGE	\$	
	AUTOS ONLY AUTOS ONLY	1						(Per accident)	\$	
	UMBRELLA LIAB OCCUP									
	EXCECUTE								\$	
	OLAIIVIO-IVIADE	1							\$	
-	DED RETENTION \$ WORKERS COMPENSATION	-						PER OTH-	\$	
	AND EMPLOYERS' LIABILITY								s 1,00	0.000
Α	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED?	N/A	N	UB-8M920192-22-42		03/15/2022	03/15/2023		4.00	0,000
	(Mandatory in NH) If yes, describe under							E.L. DISEASE - EA EMPLOYEE	\$ 1,000	
	DÉSCRIPTION OF OPERATIONS below							E.L. DISEASE - POLICY LIMIT	\$ 1,000	0,000
DES	CRIPTION OF OPERATIONS / LOCATIONS / VEHIC	LES (A	ACORD	101, Additional Remarks Schedu	ıle, may b	e attached if moi	re space is requii	red)		
CE	RTIFICATE HOLDER				CANC	ELLATION				
CE	RTIFICATE HOLDER				CANC	ELLATION				
	Minnesota/Wisconsin Playgro 5101 Highway 55 Suite 6000				ACC	EXPIRATIO ORDANCE WI	N DATE TH	DESCRIBED POLICIES BE CA EREOF, NOTICE WILL E BY PROVISIONS.		
					AUTHO	RIZED REPRESE	NTATIVE			
	Golden Valley			MN 55427	710	my M. Muin				



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 08/09/2021

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Marsh USA, Inc. Two Alliance Center 3560 Lenox Road, Suite 2400 Atlanta, GA 30326 Attn: Atlanta.CertRequest@marsh.com / Fax: 212-948-4321 CN102326389-CAS-GAUWX-21-22 GT INSURED Recess Holdings, Inc.		CONTACT Brenda Young-Epps PHONE (A/C, No, Ext): (404) 995 3074 FAX (A/C, No):					
	sh.com / Fax: 212-948-4321	E-MAIL ADDRESS: brenda.youngepps@marsh.com INSURER(S) AFFORDING COVERAGE					
	_	INSURER A : Evanston Insurance Company	35378				
		INSURER B : Indemnity Ins Co Of North America	43575				
Attention: Maria Townson		INSURER C : ACE Property And Casualty Ins Co	20699				
150 PlayCore Drive SE		INSURER D : ACE American Insurance Company	22667				
Fort Payne, AL 35967		INSURER E: National Union Fire Ins Co. of Pittsburgh PA	19445				
		INSURER F : ACE Fire Underwriters Insurance Company	20702				
COVERAGES	CERTIFICATE NUMBER:	ATI -004720864-69 REVISION N	IIIMDED: 5				

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

NSR LTR		TYPE OF INSURANCE	ADDL S	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP	LIMIT	s	
Α	Х	COMMERCIAL GENERAL LIABILITY		MKLV2PBC001196	08/01/2021	08/01/2022	EACH OCCURRENCE	\$	2,000,000
		CLAIMS-MADE X OCCUR					DAMAGE TO RENTED PREMISES (Ea occurrence)	\$	100,000
	X S	SIR \$250,000 Per Occ.				MED EXP (Any one person)	\$	EXCLUDED	
							PERSONAL & ADV INJURY	\$	2,000,000
	GEN'L	LAGGREGATE LIMIT APPLIES PER:					GENERAL AGGREGATE	\$	4,000,000
	F	POLICY X PRO-					PRODUCTS - COMP/OP AGG	\$	4,000,000
	(OTHER:			l l		POLICY AGGREGATE	\$	10,000,000
В	AUTO	MOBILE LIABILITY		CAL H25558030	08/01/2021	08/01/2022	COMBINED SINGLE LIMIT (Ea accident)	\$	1,000,000
	X ANY AUT	ANY AUTO					BODILY INJURY (Per person)	\$	
		OWNED SCHEDULED AUTOS					BODILY INJURY (Per accident)	\$	
		HIRED NON-OWNED AUTOS ONLY					PROPERTY DAMAGE (Per accident)	\$	
							Comp./Coll. Ded.: \$1,000	\$	
C	χι	UMBRELLA LIAB X OCCUR	XEUG71549501 003	08/01/2021	08/01/2022	EACH OCCURRENCE	\$	10,000,000	
	E	EXCESS LIAB CLAIMS-MADE		RETENTION Umb Catastrophe \$25,000			AGGREGATE	\$	10,000,000
		DED X RETENTION \$ 0						\$	
		ERS COMPENSATION		WLR C67821956	08/01/2021	08/01/2022	X PER OTH-		
ן ט	ANYPR	ROPRIETOR/PARTNER/EXECUTIVE TO N	NIA	SCF C67821919	08/01/2021	08/01/2022	E.L. EACH ACCIDENT	\$	1,000,000
г	(Manda	(Mandatory in NH)	11/6	SCF C67821877	08/01/2021	08/01/2022	E.L. DISEASE - EA EMPLOYEE	\$	1,000,000
	If yes, o	describe under RIPTION OF OPERATIONS below		(See Additional Page.)			E.L. DISEASE - POLICY LIMIT	\$	1,000,000
Е	Excess	s Umbrella		BE 016159343	08/01/2021	08/01/2022	Each Occurrence		15,000,000
							Aggregate		15,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required) Certificate Holder listed below is an additional insured where required by written contract.

CERTIFICATE HOLDER	CANCELLATION
Minnesota Wisconsin Playground, Inc. P.O. Box 27328 Golden Valley, MN 55427	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	AUTHORIZED REPRESENTATIVE
	Marsh USA Inc.

JBARON

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 4/11/2022

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.


IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

t	this certificate does not confer rights to the conf	o the	cert	ificate holder in lieu of su	conta	lorsement(s)	policies may	require an end	dorsemer	it, A	statement on
Am 231	nerican Advantage - Lindow I1 Silvernail Rd				PHONE (A/C, N	o, Ext): (262) 5	548-8070		FAX (A/C, No):	(262)	548-0803
Pev	waukee, WI 53072				E-MAIL ADDRE		9.4		_		
					BIGUIDE			RDING COVERAGE ISUrance Co			NAIC#
INS	URED				INSURE		- mutual II	isurance co			14104
	Play On, LLC				INSURE						
	11480 75th Street				INSURE						
	Stillwater, MN 55082				INSURE						
					INSURE	RF:					
CC	OVERAGES CER	TIFIC	CATE	NUMBER:				REVISION NU	MBER:		
II	THIS IS TO CERTIFY THAT THE POLICIE NDICATED. NOTWITHSTANDING ANY R CERTIFICATE MAY BE ISSUED OR MAY EXCLUSIONS AND CONDITIONS OF SUCH	EQUI PER	REMI TAIN,	ENT, TERM OR CONDITIO THE INSURANCE AFFOR	N OF A	NY CONTRAC 7 THE POLIC	CT OR OTHER IES DESCRIB	R DOCUMENT WISED HEREIN IS S	TH RESPE	CT TO	O WHICH THIS
INSF	R THE PROPERTY OF THE PROPERTY		SUBR				POLICY EXP (MM/DD/YYYY)		ЦМП	s	
A		IIIOD				Junio Di Li Li	(MAIN DO(1)))	EACH OCCURREN		s	1,000,000
	CLAIMS-MADE X OCCUR	x		ZC7776		4/29/2022	4/29/2023	DAMAGE TO REN' PREMISES (Ea occ	TED currence)	s	100,000
								MED EXP (Any one		\$	5,000
	1.1							PERSONAL & ADV	INJURY	5	1,000,000
	GEN'L AGGREGATE LIMIT APPLIES PER:							GENERAL AGGRE	GATE	s	2,000,000
	POLICY PRO- LOC							PRODUCTS - COM	IP/OP AGG	\$	2,000,000
A	OTHER: AUTOMOBILE LIABILITY							COMBINED SINGL	ELIMIT	\$	
	ANY AUTO			ZC7776		4/29/2022	4/29/2023	(Ea accident) BODILY INJURY (F	lor norson)	\$	1,000,000
	OWNED AUTOS ONLY X SCHEDULED AUTOS						1120/2020	BODILY INJURY (F		\$	1,000,000
	HIRED NON-OWNED AUTOS ONLY							PROPERTY DAMA (Per accident)	GE GE	5	1,000,000
	ASTOS GNET							Tr or doordonly		\$	
Α	UMBRELLA LIAB X OCCUR							EACH OCCURREN	ICE	\$	2,000,000
	EXCESS LIAB CLAIMS-MADE			ZC7776		4/29/2022	4/29/2023	AGGREGATE		5	
	DED RETENTION \$									\$	2,000,000
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY							PER	OTH- ER		
	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED?	N/A						E.L. EACH ACCIDE	NT	\$	
	(Mandatory in NH)							E.L. DISEASE - EA	EMPLOYEE	\$	
_	If yes, describe under DESCRIPTION OF OPERATIONS below							E.L. DISEASE - PO	LICY LIMIT	\$	
DES VIIN	CRIPTION OF OPERATIONS / LOCATIONS / VEHICI NESOTA WISCONSIN PLAYGROUND IS	ES (A HER	EBY	101, Additional Remarks Schedu ADDED AS ADDITIONAL I	ile, may b NSURE	e attached if mor D FOR GENE	e space is requi RAL LIABILI	red) TY			
CE	RTIFICATE HOLDER				CANC	ELLATION					
	MINNESOTA WISCONSIN PL 5101 OLSON MEMORIAL HW			ND	SHO THE	ULD ANY OF 1	N DATE TH	ESCRIBED POLIC EREOF, NOTIC Y PROVISIONS.			
	Minneapolis, MN 55422				AUTHO	RIZED REPRESE	NTATIVE				

ACORD

POURED IN PLACE RUBBER

A durable, accessible surface with creative color and design options.



DESCRIPTION

A popular unitary surface choice, GT Impax PIP provides a seamless, accessible play surface, with many color choices that can be laid in patterns, or mixed to create different shades and tones of color.

GT Impax PIP Rubber requires trained installation crews to produce a surface that is as attractive as it is durable.

The final product will be long-lasting, attenuating, and inclusive.

BENEFITS

- One of the most accessible options available
- Uniform, stable route of travel
- Lower maintenance
- Ideal for themed graphics to add play value and color

BASIC SPECIFICATIONS

Product is comprised of two layers consisting of an impact layer made of clean, recycled rubber and a wear layer, comprised of virgin EPDM or TPV granules. Binder is a basic single component aromatic or aliphatic polyurethane agent. Product is to be installed over asphalt, concrete, or compacted sub base aggregate. Temperature should be minimum of 40-45 degrees and a maximum of 95 degrees Fahrenheit during installation. Thicknesses will vary to meet specific playground equipment fall height. This product meets all applicable ASTM standards. For more information , please refer to our complete product specification.

TIPS

- Mixing black granules with your color choices will help reduce costs
- Some binders may amber initially but eventually return to colorless
- Preventative top-coats are recommended every 12-18 months





SYNTHETIC TURF SURFACING

A natural-looking play surface with complaint attenuation.



AT A GLANCE

Maintenance: Low-Mid

Access: Mid-High

Color Options: N/A

Warranty: 5 years

DESCRIPTION

GT Impax Synthetic Turf brings the look of nature to your play environment. Unlike real grass, it offers height appropriate impact attenuation, while providing the appearance of a beautiful lawn. However, GT Turf never needs mowing.

GT Turf is available in performance varieties to best suit your site needs. Also great for dog parks! Turf is laid over a pad to provide drainage and fall attenuation properties up to 10'. After the Turf layer is installed, the infill is worked into blades to discourage flattening. All varieties require infill.

BENEFITS

- · Appealing natural look and feel
- Drains quickly after a rain so children can play sooner without worry of damage
- Great option for logos or ground-level fitness or play activities

BASIC SPECIFICATIONS

GT Impax Turf utilizes a two layer system. The top layer is comprised of a combination of turf fiber and backing material. The grass comes in 15' wide rolls.

The cushion layer is comprised of rubber buffings and urethane, or porous pad material, and is installed under this top layer to meet necessary fall height requirements.

This product meets all applicable ASTM standards. For more info, please refer to our complete specification.

TIPS

- Great option for nature inspired areas
- Use in any area where a low maintenance grass look is desirable
- Regular raking is recommended to distribute infill and discourage blade compaction





XSCAPE

Fitness-inspired play for active kids.



FITNESS MATTERS

Play makes us strong. We collaborate with development and education experts to create play systems that build good exercise habits. Xscape® systems are easily integrated into existing physical education programs at public and private schools. Xscape offers the following health and fitness benefits:

- "Deck-less" configuration promotes movement and activity
- Overhead ladders, climbers and links promote upper body strength
- Ability to configure equipment as an obstacle course promotes speed, agility and confidence
- Systems are easily integrated into a physical education program

THE PRIMETIME ADVANTAGE


Add an Xscape system to your playground to create a play environment that encourages children to explore the playground while improving overall health and fitness.

- Unique movements promote stretching and strengthen upper and lower body muscles
- Designed to encourage a wide range of play and socialization activities
- X-pod steps and other components provide rest areas and opportunities to socialize
- Limitless design capabilities use with PowerScape and PrimeTime systems to create a hybrid play system like no other
- Backed by the industry's leading warranty:
 Lifetime limited warranty on uprights and
 hardware; 15 year limited warranty on pipes,
 rungs, rails and loops



WARRANTY

GameTime offers a comprehensive warranty on all of our products.



For the purpose of this warranty, "lifetime" encompasses no specific term of years, but rather that seller warrants to its original customer for as long as the original customer owns the product and uses the product for its intended purpose that the product and all its parts will be free from defects in material and manufacturing workmanship.

- Lifetime limited warranty on PowerScape®, PrimeTime®, Xscape® & IONiX® and Modern City® uprights.
- Lifetime limited warranty on Tru-Loc® connections and upright bolt-through connections.
- Lifetime limited warranty on all hardware.
- Twenty-Year limited warranty on Timber DécorTM & Timbers recycled plastic lumber.
- Fifteen-Year limited warranty on metal decks, pipes, rungs, rails, loops, braces, and footbucks.
- Fifteen-Year limited warranty on rotationallymolded products.
- Ten-Year limited warranty on GTFit, THRIVE and Challenge Course posts & bars.
- Ten-Year limited warranty on site furnishings against structural failure.
- Ten-Year limited warranty on SunBlox® products.
- Ten-Year limited warranty on fiberglass and DHPL signage.
- Five-Year limited warranty on TuffForms® structures, including TuffCreteTM and PolyShieldTM.
- Five-Year limited warranty on nylon-covered cable net climbers and components.
- Five-Year limited warranty on GT Symphony FreenotesTM Harmony Park components.
- Five-Year limited warranty on Super SeatsTM.
- Three-Year limited warranty on Everybody Plays polyurea coated foam & rubber strips.
- Three-Year limited warranty on SaddleMates® rubber and "C"-springs.
- One-Year limited warranty on Challenge Course timing components.
- One-Year limited warranty on all other GameTime products.a





March 9, 2023

To Whom It May Concern,

RE: Build America, Buy America (BABA) Act, Public Law No.117-58 §§ 70901-70952 - Buy America law, 23 U.S.C. § 313 and 23 CFR § 635.410:

Valued Customer,

GameTime, with its primary equipment manufacturing and general business operations located in Fort Payne, AL., hereby certifies the play systems and other recreational related items produced at its facility are compliant with regards to the Build America, Buy America (BABA) Act, Public Law No.117-58 §§ 70901-70952 - Buy America law, 23 U.S.C. § 313 and 23 CFR § 635.410

Thank you for choosing GameTime as your trusted partner in play and recreation!

Respectfully Submitted,

Clint Whiteside

Director of Sales Administration

GameTime | PlayCore

544 Chestnut Street

Chattanooga, TN 37402



About MWP Recreation

Family owned since 1978, serving Minnesota and Wisconsin, we have built *over 7000 playgrounds*...telling your story with pride in building strong communities across the Midwest. From planning to ribbon-cutting, we guide our customers through every step of the project. We partner with municipalities, schools, architects and youth organizations to plan, design and build their vision from the ground-up.

MWP Recreation offers an extensive assortment of superior park and recreation products and services to meet all of our client's needs. In addition to GameTime commercial park equipment, we provide turnkey solutions for shelters, shades, site furnishings, recreational surfacing, adult fitness equipment, obstacle courses, splash pads, sports equipment, dog parks, and more.

For decades, MWP Recreation has led the industry in designing and installing park projects that demonstrate the highest level of craftsmanship, innovation, safety, accessibility and sustainable design. We remain highly selective about which product manufacturers, suppliers, and contractors we partner with to ensure our work goes unrivaled.

With each opportunity, MWP Recreation looks forward to fostering long-term relationships and earning our client's trust through outstanding customer service and support

Turn-Key Solutions

Telling your story through play equipment and beyond for a turn-key experience that includes shelters, shade, site furnishings, surfacing, adult fitness, obstacle courses, interactive play, splash pads, dog parks, sports equipment and more. **What is your story?**

Leaders in the industry

Safety

Sustainability

Innovative Design

Top craftsmanship

Community Build Experts

Universal Inclusive Designs

Certified Installation Teams

Longevity with MN WI Employees

P.O. Box 27328 | Golden Valley, MN 55427 763.546.7787 | 800.622.5425 | (F) 763.546.5050 info@mwprecreation.com | mwprecreation.com

ABOUT GAMETIME

GameTime creates fun, healthy and active places where all children and families become physically, emotionally and socially strong.



GameTime is a leading designer of commercial playground equipment, outdoor fitness products, custom recreation spaces, and site furnishings. We strive to create the kinds of places people love and where people love to play.

Play and recreation is a fundamental human right, and we take our role in helping communities create active, healthy places seriously. We focus on inclusion, diversity and equity in our playground designs, align our products with the research of leading play, health, and wellness experts, and advocate tirelessly for the advancement of safer, more accessible and fun places that bring people together.

This is our mission since 1929: to build the highest quality products, design the most memorable play and recreation experiences, and to lead the industry with innovative solutions that help people of all ages, all abilities, and all backgrounds realize the transforming power of play.



COLOR PALETTES



Uprights **Sky Blue**

White

Plastic **Dark Blue** Decks

Blue

HDPE Red

2 Color HDPE Sky Blue/White

NEW!





Uprights **Burgundy** Metal Butterscotch Plastic **Spring Green**

Decks **Blue**

Gray 2 Color HDPE Gray/Black

HDPF

Shine

Uprights **Sky Blue**

Spring Green

Plastic **Orange** Decks **Gray**

HDPE Orange





Patriotic

Uprights **Burgundy** Metal White

Plastic **Champagne** Decks **Blue**

HDPE Blue 2 Color HDPE Blue/Beige

Jellybean

Uprights **Burgundy**

Plastic

HDPE

Metal Butterscotch Decks 2 Color HDPE Red/White





COLOR PALETTES



Vibrant

Uprights **White** Metal Yellow

Plastic **Periwinkle** Decks

Gray

HDPE Sky Blue 2 Color HDPE Spring Green/White

Papaya

Uprights **Orange**

Plastic **Yellow**

HDPE Sky Blue

Decks **Brown** Metal Spring Green





Wisteria

Uprights **Spring Green** Metal

Champagne

Periwinkle Decks Gray

HDPE Blue

2 Color HDPE Spring Green/White

Deep Space

Uprights **Starlight Black**

Metal **Yellow**

HDPE **Red**





Emerald

Uprights **Metallic** Metal **White**

Plastic Spring Green Decks

Blue

HDPE Yellow 2 Color HDPE Red/White



COLOR PALETTES




Uprights
Spring Green
Metal
Bronze

Plastic **Champagne**

Decks Brown

HDPE Green

2 Color HDPE Green/Beige







Uprights **Brown** Plastic **Light Green** Decks

Metal Spring Green HDPE Orange

2 Color HDPE Spring Green/White

Malibu

Uprights **Bronze** Metal

Beige

Plastic **Spring Green** Decks

Brown

spring Green
2 Color HDPE
Spring Green/White







Rainforest

Uprights Bronze Metal Butterscotch Plastic **Light Green** Decks **Brown** HDPE Gray 2 Color HDPE Gray/Black

Atlantic

Uprights
Metallic
Metal
Spring Green

Plastic **Sky Blue** Decks **Blue** HDPE Sky Blue 2 Color HDPE Sky Blue/White






GameTime Color Options

We designed our material colors and finishes to give you maximum design flexibility. We were the industry's first manufacturer to achieve PCI 4000 certification for our powder coat finishes and our net colors are rated "Excellent" for color fastness.



For a closer look at our colors, request a sample kit from your local GameTime representative or mix and match a custom palette online at gametime.com/color-wizard.



Brown



SHADE FABRIC

Blue

Gray

Chocolate

METAL	PLASTIC	HDPE	2 COLOR HDPE		
Black		Black	Black/White		
Starlight Black	Champagne		Gray/Black		
Metallic	Champagne		Glay, Black		
White		Dolphin Gray	White/Black		
Vanilla					
Champagne	Beige	Beige	Beige/Green		
Beige					
Brown	Brown	Brown	Brown/White		
Bronze					
Dark Green					
Green	Green				
Sage		Green	Green/White		
Ice Butter	Chartering				
Ice Mint	Chartreuse				
Chartreuse		Spring Green	Spring Green/White		
Spring Green	Spring Green	Spring Green	Spring Green/ White		
Ocean					
Azure	Azure	Azure	Azure/White		
Sea Mist	Sky Blue		Sky Blue/White		
Sky Blue	Sky blue	Sky Blue	Sky blue/ Writte		
Blue	Blue	Blue	Blue/White		
Periwinkle	Periwinkle				
Royal Purple	Royal Purple	Purple	Purple/White		
Burgundy	Burgundy	Burgundy	Burgundy/White		
Red	Red	Red	Red/White		
Orange	Orange	Orange	Orange/White		
Butterscotch					
Yellow	Yellow	Yellow	Yellow/Black		



03/08/2024 Quote # 104719-01-03

CONSULTANT: RUSSELL WILLIAMS

RFP - Grogan Park - Option 2 - Sussex, WI - D12118R

Village of Sussex Attn: Halie Dobbeck N64W23760 Main Street Sussex, WI 53089 Phone: 262-246-5200 hdobbeck@villagesussex.org

Ship to Zip 53089

Quantity	Part #	Description
1	5999SP	GameTime - GT Swell
1	6310	GameTime - G6
1	RDU	GameTime - Freestanding panels
		(1) 90188 Calabazo Panel
		(3) 90265 7' Upright, Alum
		(1) 90724 Color Wheel - Gadget Panel Below Deck
1	RDU	GameTime - Swing Set
		(1) 8537 Adaptive Swing W/Chain
		(3) 8910 Belt Seat 3 1/2"Od(8910)
		(1) 81751 Single Post Swing, Two Bay
1	3886RP	GameTime - Tiny Tot Swing Attachment
1	178749	GameTime - Owner's Kit
1	PIP	Other - Poured in Place safety surfacing - 2694 SF, 9' CFH
1	CONC	Other - Concrete Border - 6" X 9" Sand Base 2" 212 LF
1	CONSULT	Install - Consultation for volunteer build - Excludes layout and digging for footings Excludes concrete for footings
		Total \$150,000.00

Comments

Owner is responsible for providing a flat and level area with less than 1% grade change Owner is responsible for providing adequate border to contain Play area safety Surfacing Owner is responsible for installation of play equipment outlined herein Owner is responsible for providing 8 - 12 volunteers on day installation Owner is responsible for accepting delivery of play equipment



MWP Recreation 5101 Highway 55, Suite 6000 Golden Valley, Minnesota 55422 Ph. 800-622-5425 | 763-546-7787 Fax 763-546-5050 | russell@mnwiplay.com

03/08/2024 Quote # 104719-01-03

CONSULTANT: RUSSELL WILLIAMS

RFP - Grogan Park - Option 2 - Sussex, WI - D12118R

This quotation is subject to current MWP Recreation (MWP) policies as well as the following terms and conditions. Our quotation is based on shipment of all items at one time to a single destination, unless noted, and changes are subject to price adjustment. Purchases in excess of \$1,000.00 to be supported by your written purchase order made out to MWP Recreation.

Each quote is handled on a per order/project basis. Unless a long-term agreement is in place between purchaser and MWP, terms and conditions of this quotation shall be as outlined herein with no other requirements applicable.

Any changes made to product and/or services after initial order(s) has/have been received by MWP will result in production and/or schedule time frame modifications. Please contact your regional representative to receive a revised schedule for your order/project.

Indemnification; Owner/Owner's Representative will indemnify and hold Minnesota Playground, Inc., dba, MWP Recreation (MWP), harmless for all claims, damages and related costs, including reasonable legal fees and costs, arising out of Owner/Owner's Representative's negligence or noncompliance with any of its commitments under this document. MWP will indemnify and hold Owner/Owner's Representative harmless for all claims, damages and related costs, including reasonable legal fees and costs, arising out of MWP's negligence or noncompliance with any of its commitments under this document.

Excusable Delays/Additional Costs: MWP, and/or its affiliates, shall be liable for default unless delay of performance, whether supplying materials only or including installation in accordance with our project scope, is caused by an occurrence beyond reasonable control of MWP, and/or its affiliates, such as, but not limited to, acts of Superior Force or the public enemy, acts of Government in either its sovereign or contractual capacity, fire, floods, epidemics, quarantine restrictions, strikes, unusually severe weather, delays of common carriers (for transportation of goods whether raw materials or finished product) and attainability of raw materials. Such events resulting in additional costs are not included in quoted amounts and shall be the responsibility of the Owner/Owner's Representative. Any additional costs shall be provided in writing for purchaser's records and shall be due upon payment of invoice.

This quotation is subject to polices in the current GameTime Park and Playground catalog and the following terms and conditions. Our quotation is based on shipment of all items at one time to a single destination, unless noted, and changes are subject to price adjustment. Purchases in excess of \$1,000.00 to be supported by your written purchase order made out to GameTime, c/o MWP Recreation.

Each quote is handled on a per order/project basis. Unless a long-term agreement is in place between purchaser and GameTime, terms and conditions of this quotation shall be as outlined herein with no other requirements applicable.

Any changes made to product and/or services after initial order(s) has/have been received by GameTime will result in production and/or schedule time frame modifications. Please contact your regional representative to receive a revised schedule for your order/project.

Pricing: f.o.b. factory, firm for 15 days from date of quotation. If placing an order after expiration of quote, please contact our office for updated pricing. A tax-exempt certificate is needed at time of order entry for all orders whether from tax-supported government agencies or not. Sales tax, if applicable, will be added at time of invoice unless a tax exempt certificate is provided at time of order entry.

Payment terms: net 30 days for tax supported governmental agencies. Should this quotation be forwarded to an agency not listed on this quote, credit terms, as well as other terms and conditions herein, may be need to be altered. For instance, non-tax supported organization purchasing any or all products and/or services quoted herein may require full payment for that amount due at time of order entry. Remaining balance owed by tax supported agency, if any, shall still be net 30 days. A 1.5% per month finance charge will be imposed on all past due accounts. Equipment shall be invoiced separately from other services and shall be payable in advance of those services and project completion. Retainage not accepted.

Payment terms: payment in full, check submitted with order. Should credit card be used, please contact your company representative or our office to determine if a credit card fee is applicable. A revised quote will be issued with credit card fee included if deemed applicable.

Unless already on file, please include a tax exempt certificate upon order entry whether a tax supported government agency or other.

GameTime VistaRope Products Shipment: order shall ship within twelve to eighteen weeks after GameTime's receipt and acceptance of your purchase order, color selections, approved submittals, and receipt of deposit/full payment, if required. Receipt of anything other than what is stated herein will not constitute an order and therefore no materials will be placed into production nor installation, if required, will be scheduled.

Freight charges: Prepaid & added



MWP Recreation 5101 Highway 55, Suite 6000 Golden Valley, Minnesota 55422 Ph. 800-622-5425 | 763-546-7787 Fax 763-546-5050 | russell@mnwiplay.com

03/08/2024 Quote # 104719-01-03

CONSULTANT: RUSSELL WILLIAMS

RFP - Grogan Park - Option 2 - Sussex, WI - D12118R

Poured-In-Place Surfacing:

- 1. See product specifications for specific detailed product information, installation information, compliance documentation, and appropriate certifications. Standard warranty included unless otherwise noted.
- 2. Quote is based on the information provided and is subject to change based on final installation unless indicated otherwise, in writing. Any changes or additions to this proposal, to include materials, will affect pricing.
- 3. Sub-base provided by others is the responsibility of the owner and/or others. The substrate must meet & specifications including drainage and grade requirements. There is no demolition or site-work included in the scope of this quote unless otherwise noted above.
- 4. Site access must be a minimum of 25' for trucks and mixer, with no stairs. Irrigation, sprinkler, and/or water systems must be shut off 24 hours before install and remain off until 24 hours after installation is complete.
- 5. Additional charges for downtime/stand-by may be assessed in the event that installation is delayed due to the site not being ready as scheduled or if installation is interrupted for reasons other than those related to weather or general public emergencies.
- 6. Security and waste removal during install and upon completion is the responsibility of the owner, unless specified otherwise in Project Scope.
- 7. Installations scheduled after 6 months of proposal acceptance may be subject to price adjustments.
- 8. Normal lead time is 4 weeks from order date. However, scheduling and crew deployment is subject to local weather conditions including temperature and precipitation constraints. See appropriate specification for temperature and precipitation constraints.
- 9. The scope of this quote does not include on-site fall attenuation testing. We do have independent laboratory testing available upon request.
- 10. We are not responsible for the reviewing and interpreting of contracts unless approved by Director of Surfacing or otherwise noted in the Project Scope.

Installation Exclusions, unless otherwise noted herein; Permits/Licensing, State or Federal (Davis Bacon) Wages, Demolition, Builders Risk Insurance, Union Fees (PLA/PSA Contracts), Drainage, Additionally Insured, Engineering, Waste/Dumpsters, OCIP, Fall Height/Attenuation Testing, Rooftop Installations, Waiver of Subrogation, Fencing/Security, Extended Warranty, Bonding, Excavation and Site Work/Preparation, Site Restoration.

The following is a non-inclusive list of items that may result in additional charges (Change Order) where work cannot commence until Change Order(s) are fully executed.

Sub Base not to installation standards

Installation of Play Equipment not complete, resulting in return trip

Poor Site Access not identified in Proposal or Project Scope

Play Equipment not complete, resulting in return trip
Poor Site Access not identified in Proposal or Project Scope
Customer requirement/request for work on weekends, holidays, or overtime
Any and all scope variations not agreed upon in writing
Security that was not included in the base quote
Waste Removal that was not included in the base quote

Wet Site Conditions: installation areas located near wetlands, where a high water table exists or in any environment that produces excessive moisture will require additional planning prior to installation of your project. Unless excessively wet conditions have been conveyed prior to installation quote and accounted for in some manner, your installation will not proceed. Ideal dry conditions need to be present to begin, and complete, your project as quoted.





CONSULTANT: RUSSELL WILLIAMS

RFP - Grogan Park - Option 2 - Sussex, WI - D12118R

Consult Project Scope:

Please note, consult is based on site conditions that have been conveyed to our organization by the Owner/Owner's Representative and ideal conditions existing for a timely completion of your project as quoted. Unless addressed prior to this quote being issued or specifically mentioned herein, any issues that arise impeding the progress/completion of your project as quoted will result in additional charges.

Weather can change project scheduling in many ways. Take rain for an example. Day, or days, before rain... If weather forecasts show a high percentage chance for rain that will affect the site conditions, a postponement may be in order. Digging holes, laying certain surfacing materials, etc., are greatly affected by weather conditions and work may not begin/continue due to weather forecasts. There are the rain days themselves, which if heavy enough rainfall occurs, makes a site unworkable. Day, or days, after rain... Drying time will be needed after rain and the number of days needed will vary depending on amount of precipitation received. One actual rain day may equal multiple delay days depending on work scheduled to be done.

- + CONSULT INCLUSIONS +
- + One mobilization
- + One consultant, one eight-hour day (If more time is required, additional charges will be applicable.)
- + Public utility locates only
- + Consultant to supervise assembly of equipment as outlined in quote herein and as shown on drawing #D12118R
- + Standard insurance offerings for consultant only
- + Standard warranty offerings for product only
- + Standard industry accepted labor wages for consultant only
- + Supply of safety surfacing
- + Border to help contain safety surfacing
- * VOLUNTEER RESPONSIBILITY DAY OF BUILD (CONSULT EXCLUSIONS) *
- * Unpacking of play equipment
- * Disposal of packing materials
- * Assembly of play equipment
- * Supply concrete for footings as needed
- * Pouring of concrete for footings (Should time be limited due to assembly of equipment and concrete not be poured day of volunteer build, consultant will review concrete needs, specifically pouring of concrete, with volunteers prior to consultant's departure.)
- * Installation of safety surfacing (Consultant will not be a part of safety surfacing as this material will be the responsibility of the Owner/Owner's Representative.)
- * Construction tape/temporary bracing (as needed)
- * Site security
- OTHER EXCLUSIONS -
- Clear access path up to and into play area for installation equipment (minimum of 8-foot wide, includes but not limited to gates, walkways, driveways, etc.)
- Staging area for materials and installation equipment, trailers, etc.
- Unobstructed space for maneuvering installation equipment as well as performing work
- Security fencing of any type
- If fencing is in place (by others), ability to unlock fencing is to be provided to our office a minimum of one week prior to our start
- Accepting, unloading and storage of order(s)/shipment(s) prior to installation
- Private utility locates such as, but not limited to, irrigation, fiber optics, private lighting, etc.
- Marking and digging of footings holes to accept direct embedment supports as needed
- Setting depth of footing holes and placing blocks in bottom of footing holes with transit.
- Sitework of any kind such as, but not limited to, grading (play area to have max slope of 1%), site restoration, drainage, etc.
- Removal of existing play equipment, border, safety surfacing, etc.
- Backfill material and compaction of backfill after removal of existing items (for footing holes as an example) that leave voids in area (marking and digging of new footing holes based on workable site)
- Digging in compacted sub-surfaces, rock, hard pan, tree roots, unstable soil conditions, etc.
- Restoration of compacted sub-surfaces for playground surfacings such as, but not limited to, poured-in-place rubber, rubber tiles, artificial turf, etc.
- Digging/maneuvering in sand, pea gravel, mud, etc., whether along access path, staging area or within the play area





MWP Recreation 5101 Highway 55, Suite 6000 Golden Valley, Minnesota 55422 Ph. 800-622-5425 | 763-546-7787 Fax 763-546-5050 | russell@mnwiplay.com 03/08/2024 Quote # 104719-01-03

CONSULTANT: RUSSELL WILLIAMS

RFP - Grogan Park - Option 2 - Sussex, WI - D12118R


- Offsite removal of spoils from footing holes (can be stockpiled near play area for owner/owner's representative removal or spread within play area)
- Disposal of packing material by volunteers (can be deposited in owner/owner's representative onsite dumpster or stockpiled for removal by others)
- Removal of temporary braces, caution/construction tape, etc. (Can be removed and disposed of after concrete has cured.)
- Bonding of any type
- Permits of any kind
- Prevailing, Davis Bacon, Union, or similar, wages
- Restroom facilities, see below for specifics


Please provide access to restrooms. Should use of site facilities not be available, temporary/portable restrooms and/or washing stations will need to be brought on site. These temporary facilities should be removed once volunteer build has been completed.

Should volunteer build occur over a weekend or during non-standard business hours, please provide a site contact and more than one telephone


number to reach this person in case an urger	nt matter arises requiring immediate attention.	an one telepin
(Name)		
(Cell)		
(Other Telephone Number)		
Exclusions: unless specifically included, this equipment and off-loading; storage of goods provisions.	quotation excludes all site work and landscaping; removal of existing equipment; a prior to installation; equipment assembly and installation; safety surfacing; borders	cceptance of and drainage
Order Information:		
Bill To:	Ship To:	
Company:	Project Name:	
Attn:	Attn:	
Address:	Address:	
City, State, Zip:	City, State, Zip:	
Contact:	Contact:	
Tel:	Tel:	
Fax:	Fax:	
Acceptance of quotation:		
Accepted By (printed):	P.O. No:	
Signature:	Date:	
Title:	Phone:	
Facsimile:	Purchase Amount: \$150,000.00	















GROGAN PARK OPTION 2 Sussex, WI D12118R













Freestanding Play Events

Freestanding play equipment and accessories as manufactured by GameTime, a PlayCore Company, P.O. Box 680121, Fort Payne, Alabama 35968-0121, Phone: 1-800-235-2440, www.GameTime.com, shall adhere to the following specifications:

- A. Molded Polyethylene Products are to be rotationally molded plastic with a ¼" nominal wall thickness. All plastic is to be U.V. stabilized with optional graphics molded into the component during the molding process. Molded products shall have an anti-static additive and be available in any of the manufacturer's standard colors.
- B. High Density Polyethylene shall be made from either ½" or 3/4" thick (depending on application used) high density, UV-stabilized and color impregnated polyethylene.
- C. Cables shall be 18mm polyester twisted type with the following properties: calculated tensile strength of >60kN, quantity 6 strands 2.8mm diameter each, steel strands shall have QTY 19 steel wires diameter .62mm each, quantity 3 fiber core 2.7mm diameter each, UV protected polyester impregnated. Terminations shall be made of the following materials: Aluminum forks, stainless steel D-shackles, stainless steel lifting eye nuts. Connections shall be made of the following: Aluminum connector eggs, aluminum 2-piece T-joints, aluminum T-joints, aluminum in-line connector, aluminum ferrules.
- D. Hardware All nuts, bolts, screws, inserts, and lock washers used in the assembly of all play equipment shall be stainless steel, yellow dichromate plated steel, blue-coat plated steel, mechanically galvanized or powder coated/yellow dichromate plated steel. All primary fasteners shall be 304 alloy stainless steel. Fasteners with yellow dichromate treatment have an electro-deposited, 99.9% pure zinc substrate applied from a specially formulated solution sealed with a yellow dichromate topcoat designed to work in conjunction with the zinc plating. Yellow dichromate has a 320% longer life to white corrosion and 275% longer to red corrosion than does hot-dip galvanizing. PowerScape Plus stainless-steel fasteners shall be button pin-in head, socket cap screws with a two-part epoxy locking patch added to the threads. The two-part locking patch shall consist of one part resin and one part catalyst which are activated during installation. After curing, the material shall require a minimum of five times the installation torque to remove the fastener. Manufacturer shall provide special installation tools for pinned fasteners.

FINISHES

A. Polyester (Powder) Coating – The polyester coating shall be uniformly applied by the electrostatic method to a minimum thickness of four mils. Promptly after application of the powder, the coating shall be oven-cured at 350 degrees Fahrenheit. The color(s) of the polyester coating shall be as selected by the Architect from the manufacturer's standard and/or custom color selection charts. The paint process must adhere to the Powder Coat Institute 4000 Certification.

B. Galvanized Finish – All components shall have a galvanized finish prior to powder coating and shall be protectively coated with ZRP, a zinc primer that forms a rust-resistant barrier layer. All galvanized surfaces shall be free of burs, splinters, and sharp edges.



Powerscape Playground System

PART 1 - GENERAL

1.01 SUMMARY

- A. Section includes composite structure, stand-alone play events and accessories.
- B. Basis of design is **PowerScape®** modular play structures, free-standing play equipment and accessories as manufactured by GameTime, a PlayCore Company, P.O. Box 680121, Fort Payne, Alabama 35968-0121, Phone: 1-800-235-2440, www.GameTime.com.

1.02 SUBMITTALS

- A. Product Data: Include physical characteristics such as shape, dimensions, gauge and material for each component. Provide finish information and available colors.
- B. Shop Drawings: Include plans, elevations, details, and installation instructions for each component.
- C. Warranty: Include sample of manufacturer's standard warranty.

1.03 QUALITY ASSURANCE

- A. Manufacturer Qualifications: Equipment components shall be certified by IPEMA's third party product certification service. Equipment and structural components shall bear the IPEMA certification seal. IPEMA validation is available at www.ipema.org.
- B. Installer: Must be certified by the manufacturer.
- C. Safety Standards: Comply with requirements of ASTM F 1487.

1.04 WARRANTY

A. Warranty shall meet or exceed the warranty provisions of GameTime as follows:

Lifetime limited warranty on PowerScape®, PrimeTime®, Modern City®, Xscape® & IONiX® uprights.

Lifetime limited warranty on Tru-Loc® connections and upright bolt-through connections.

Lifetime limited warranty on all hardware.

- 20 Year limited warranty on Timber Décor™ & Timbers recycled plastic lumber.
- 15 Year limited warranty on metal decks, pipes, rungs, rails, loops, braces, and footbucks.
- 15 Year limited warranty on rotationally molded products.

Last Updated 3.8.2022



- 15-Year limited warranty on VistaRope nylon bearings and ring junction pieces.
- 10 Year limited warranty on GTFit, THRIVE and Challenge Course posts & bars.
- 10 Year limited warranty on site furnishings against structural failure.
- 10-Year limited warranty on SunBlox products.
- 10 Year limited warranty on integrated GTShade® products.
- 10 Year limited warranty on fiberglass and DHPL signage.
- 10-Year limited warranty on VistaRope WeaveTech cables.
- 5 Year limited warranty on TuffForms® structures, including TuffCrete™ and PolyShield.
- 5 Year limited warranty on nylon covered cable net climbers and components.
- 5 Year limited warranty on GT Symphony Freenotes™ Harmony Park components.
- 5 Year limited warranty on Super Seats™.
- 5-Year limited warranty on premature wear of VistaRope cables.
- 3 Year limited warranty on Everybody Plays polyurea coated foam & rubber strips.
- 3 Year limited warranty on SaddleMates® rubber and "C" springs.
- 3-Year limited warranty on SureGrip Material
- 2 Year limited warranty on Challenge Course timing components.
- 1 Year limited warranty on all other GameTime products.

PART 2 - PRODUCTS

2.01 MATERIALS

- A. Main Structural Uprights
 - Shall be 5" outside diameter tubing, 1/8" wall thickness, extruded from 6005A-T61 aluminum alloy conforming to ASTM-B-221. Minimum yield strength shall be 35,000 psi and minimum tensile strength shall be 38,000 psi. All upright posts shall be coated with a custom formula TGIC polyester powder coating in conformance with the specification outlined herein.

(AND/OR)

 Shall be 5" outside diameter, 11 gauge (nominal .120") galvanized round tubing, manufactured to ASTM A-1011 Grade B tolerances from cold-formed steel conforming to ASTM A-569 Sheet Spec for steel coil. Minimum yield strength shall be 45,000 psi and Last Updated 3.8.2022



minimum tensile strength shall be 48,000 psi. The exterior surface is In line Zinc Flo Coating with a zinc coating of .03 thickness minimum, chromate conversion coated, and a clear high performance organic polymer is applied. Galvanizing coverage shall demonstrate the ability to exceed 1000 hours salt spray corrosion exposure in accordance with ASTM B-117. Internal surface zinc rich 91% minimum zinc dust content in organic resin, as per ASTM F-1043. All upright posts shall be coated with a custom formula TGIC.

- B. Tru Loc Connectors Must attach directly to factory preset threaded insert in the uprights to ensure full field compliance with current safety standards. Hinged, or any clamps, that require field locating or field drilling or installation are not acceptable, due to the susceptibility of installation out of compliance with safety standards.
- C. Plastisol Coated Steel Products including decks, platforms, steps, and bridges shall be fabricated from 11-gauge perforated steel with a .08" minimum thickness, textured slip-resistant polyvinyl chloride plastisol dipped coating. Square deck size must be at least 49" x 49" (2,401 square inches), and triangular decks must be equally 49" on all sides (1,040 square inches) and bolt through the uprights. Decks must attach directly to threaded inserts factory installed to uprights, using (2) 3/8" bolts at each upright connection point to eliminate the possibility of deck slipping. Plastisol coating must be free of latex and tested to meet California standards for phthalate levels and safe for children.
- D. Molded Polyethylene Products are to be rotationally molded plastic with a ¼" nominal wall thickness. All plastic is to be U.V. stabilized with optional graphics molded into the component during the molding process. Molded products shall have an anti-static additive and be available in any of the manufacturer's standard colors.
- E. High Density Polyethylene shall be made from either ½" or 3/4" thick (depending on application used) high density, UV-stabilized and color impregnated polyethylene.
- F. Metal Climbers and Enclosures Products shall be fabricated from 1 5/16" OD x .083" (14 gauge) wall galvanized steel tubing with vertical members fabricated of 1 1/16" OD x .075 (15 gauge) wall galvanized steel tubing. All tubing used shall be an electrical resistance welded, cold rolled, high strength steel tubing. The exterior coating will consist of an In-line Zinc Flo Coating with a zinc coating of .03 thickness minimum, chromate conversion, and acrylic overcoating. The interior coating will consist of a special organic acrylic modified polyester.
- G. Cables shall be 18mm polyester twisted type with the following properties: calculated tensile strength of >60kN, quantity 6 strands 2.8mm diameter each, steel strands shall have QTY 19 steel wires diameter .62mm each, quantity 3 fiber core 2.7mm diameter each, UV protected polyester impregnated. Terminations shall be made of the following materials: Aluminum forks, stainless steel D-shackles, stainless steel lifting eye nuts. Connections shall be made of the following: Aluminum connector eggs, aluminum 2-piece T-joints, aluminum T-joints, aluminum in-line connector, aluminum ferrules.
- H. Hardware All nuts, bolts, screws, inserts, and lock washers used in the assembly of all play equipment shall be stainless steel, yellow dichromate plated steel, blue-coat plated steel, mechanically galvanized or powder coated/yellow dichromate plated steel. All primary fasteners shall be 304 alloy stainless steel. Fasteners with yellow dichromate treatment have



an electro-deposited, 99.9% pure zinc substrate applied from a specially formulated solution sealed with a yellow dichromate topcoat designed to work in conjunction with the zinc plating. Yellow dichromate has a 320% longer life to white corrosion and 275% longer to red corrosion than does hot-dip galvanizing. PowerScape Plus stainless-steel fasteners shall be button pin-in head, socket cap screws with a two-part epoxy locking patch added to the threads. The two-part locking patch shall consist of one part resin and one part catalyst which are activated during installation. After curing, the material shall require a minimum of five times the installation torque to remove the fastener. Manufacturer shall provide special installation tools for pinned fasteners.

2.02 REQUIRED COMPONENTS

- A. In addition to the requirements contained in this section, refer to layout drawings and schedules of components and accessories on drawings.
- B. All components, accessories, hardware, and other items required for a complete and usable system shall be provided.

2.03 FINISHES

- A. Polyester (Powder) Coating The polyester coating shall be uniformly applied by the electrostatic method to a minimum thickness of four mils. Promptly after application of the powder, the coating shall be oven-cured at 350 degrees Fahrenheit. The color(s) of the polyester coating shall be as selected by the Architect from the manufacturer's standard and/or custom color selection charts. The paint process must adhere to the Powder Coat Institute 4000 Certification.
- B. Galvanized Finish All components shall have a galvanized finish prior to powder coating and shall be protectively coated with ZRP, a zinc primer that forms a rust-resistant barrier layer. All galvanized surfaces shall be free of burs, splinters, and sharp edges.

PART 3 - EXECUTION

3.01 INSTALLATION

- A. General Comply with manufacturer's written installation instructions.
- B. Uprights Set posts in concrete footings. Protect finish during installation. Comply with locations, height, and plumb requirements.

3.02 FIELD QUALITY CONTROL

A. Installation shall be performed by factory certified technicians with at least 3 years experience installing playground equipment



3.03 COMPLETION

- A. Protect installed products until completion of project.
- B. Touch up, repair, or replace damaged products before substantial completion.
- C. Installer shall turn over all installation instructions, parts lists, maintenance instructions, tool kits, and spare materials to the owner upon completion.



Freestanding Play Events

Freestanding play equipment and accessories as manufactured by GameTime, a PlayCore Company, P.O. Box 680121, Fort Payne, Alabama 35968-0121, Phone: 1-800-235-2440, www.GameTime.com, shall adhere to the following specifications:

- A. Molded Polyethylene Products are to be rotationally molded plastic with a ¼" nominal wall thickness. All plastic is to be U.V. stabilized with optional graphics molded into the component during the molding process. Molded products shall have an anti-static additive and be available in any of the manufacturer's standard colors.
- B. High Density Polyethylene shall be made from either ½" or 3/4" thick (depending on application used) high density, UV-stabilized and color impregnated polyethylene.
- C. Cables shall be 18mm polyester twisted type with the following properties: calculated tensile strength of >60kN, quantity 6 strands 2.8mm diameter each, steel strands shall have QTY 19 steel wires diameter .62mm each, quantity 3 fiber core 2.7mm diameter each, UV protected polyester impregnated. Terminations shall be made of the following materials: Aluminum forks, stainless steel D-shackles, stainless steel lifting eye nuts. Connections shall be made of the following: Aluminum connector eggs, aluminum 2-piece T-joints, aluminum T-joints, aluminum in-line connector, aluminum ferrules.
- D. Hardware All nuts, bolts, screws, inserts, and lock washers used in the assembly of all play equipment shall be stainless steel, yellow dichromate plated steel, blue-coat plated steel, mechanically galvanized or powder coated/yellow dichromate plated steel. All primary fasteners shall be 304 alloy stainless steel. Fasteners with yellow dichromate treatment have an electro-deposited, 99.9% pure zinc substrate applied from a specially formulated solution sealed with a yellow dichromate topcoat designed to work in conjunction with the zinc plating. Yellow dichromate has a 320% longer life to white corrosion and 275% longer to red corrosion than does hot-dip galvanizing. PowerScape Plus stainless-steel fasteners shall be button pinin head, socket cap screws with a two-part epoxy locking patch added to the threads. The two-part locking patch shall consist of one part resin and one part catalyst which are activated during installation. After curing, the material shall require a minimum of five times the installation torque to remove the fastener. Manufacturer shall provide special installation tools for pinned fasteners.

FINISHES

A. Polyester (Powder) Coating – The polyester coating shall be uniformly applied by the electrostatic method to a minimum thickness of four mils. Promptly after application of the powder, the coating shall be oven-cured at 350 degrees Fahrenheit. The color(s) of the polyester coating shall be as selected by the Architect from the manufacturer's standard and/or custom color selection charts. The paint process must adhere to the Powder Coat Institute 4000 Certification.

B. Galvanized Finish – All components shall have a galvanized finish prior to powder coating and shall be protectively coated with ZRP, a zinc primer that forms a rust-resistant barrier layer. All galvanized surfaces shall be free of burs, splinters, and sharp edges.



Individual Product Specifications

Motion:

6310 - G6

- 1-5/16" O.D. x .083", 2 3/8" O.D. x .109", and 1-1/16" O.D. x .072"-wall galvanized steel tubing
- 3/16" and 1/4"-thick hot rolled steel
- 3PLY CP black rubber
- All-weld assembly
- · Coated after fabrication with a custom formula of TGIC polyester powder coating

Swings:

81751 - Double Bay Single Post Swing

- 5" O.D. and 3 1/2" O.D. steel tubing
- · 3/16"-thick hot rolled steel
- · Electrostatically applied custom formula of TGIC polyester powder
- Baked finish

8537 - Adaptive Swing with Chain

- 1.315" x .083" wall galvanized steel tubing
- · Linear low-density polyethylene
- 7/32"-diameter steel wire chain
- Hot dipped galvanized steel
- 1/8"-thick color-impregnated polyvinyl coating
- UV inhibitors
- · Coated after fabrication with a custom formula of TGIC polyester powder coating

8910 - Belt Swing Seat

- · 7/32"-diameter steel wire
- Hot dipped galvanized steel
- · 4/0 welded link coil chain
- · 1/8"-thick color-impregnated polyvinyl coating
- UV inhibitors
- Galvanized finish



Powerscape Playground System

PART 1 - GENERAL

1.01 SUMMARY

- A. Section includes composite structure, stand-alone play events and accessories.
- B. Basis of design is **PowerScape®** modular play structures, free-standing play equipment and accessories as manufactured by GameTime, a PlayCore Company, P.O. Box 680121, Fort Payne, Alabama 35968-0121, Phone: 1-800-235-2440, www.GameTime.com.

1.02 SUBMITTALS

- A. Product Data: Include physical characteristics such as shape, dimensions, gauge and material for each component. Provide finish information and available colors.
- B. Shop Drawings: Include plans, elevations, details, and installation instructions for each component.
- C. Warranty: Include sample of manufacturer's standard warranty.

1.03 QUALITY ASSURANCE

- A. Manufacturer Qualifications: Equipment components shall be certified by IPEMA's third party product certification service. Equipment and structural components shall bear the IPEMA certification seal. IPEMA validation is available at www.ipema.org.
- B. Installer: Must be certified by the manufacturer.
- C. Safety Standards: Comply with requirements of ASTM F 1487.

1.04 WARRANTY

A. Warranty shall meet or exceed the warranty provisions of GameTime as follows:

Lifetime limited warranty on PowerScape®, PrimeTime®, Modern City®, Xscape® & IONiX® uprights.

Lifetime limited warranty on Tru-Loc® connections and upright bolt-through connections.

Lifetime limited warranty on all hardware.

- 20 Year limited warranty on Timber Décor™ & Timbers recycled plastic lumber.
- 15 Year limited warranty on metal decks, pipes, rungs, rails, loops, braces, and footbucks.
- 15 Year limited warranty on rotationally molded products.

Last Updated 3.8.2022



- 15-Year limited warranty on VistaRope nylon bearings and ring junction pieces.
- 10 Year limited warranty on GTFit, THRIVE and Challenge Course posts & bars.
- 10 Year limited warranty on site furnishings against structural failure.
- 10-Year limited warranty on SunBlox products.
- 10 Year limited warranty on integrated GTShade® products.
- 10 Year limited warranty on fiberglass and DHPL signage.
- 10-Year limited warranty on VistaRope WeaveTech cables.
- 5 Year limited warranty on TuffForms® structures, including TuffCrete™ and PolyShield.
- 5 Year limited warranty on nylon covered cable net climbers and components.
- 5 Year limited warranty on GT Symphony Freenotes™ Harmony Park components.
- 5 Year limited warranty on Super Seats™.
- 5-Year limited warranty on premature wear of VistaRope cables.
- 3 Year limited warranty on Everybody Plays polyurea coated foam & rubber strips.
- 3 Year limited warranty on SaddleMates® rubber and "C" springs.
- 3-Year limited warranty on SureGrip Material
- 2 Year limited warranty on Challenge Course timing components.
- 1 Year limited warranty on all other GameTime products.

PART 2 - PRODUCTS

2.01 MATERIALS

- A. Main Structural Uprights
 - Shall be 5" outside diameter tubing, 1/8" wall thickness, extruded from 6005A-T61 aluminum alloy conforming to ASTM-B-221. Minimum yield strength shall be 35,000 psi and minimum tensile strength shall be 38,000 psi. All upright posts shall be coated with a custom formula TGIC polyester powder coating in conformance with the specification outlined herein.

(AND/OR)

 Shall be 5" outside diameter, 11 gauge (nominal .120") galvanized round tubing, manufactured to ASTM A-1011 Grade B tolerances from cold-formed steel conforming to ASTM A-569 Sheet Spec for steel coil. Minimum yield strength shall be 45,000 psi and Last Updated 3.8.2022



minimum tensile strength shall be 48,000 psi. The exterior surface is In line Zinc Flo Coating with a zinc coating of .03 thickness minimum, chromate conversion coated, and a clear high performance organic polymer is applied. Galvanizing coverage shall demonstrate the ability to exceed 1000 hours salt spray corrosion exposure in accordance with ASTM B-117. Internal surface zinc rich 91% minimum zinc dust content in organic resin, as per ASTM F-1043. All upright posts shall be coated with a custom formula TGIC.

- B. Tru Loc Connectors Must attach directly to factory preset threaded insert in the uprights to ensure full field compliance with current safety standards. Hinged, or any clamps, that require field locating or field drilling or installation are not acceptable, due to the susceptibility of installation out of compliance with safety standards.
- C. Plastisol Coated Steel Products including decks, platforms, steps, and bridges shall be fabricated from 11-gauge perforated steel with a .08" minimum thickness, textured slip-resistant polyvinyl chloride plastisol dipped coating. Square deck size must be at least 49" x 49" (2,401 square inches), and triangular decks must be equally 49" on all sides (1,040 square inches) and bolt through the uprights. Decks must attach directly to threaded inserts factory installed to uprights, using (2) 3/8" bolts at each upright connection point to eliminate the possibility of deck slipping. Plastisol coating must be free of latex and tested to meet California standards for phthalate levels and safe for children.
- D. Molded Polyethylene Products are to be rotationally molded plastic with a ¼" nominal wall thickness. All plastic is to be U.V. stabilized with optional graphics molded into the component during the molding process. Molded products shall have an anti-static additive and be available in any of the manufacturer's standard colors.
- E. High Density Polyethylene shall be made from either ½" or 3/4" thick (depending on application used) high density, UV-stabilized and color impregnated polyethylene.
- F. Metal Climbers and Enclosures Products shall be fabricated from 1 5/16" OD x .083" (14 gauge) wall galvanized steel tubing with vertical members fabricated of 1 1/16" OD x .075 (15 gauge) wall galvanized steel tubing. All tubing used shall be an electrical resistance welded, cold rolled, high strength steel tubing. The exterior coating will consist of an In-line Zinc Flo Coating with a zinc coating of .03 thickness minimum, chromate conversion, and acrylic overcoating. The interior coating will consist of a special organic acrylic modified polyester.
- G. Cables shall be 18mm polyester twisted type with the following properties: calculated tensile strength of >60kN, quantity 6 strands 2.8mm diameter each, steel strands shall have QTY 19 steel wires diameter .62mm each, quantity 3 fiber core 2.7mm diameter each, UV protected polyester impregnated. Terminations shall be made of the following materials: Aluminum forks, stainless steel D-shackles, stainless steel lifting eye nuts. Connections shall be made of the following: Aluminum connector eggs, aluminum 2-piece T-joints, aluminum T-joints, aluminum in-line connector, aluminum ferrules.
- H. Hardware All nuts, bolts, screws, inserts, and lock washers used in the assembly of all play equipment shall be stainless steel, yellow dichromate plated steel, blue-coat plated steel, mechanically galvanized or powder coated/yellow dichromate plated steel. All primary fasteners shall be 304 alloy stainless steel. Fasteners with yellow dichromate treatment have



an electro-deposited, 99.9% pure zinc substrate applied from a specially formulated solution sealed with a yellow dichromate topcoat designed to work in conjunction with the zinc plating. Yellow dichromate has a 320% longer life to white corrosion and 275% longer to red corrosion than does hot-dip galvanizing. PowerScape Plus stainless-steel fasteners shall be button pin-in head, socket cap screws with a two-part epoxy locking patch added to the threads. The two-part locking patch shall consist of one part resin and one part catalyst which are activated during installation. After curing, the material shall require a minimum of five times the installation torque to remove the fastener. Manufacturer shall provide special installation tools for pinned fasteners.

2.02 REQUIRED COMPONENTS

- A. In addition to the requirements contained in this section, refer to layout drawings and schedules of components and accessories on drawings.
- B. All components, accessories, hardware, and other items required for a complete and usable system shall be provided.

2.03 FINISHES

- A. Polyester (Powder) Coating The polyester coating shall be uniformly applied by the electrostatic method to a minimum thickness of four mils. Promptly after application of the powder, the coating shall be oven-cured at 350 degrees Fahrenheit. The color(s) of the polyester coating shall be as selected by the Architect from the manufacturer's standard and/or custom color selection charts. The paint process must adhere to the Powder Coat Institute 4000 Certification.
- B. Galvanized Finish All components shall have a galvanized finish prior to powder coating and shall be protectively coated with ZRP, a zinc primer that forms a rust-resistant barrier layer. All galvanized surfaces shall be free of burs, splinters, and sharp edges.

PART 3 - EXECUTION

3.01 INSTALLATION

- A. General Comply with manufacturer's written installation instructions.
- B. Uprights Set posts in concrete footings. Protect finish during installation. Comply with locations, height, and plumb requirements.

3.02 FIELD QUALITY CONTROL

A. Installation shall be performed by factory certified technicians with at least 3 years experience installing playground equipment



3.03 COMPLETION

- A. Protect installed products until completion of project.
- B. Touch up, repair, or replace damaged products before substantial completion.
- C. Installer shall turn over all installation instructions, parts lists, maintenance instructions, tool kits, and spare materials to the owner upon completion.



Individual Product Specifications

Panels:

90188 - Calabazo Panel

- · color-impregnated linear low density polyethylene
- 3/4"-thick high density, UV-stabilized, laminated and color-impregnated polyethylene
- All-weld assembly
- · Coated after fabrication with a custom formula of TGIC polyester powder coating

90724 - Color Wheel Gadget Panel

- · Color-impregnated linear low density polyethylene
- 3/4"-thick high density, UV-stabilized and color-impregnated polyethylene









IPEMA ASTM F1487-21 CERTIFICATE OF COMPLIANCE

ISSUE DATE: March 11, 2024

Requested By: Abdirahman Mohamud

Project: Grogan Park Option 2 - Sussex, WI - D12118R

In the interest of public playground safety, IPEMA provides a third-party certification service whereby TÜV SÜD America validates a manufacturer's certification of conformance to the ASTM F1487-21 (excluding sections 7.1.1, 10, 11.2, 11.3, 13.1.1, 13.1.2, 13.2, and 13.3) Standard Consumer Safety Performance Specification for Playground Equipment for Public Use.

The manufacturer listed below has received written validation from TÜV SÜD America that the product(s) listed conform with the requirements of ASTM F1487-21 (excluding sections 7.1.1, 10, 11.2, 11.3, 13.1.1, 13.1.2, 13.2, and 13.3).

This certificate is invalid if any component or part is replaced, unless purchased from the original manufacturer and assembled in accordance with the original equipment manufacturer's instructions. Check with the manufacturer to determine the validity of the certification of the product(s) listed prior to using this certificate for proof of certification.

MODEL #	COMMERCIAL NAME OF PRODUCT	PRODUCT LINE	MANUFACTURER
G90265	Upright Galvanized 7′	Powerscape	GameTime
90265	Upright Aluminum 7′	Powerscape	GameTime
6310	G6	Gt event	GameTime
90724	Color Wheel (Below Deck)	Powerscape	GameTime
90188	CALABAZO	Powerscape	GameTime
8910	BELT SWING SEAT PACKAGE	Gt event	GameTime
SS8910	Belt Swing Seat Package	Gt event	GameTime
SS8537	Adaptive Swing W/Stainless Steel 3-1/2" O.D. Top Rail 8'	Gt event	GameTime
8537	Adaptive Swing W/Chains	Gt event	GameTime
81751	5" O.D. Single Post Swing (Double Bay)	Gt event	GameTime



















IPEMA CSA Z614:20 UPDATE NO. 1 CERTIFICATE OF COMPLIANCE

ISSUE DATE: March 11, 2024

Requested By: Abdirahman Mohamud

Project: Grogan Park Option 2 - Sussex, WI - D12118R

In the interest of public playground safety, IPEMA provides a third-party certification service whereby TÜV SÜD America validates a manufacturer's certification of conformance to CSA Z614:20 Update No. 1 (excluding clauses 10 and 11) Children's Playspaces and Equipment.

The manufacturer listed below has received written validation from TÜV SÜD America that the product(s) listed conform with the requirements of CSA Z614:20 Update No. 1 (excluding clauses 10 and 11).

This certificate is invalid if any component or part is replaced, unless purchased from the original manufacturer and assembled in accordance with the original equipment manufacturer's instructions. Check with the manufacturer to determine the validity of the certification of the product(s) listed prior to using this certificate for proof of certification.

MODEL #	COMMERCIAL NAME OF PRODUCT	PRODUCT LINE	MANUFACTURER
G90265	Upright Galvanized 7'	Powerscape	GameTime
90265	Upright Aluminum 7'	Powerscape	GameTime
6310	G6	Gt event	GameTime
90724	Color Wheel (Below Deck)	Powerscape	GameTime
90188	CALABAZO	Powerscape	GameTime
8910	BELT SWING SEAT PACKAGE	Gt event	GameTime
SS8910	Belt Swing Seat Package	Gt event	GameTime
SS8537	Adaptive Swing W/Stainless Steel 3-1/2" O.D. Top Rail 8'	Gt event	GameTime
8537	Adaptive Swing W/Chains	Gt event	GameTime
81751	5" O.D. Single Post Swing (Double Bay)	Gt event	GameTime











IPEMA CSA Z614:20 UPDATE NO. 1 CERTIFICAT DE CONFORMITÉ

Date de Délivrance Initiale: mars 11, 2024 Demandé par: Abdirahman Mohamud

Nom du parc: Grogan Park Option 2 - Sussex, WI - D12118R

Dans l'intérêt de la sécurité au terrain de jeu, IPEMA offre une certification par une tierce partie et TÜV SÜD America valide une certification par le fabricant de la conformité à la norme CSA Z614:20 Update No. 1 (excluant les articles 10, 11) les enfants les espaces de jeu et du matériel.

Le fabricant ci-dessous a reçu la validation de la part de TÜV SÜD America que les produits énumérés ci-dessous sont conformes aux exigences de la norme CSA Z614:20 Update No. 1 (excluant les articles 10, 11).

Ce certificat n'est pas valide si un composant ou une pièce est remplacé, à moins que le composant soit acheté du fabricant d'origine et assemblé conformément aux instructions du fabricant de l'équipement. Vérifiez auprès du fabricant pour déterminer la validité de la certification du (des) produit(s) indiqué(s) avant d'utiliser ce certificat pour la preuve de la certification.

MODÈLE n	ONOM COMMERCIAL DU PRODUIT	LIGNE DE PRODUIT	MANUFACTURIER
G90265	Upright Galvanized 7'	Powerscape	GameTime
90265	Upright Aluminum 7'	Powerscape	GameTime
6310	G6	Gt event	GameTime
90724	Color Wheel (Below Deck)	Powerscape	GameTime
90188	CALABAZO	Powerscape	GameTime
8910	BELT SWING SEAT PACKAGE	Gt event	GameTime
SS8910	Belt Swing Seat Package	Gt event	GameTime
SS8537	Adaptive Swing W/Stainless Steel 3-1/2" O.D. Top Rail 8'	Gt event	GameTime
8537	Adaptive Swing W/Chains	Gt event	GameTime
81751	5" O.D. Single Post Swing (Double Bay)	Gt event	GameTime
A 40	0.000,000,000,00		











Grogan Park Option 1 Sussex, WI






2-5 PLAY AREA	GROGAN PARK OPTION 1
ELEVATED PLAY ACTIVITIES - TOTAL ELEVATED PLAY ACTIVITIES ACCESSIBLE BY TRANSFER 0 RO'D 0 ELEVATED PLAY ACTIVITIES ACCESSIBLE BY RAMP 0 REO'D 0 GROUND LEVEL ACTIVITY TYPE 3 REO'D 0	SUSSEX, WI
GROUND LEVEL ACTIVITY QUANTITY 5 REQ'D 0	

| ELEVATED PLAY ACTIVITIES - TOTAL | 5 | ELEVATED PLAY ACTIVITIES ACCESSIBLE BY TRANSFER | 5 | REQD | 3 | ELEVATED PLAY ACTIVITIES ACCESSIBLE BY RAMP | 0 | REQD | 0 | GROUND LEVEL ACTIVITY TYPE | 2 | REQD | 2 | GROUND LEVEL ACTIVITY QUANTITY | 3 | REQD | 2 |

Miracle

5-12 PLAY AREA



IPEMA CERTIFIED ASTM F1487

Play Area Capacity: 40-50

AREA: 2435 SQUARE FEET

PERIMETER: 210'

The information provided is for estimation purposes only.

To promote safe and proper equipment use by children, Miracle recommends the installation of either a Miracle safety sign or other appropriate safety signage near each playsystem's main entry point(s) to inform parents and supervisors of the age appropriateness of the playsystem and general rules for safe play.

DESIGNED FOR AGES THE PLAY COMPONENTS IDENTIFIED IN THIS PLAN ARE IPEMA CERTIFIED. THE USE AND LAYOUT OF **COMPLIES TO CPSC** CD226996 SCALE: 1/8"=1'-0" 2-5/5-12 THESE COMPONENTS CONFORM TO THE COMPLIES TO ASTM REQUIREMENTS OF ASTM F1487. ADDITIONAL GROUND LEVEL ACCESSIBLE DATE: 3/5/2024 ITEMS NEEDED FOR ADA COMPLIANCE GROUND SPACE: PROTECTIVE AREA: 39' X 28' 60' X 41' TYPE: AN ENERGY ABSORBING PROTECTIVE SURFACE IS QUANTITY: **COMPLIES TO ADA** CINDI REQUIRED UNDER & AROUND ALL PLAY SYSTEMS. 0

MIRACLE RECREATION WARRANTY

cle Recreation Equipment Company warrants its products against structural failure due to defects in materials and workmanship for the warranty periods and material categories prescribed below

Buyer agrees that products sold by Miracle Recreation Equipment Company carry only the following warranties:

1.LIMITED WARRANTY FOR AS LONG AS YOU OWN THE PRODUCT: Aluminum deck posts, steel deck posts, VersaLok® fastening system, cast aluminum parts, and stainless steel

2.LIMITED FIFTEEN (15) YEAR WARRANTY: All rigid steel playground components, decks, steps, and weldments, rotationally molded and sheet plastic components, plastic lumber, roof panels, and stainless steel slides, except as otherwise specified below.

3.LIMITED TEN (10) YEAR WARRANTY: Fabric shade steel frames, and Shadesure™ and Colourshade FR fabrics (Note Exception: Limited Five (5) Year Warranty on Shadesure™ fabrics in colors Red, Yellow, Electric Purple, Zesty Lime, Cinnamon, and Olive.)

4.LIMITED EIGHT (8) YEAR WARRANTY:

- Fiberglass signage, precast PolyFiberCrete or precast concrete products.
- · Integrated shade fabric and components against rot, UV deterioration and defects in materials and workmanship (Note Exception: Limited Three (3) Year Warranty for fabric in shades of red).

5.LIMITED FIVE (5) YEAR WARRANTY:

- Heavy duty diamond barrier mesh and Kidrox™ Climbing Rocks.
- Mira-Therm™ PVC coating against cracking or peeling
- Park and Site Amenities (i.e. benches, tables, trash receptacles, etc.).
- GERP (Glass Fiber Reinforced Polymer) Products.
- · Accessible swing seats latch and hinge mechanism.
- Steel core cable nets and rope fittings and connections (Note Exception: Warranty does not cover normal wear and tear such as fraying or facing of cable coating).
- Concerto products (Note Exception: Warranty does not cover mallets or Tall Chime cable

6.LIMITED THREE (3) YEAR WARRANTY: Flexible belting, plastic border timbers and accessories, and electronic panel speakers, sound chips, and circuit boards.

7.LIMITED ONE (1) YEAR WARRANTY:

- Slashproof Swing Seats, 360° Bucket Tot Swing Seats, and Tuff Net no climbing mesh.
- · Pool slide support structures, stairways, landings and railings.
- · All other products, components and custom pieces that are not specifically listed above, including, without limitation, all moving parts, such as swing hangers and bearings, swivels, chains, whirls, springs and flexible components, and all high wear items, such as trolleys, cables, wheels, and bumper stops related to rail and cable ride products

8.LIMITED SIX (6) MONTH WARRANTY:

PlaySoleil solar-powered light.

BUYER'S REMEDY: If any products prove defective or non-conforming under normal use and within the above-prescribed warranty periods and material categories, Buyer must promptly notify Miracle in writing at 878 E. Hwy 60, Monett, MO 65708 USA. Miracle does not warranty that any particular color will be available for any period of time, and reserves the right to discontinue any color for any reason, without recourse by the Purchaser or Owner of the discontinued color. Miracle may elect to inspect the alleged defect at Buyer's site or at Miracle's facility. Buyer shall not return products to Miracle unless authorized by Miracle to do so. Authorized returns must be properly packaged and shipped prepaid and insured, at Buyer's expense. Upon verification of warranty coverage, Miracle may elect,

in its sole discretion, to repair defective or non-conforming products, or replace them by delivering products or part(s) of similar functionality free of charge to the site. Miracle's limited warranties do not cover the cost of labor to remove defective or non-conforming part(s) or to install repaired or replacement part(s). By use of these limited warranties, Buyer accepts their terms and limitations, and waives any rights it would otherwise have to claim or assert that such warranties fail of their essential purpose. Buyer agrees that venue for any court action to enforce these limited warranties shall be in Barry or Greene Counties in the State of Missouri.

LIMITATIONS: All warranty periods begin on the date of Miracle's invoice. Repaired and/ or replacement part(s) are warranted only for the balance of the original limited warranty period. Warranties extend only to the original Buyer/end user for products purchased from Miracle or a Miracle authorized reseller, and are not transferrable

Warranties apply only to Miracle products that are erected and installed in conformance with Miracle's installation instructions, and that are maintained and inspected in conformance with Miracle maintenance and operational instructions.

Unless manufactured with coastal coatings, product installed within 500 yards of a saltwater shoreline will only be covered for half the period of the standard product warranty for defects caused by corrosion.

Warranties specifically do not cover Miracle products:

- for cosmetic damage or flaws occurring under normal use, such as surface scratches. minor chips, hairline cracks, dents, marring, efflorescence, color fade (except for shade fabric as noted above), discoloration, corrosion/rust, fraying, or warping of recycled plastic lumber;
- · that have been modified, altered, or repaired by unauthorized third parties;
- · that have not been used as designed or intended, or misused
- to which non-Miracle parts have been added or substituted:
- that have been removed from their original location and re-installed elsewhere, without pre-approval by Miracle;
- or that have been damaged due to excessive wear and tear, vandalism, abnormal use, abuse, negligence, environmental factors (such as wind-blown sand, salt spray unless the product is manufactured with coastal coating, or airborne emissions from industrial sources), extreme weather (such as hail, flooding, lightning, tornados, sandstorms, earthquakes, or wind storms), and acts of God.

THE FOREGOING LIMITED WARRANTY IS THE SOLE AND EXCLUSIVE WARRANTY FOR SELLER'S PRODUCTS, AND IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, IN LAW OR IN FACT. SELLER SPECIFICALLY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE OR PURPOSE, AND ANY IMPLIED WARRANTIES ARISING OUT OF COURSE OF DEALING OR PERFORMANCE OR TRADE USAGE. SELLER SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL, EXEMPLARY, SPECIAL, OR PUNITIVE DAMAGES, OR ANY LOSS OF REVENUE, PROFIT OR USE, ARISING OUT OF A BREACH OF THIS WARRANTY OR IN CONNECTION WITH THE SALE, INSTALLATION, MAINTENANCE, USE, OPERATION OR REPAIR OF ANY PRODUCT. IN NO EVENT WILL SELLER BE LIABLE FOR ANY AMOUNT GREATER THAN THE PURCHASE PRICE OF A DEFECTIVE PRODUCT.

Prices are subject to change without notice and are exclusive of installation, surfacing, transportation, insurance, taxes, license fees, customs fees, duties, premiums, fees, and other changes. Prices shown are in US dollars.

CERTIFICATIONS



ISO 9001 Certification: The International Standards Organization is a network of national standard institutes that work in partnership with international organizations, governments, industry, business, and consumer representatives to develop universal standards for quality, environmental, and intertek management processes.



The Miracle Recreation Equipment company has been certified to 14001:2015 for its environmental management system.



European Norm EN-1176. Miracle® offers playgrounds that have been certified by TüV Product Service, the recognized testing house designated by the European Union. This certification demonstrates compliance with the European Harmonized Standard for Commercial Play Equipment, EN 1176.



The space requirements in this catalog are shown to ASTM standards. Requirements for other standards may be different.



Canadian Welding Bureau Certified



IPEMA Member: Miracle® is a member in good standing of the International Play Equipment Manufacturer's Association (IPEMA), a member-driven international trade organization which represents and promotes an open market for manufacturers of play equipment.

In the interest of playground safety, the International Play Equipment Manufacturers Association (IPEMA) provides a Third Party Certification Service whereby a designated independent laboratory, TÜV SÜD America Inc., (TÜV), validates an equipment manufacturer's certification of conformance to the ASTM F1487 Standard Consumer Safety Performance Specification for Playground Equipment for Public Use, except sections 7.1.1, 10, 13.1.1, 13.1.2, 13.2, and 13.3; to CAN/CSA Z614 Children's Playspaces and Equipment, except clauses 10 and 11; or both. A list of current validated products may be viewed at www.ipema.org.

In the Interest of playground safety, the International Play Equipment Manufacturers Association (IPEMA) provides a Third Party Certification program whereby a designated independent laboratory, TÜV SÜD America Inc., (TÜV), validates a surfacing manufacturer's certification of conformance to ASTM F1292, Standard Specification for Impact Attenuation Under and Around Playground Equipment Performance Criterion, Section 4.2; ASTM F1292, Standard Specification for Impact Attenuation Under and Around Playground Equipment Performance Criterion (in its entirety); ASTM F3351, Standard Test Method for Impact Testing In Laboratory at Specified Test Height; and for an engineered wood fiber manufacturer its certification of conformance, also to ASTM F2075, Standard Specification for Engineered Wood Fiber for Use as a Playground Safety Surface Under and Around Playground Equipment; and for a Loose Fill Rubber manufacturer its certification of conformance, also to ASTM F3012, Standard Specification for Loose Fill Rubber for Use as a Playground Safety Surface under and around Playground Equipment. A list of current validated products, their thickness and critical height may be viewed at www.ipema.org.



Ashtyn Morrison Sales, WI 1013 Oak Ave Tomah, WI 54660 (cell) 608-438-5317

bolandrecwi@mediacombb.net

www.bolandrecreation.com

2347 Oak Park Road Marshalltown, IA 50158 1-800-798-7589 641-752-7589

Grogan Park Sussex, WI March 13, 2024

Option 1 (CD226996): \$120,000

- *Price includes equipment and delivery of equipment as well as supply, delivery, and installation of poured in place rubber. Includes concrete border around play area.
- *Our work also includes supervision for installation of equipment (not in cost)

Option 2 (CD226997): \$150,000

- *Price includes equipment and delivery of equipment as well as supply, delivery, and installation of poured in place rubber. Includes concrete border around play area.
- *Our work also includes supervision for installation of equipment (not in cost)

Prepared by: Ashtyn M	<u>lorrison</u>		
Customer signature:		date:	

Prices shown above are good for 90 days, (after 90 days, the quote will have to be updated due to volatility in the prices)

Prices **DO NOT** include sales tax, if applicable

Payment for materials is due no later than 30 days after delivery.

Payment for installation services is due no later than 15 days after completion of work. Boland Recreation reserves the right to charge a 1.5% fee on past due invoices.

Equipment lead times are approximately 6-8 weeks after the order has been placed. All orders are subject to delay, we appreciate your understanding.

NOTE: Boland Recreation, Inc. is NOT RESPONSIBLE for unloading of equipment, storage, permits, fees, ground preparation, installation (unless specifically stated above), pea gravel, borders, dumpster/disposal of trash, sales tax, or anything in addition to what is listed above.

Color Choices

ROCK-ITE® PLASTIC COLOR CHOICES

Roofs, Slides, Big Timber® Components, Crawl Tubes, Bongos™, Bumpers and Panels.



MIRACLE SWING SEAT COLORS



Yellow

Red





Royal Blue







Forest Green

Sand

Black

MIRA-LENE™ PANEL COLOR CHOICES



Red-Sand

Lime-Sand

Green

Red-Yellow















Yellow-Black Orange-Sand

Blue-Yellow



Blue-Sand

Brown-Sand






Blue-White



Plum-Sand Forest



Beige-Forest Beige-Red Beige-Gray

Dark









Black-White White-Black

MIRA-COTE® POWDER-COATED PAINTED METAL COLOR CHOICES

Posts, Arches, Swings and Accents (Railings & Climbers).




ANTI-MICROBIAL PAINTED METAL COLORS

This proprietary treatment helps prevent bacterial mold, algae growth and stains.



TEXTURED MIRA-THERM™ COLOR CHOICES

Mira-Therm™ coatings for Decks, Steps, Ramps, Bridges and Cargo Climbers are available in either orthophtalate-free Mira-Therm™ 2 (vinyl) or Mira-Therm™ PE (polyethylene)-based coatings with anti-microbial enhancements.



Miracle® uses high quality materials and state of the art manufacturing processes. Commercial playgrounds and products are subjected to years of environmental and solar exposure. Such extreme exposure takes its toll on paints and pigments, and all colors will fade over time. So Miracle® does not warrant against color fading or discoloration. It is important to properly maintain your playground to

ensure its longevity. Depending on environmental conditions at your location, the installation of fabric shade structures may help to delay fading and discoloration. Actual colors in catalog may vary due to four color printing process.





512-847-2473 DuraPlay.com

5 Year Warranty

Project:		
Project Owner:		
Project Site:		
Date Surfacing Installation Completed:		
Final Inspection By:		
Date Inspected:		
Contractor:		
DuraPlay, Inc. Representative:		
DuraPlay Surfacing Description:		
	Total Square Footage of Surfacing	

DuraPlay, Inc. warrants to the owner of the project described above, subject to the terms, conditions, and limitations stated herein, as follows:

The surface includes DuraPlay Primer, DuraPlay Base and DuraPlay Wearing Surface. That the DuraPlay Surfacing System will not peel, delaminate, or crack as a result of normal weather conditions and that the DuraPlay Surfacing System will be in complete compliance with ASTM 1292 standards for the first three (3) years of the Warranty Period.

The Warranty shall continue for a period of two (2) subsequent years, for a total five (5) Year Warranty Period, commencing from the date of the final inspections of the DuraPlay Surfacing System as shown above, provided the Owner gives DuraPlay written notice of any defects in the Surfacing System within 30 days from the discovery of such defects. These subsequent two (2) years of compliance, Years Four (4) and Five (5) of the Warranty Period, exclude ASTM 1292 standards compliance coverage.

The foregoing Warranty does not cover defects of damage caused by (1) structural or design defect related to the substrate, area drainage system, or any other adjacent system which may impact the DuraPlay Surfacing System; (2) misuse, vandalism, civil disobedience, act of war; (3) any condition caused by any negligence or accidents in maintaining the Surfacing System; (4) act of God, including lightening, hurricanes, tornados, earthquakes, fumes, flood, chemical fumes, foreign substances in the atmosphere or by other unusual natural occurrences. The obligations contained herein do not cover any material used on the Surfacing System which was not supplied by DuraPlay unless specifically indicated above.

Owner's Compliance with Maintenance Manual

The Warranties stated above are subject to and conditioned upon the Owner's compliance with DuraPlay, Inc's maintenance procedures.







Exclusions from Warranties

The Warranties stated above exclude damage caused by:

- Improper or faulty subsurface grading and/or substrate preparation
- Lack of an adequate and functioning area drainage system to prevent subsurface ponding and/or erosion
- Movement of stone aggregate substrate caused by subgrade movement
- Shrinkage (which is an inherent characteristic of elastic rubber)
- Normal wear and tear
- Slight color variations
- Improper snow removal
- Neglect, abuse, deliberate act, accident, or vandalism
- Act of God, casualty
- Improper dry-cleaning fluids
- Improper cleaning methods and/or cleaning methods not sanctioned by DuraPlay, Inc.

Warranty Claims Procedure

All Warranty claims must be made in writing and sent with photographs to DuraPlay, Inc. at the address listed below, within thirty (30) days after Owner has or should have knowledge of the alleged defect. Within a reasonable time of receipt of notice, DuraPlay, Inc. shall have the opportunity to inspect the site and investigate the affected area, including the right to take any photographs and/or tests of the area. Any repair or replacement work performed by a party other than DuraPlay, Inc. shall invalidate this Warranty and terminate any further obligation of DuraPlay, Inc.

<u>Limitations and Exclusions of Warranty/Remedy</u>

If an area of the surface is determined to be covered by this Warranty, DuraPlay, Inc's obligations under this Warranty shall be to repair or replace the area. The remedy of the repair or replacement shall be the Owner's sole and exclusive remedy. Except in the case of personal injury, DuraPlay, Inc. shall not be liable for consequential damages. In no event shall DuraPlay, Inc. be liable for punitive damages.

This Warranty shall be of no enforce if DuraPlay, Inc. is not paid in full for the System and DuraPlay Inc's obligations under this Warranty are expressly contingent upon DuraPlay, Inc. being paid in full for the System. DuraPlay, Inc must be paid at least 90% of its contract balance within one hundred and twenty (120) days of the substantial completion of its work and fully paid within one year of the substantial completion of its work, or when the retainage is due by the Contract. In the event that repairs are required which would otherwise be covered under the Warranty but for non-payment, DuraPlay, Inc. and the Owner may mutually agree that DuraPlay, Inc. shall perform such repairs on a pre-pay basis.

NO OTHER WARRANTIES OR REPRESENTATIVES, EXPRESS OR IMPLIED AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE ARE MADE AND ALL OTHER WARRANTIES EXCEPT AS EXPRESSLY STATED HEREIN ARE DISCLAIMED.

This Warranty is issued by DuraPlay, Inc in the state of Texas and shall be governed by and interpreted in accordance with the laws of the State of Texas.

DuraPlay, Inc.	Project Owner:
Ву:	By:



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 03/01/2023

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed.

	If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).										
PRODUCER CON NAM				CONTAC NAME:	CONTACT NAME: Michelle Bromley						
Shomo-Madsen Insurance				PHONE (A/C, No, Ext): (641) 753-6691 FAX (A/C, No): (641) 752-5360			2-5360				
22 E Main St					E-MAIL ADDRES	mhramlau	@shomo-mad		o, 110).		
								DING COVERAGE			NAIC #
Mar	shalltown			IA 50158	INSURE	N.A.	Insurance Co				
INSU					INSURE	ND.	Casualty Ins				19046
	Gazaway & Associates				INSURE	RC: Travelers	Prop Casualt	y Ins			25674
	dba Boland Recreation				INSURE	RD:					
	2347 Oak Park Road				INSURE	RE:					
	Marshalltown			IA 50158-9465	INSURE	RF:					
_				NUMBER: Master23-24				REVISION NUMBER			
IN CE	HIS IS TO CERTIFY THAT THE POLICIES OF II DICATED. NOTWITHSTANDING ANY REQUIF ERTIFICATE MAY BE ISSUED OR MAY PERTA (CLUSIONS AND CONDITIONS OF SUCH PO	REME IN, TI LICIE	NT, TE	ERM OR CONDITION OF ANY (SURANCE AFFORDED BY THE	CONTRA E POLICI	ACT OR OTHER ES DESCRIBEI	DOCUMENT VOLUMENT VOLUMENT V	WITH RESPECT TO WE	HICH THIS		
LTR	TYPE OF INSURANCE		WVD	POLICY NUMBER		(MM/DD/YYYY)	(MM/DD/YYYY)		LIMITS		
	CLAIMS-MADE OCCUR							EACH OCCURRENCE DAMAGE TO RENTED	Ψ	1,000, 100,00	
	CLAINIG-INIADE							PREMISES (Ea occurrence MED EXP (Any one perso	,e) Ψ	5,000	
Α				NN1515652		03/01/2023	03/01/2024	PERSONAL & ADV INJUR		1,000,	000
	GEN'L AGGREGATE LIMIT APPLIES PER:							GENERAL AGGREGATE		2 000 000	
	POLICY PRO- LOC							PRODUCTS - COMP/OP	<u> </u>	2,000,	000
	OTHER:								\$		
	AUTOMOBILE LIABILITY							COMBINED SINGLE LIMI (Ea accident)	Т \$	1,000,	000
	X ANY AUTO							BODILY INJURY (Per pers	son) \$		
В	OWNED SCHEDULED AUTOS			BA4R709529		01/01/2023	01/01/2024	BODILY INJURY (Per acci	ident) \$		
	HIRED NON-OWNED AUTOS ONLY							PROPERTY DAMAGE (Per accident)	\$		
	ACTOC CINET							(* 5* 55555)	\$		
	UMBRELLA LIAB X OCCUR							EACH OCCURRENCE	\$	2,000,	000
Α	EXCESS LIAB CLAIMS-MADE			AN1278674		03/01/2023	03/01/2024	AGGREGATE	\$	2,000,	000
	DED RETENTION \$ 0								\$		
	WORKERS COMPENSATION							➤ PER STATUTE	OTH- ER		
С	ANY PROPRIETOR/PARTNER/EXECUTIVE	N/A		UB4R712595		01/01/2023	01/01/2024	E.L. EACH ACCIDENT	\$	500,00	00
	(Mandatory in NH)	11,74				01/01/2020	01/01/2021	E.L. DISEASE - EA EMPL	OILL W	500,00	
	If yes, describe under DESCRIPTION OF OPERATIONS below							E.L. DISEASE - POLICY L	IMIT \$	500,00	00
				Ĺ							
DESC	CRIPTION OF OPERATIONS / LOCATIONS / VEHICLE	S (AC	ORD 1	01, Additional Remarks Schedule,	may be at	ttached if more sp	pace is required)				
CFF	RTIFICATE HOLDER				CANC	ELLATION					
JLI	THE HOLDER				<u> </u>	AIIVII					
SHOULD ANY OF THE ABOVE DESCRIBED IN THE EXPIRATION DATE THEREOF, NOTICE IN ACCORDANCE WITH THE POLICY PROVISION.				, NOTICE WILL BE DE			BEFORE				
Al			AUTHORIZED REPRESENTATIVE								
					$\mathcal{N} \cap \mathcal{N}$						

Grogan Park Option 2 Sussex, WI



Grogan Park Option 2 Sussex, WI



Grogan Park Option 2 Sussex, WI






2-5 PLAY AREA ELEVATED PLAY ACTIVITIES - TOTAL ELEVATED PLAY ACTIVITIES ACCESSIBLE BY TRANSFER 0 REQ'D 0 0 REQ'D 0 2 REQ'D 0 5 REQ'D 0 ELEVATED PLAY ACTIVITIES ACCESSIBLE BY RAMP GROUND LEVEL ACTIVITY TYPE GROUND LEVEL ACTIVITY QUANTITY

GROGAN PARK OPTION 2 SUSSEX, WI

ELEVATED PLAY ACTIVITIES - TOTAL

5-12 PLAY AREA





AREA: 2386 SQUARE FEET PERIMETER: 214

The information provided is for estimation purposes only.



0

To promote safe and proper equipment use by children, Miracle recommends the installation of either a Miracle safety sign or other appropriate safety signage near each playsystem's main entry point(s) to inform parents and supervisors of the age appropriateness of the playsystem and general rules for safe play.

THE PLAY COMPONENTS IDENTIFIED IN THIS PLAN
ARE IPEMA CERTIFIED. THE USE AND LAYOUT OF
THESE COMPONENTS CONFORM TO THE
REQUIREMENTS OF ASTM F1487.

AN ENERGY ABSORBING PROTECTIVE SURFACE IS
REQUIRED UNDER & AROUND ALL PLAY SYSTEMS.

CD2269	97
GROUND SPACE:	45' X 23'
PROTECTIVE AREA:	66' X 36'

✓	COMPLIES TO CPSC
✓	COMPLIES TO ASTM
✓	COMPLIES TO ADA

0

DES I GN AG	ED FOR ES	SCALE: 1/8"=1'-0"				
2-5/5 ADDITIONAL GROUNITEMS NEEDED FOR A		DATE:	3/5/2024			
TYPE:	QUANTITY: O	(CINDI			

MIRACLE RECREATION WARRANTY

cle Recreation Equipment Company warrants its products against structural failure due to defects in materials and workmanship for the warranty periods and material categories prescribed below

Buyer agrees that products sold by Miracle Recreation Equipment Company carry only the following warranties:

1.LIMITED WARRANTY FOR AS LONG AS YOU OWN THE PRODUCT: Aluminum deck posts, steel deck posts, VersaLok® fastening system, cast aluminum parts, and stainless steel

2.LIMITED FIFTEEN (15) YEAR WARRANTY: All rigid steel playground components, decks, steps, and weldments, rotationally molded and sheet plastic components, plastic lumber, roof panels, and stainless steel slides, except as otherwise specified below.

3.LIMITED TEN (10) YEAR WARRANTY: Fabric shade steel frames, and Shadesure™ and Colourshade FR fabrics (Note Exception: Limited Five (5) Year Warranty on Shadesure™ fabrics in colors Red, Yellow, Electric Purple, Zesty Lime, Cinnamon, and Olive.)

4.LIMITED EIGHT (8) YEAR WARRANTY:

- Fiberglass signage, precast PolyFiberCrete or precast concrete products.
- · Integrated shade fabric and components against rot, UV deterioration and defects in materials and workmanship (Note Exception: Limited Three (3) Year Warranty for fabric in shades of red).

5.LIMITED FIVE (5) YEAR WARRANTY:

- Heavy duty diamond barrier mesh and Kidrox™ Climbing Rocks.
- Mira-Therm™ PVC coating against cracking or peeling
- Park and Site Amenities (i.e. benches, tables, trash receptacles, etc.).
- GERP (Glass Fiber Reinforced Polymer) Products.
- · Accessible swing seats latch and hinge mechanism.
- Steel core cable nets and rope fittings and connections (Note Exception: Warranty does not cover normal wear and tear such as fraying or facing of cable coating).
- Concerto products (Note Exception: Warranty does not cover mallets or Tall Chime cable

6.LIMITED THREE (3) YEAR WARRANTY: Flexible belting, plastic border timbers and accessories, and electronic panel speakers, sound chips, and circuit boards.

7.LIMITED ONE (1) YEAR WARRANTY:

- Slashproof Swing Seats, 360° Bucket Tot Swing Seats, and Tuff Net no climbing mesh.
- · Pool slide support structures, stairways, landings and railings.
- · All other products, components and custom pieces that are not specifically listed above, including, without limitation, all moving parts, such as swing hangers and bearings, swivels, chains, whirls, springs and flexible components, and all high wear items, such as trolleys, cables, wheels, and bumper stops related to rail and cable ride products

8.LIMITED SIX (6) MONTH WARRANTY:

PlaySoleil solar-powered light.

BUYER'S REMEDY: If any products prove defective or non-conforming under normal use and within the above-prescribed warranty periods and material categories, Buyer must promptly notify Miracle in writing at 878 E. Hwy 60, Monett, MO 65708 USA. Miracle does not warranty that any particular color will be available for any period of time, and reserves the right to discontinue any color for any reason, without recourse by the Purchaser or Owner of the discontinued color. Miracle may elect to inspect the alleged defect at Buyer's site or at Miracle's facility. Buyer shall not return products to Miracle unless authorized by Miracle to do so. Authorized returns must be properly packaged and shipped prepaid and insured, at Buyer's expense. Upon verification of warranty coverage, Miracle may elect,

in its sole discretion, to repair defective or non-conforming products, or replace them by delivering products or part(s) of similar functionality free of charge to the site. Miracle's limited warranties do not cover the cost of labor to remove defective or non-conforming part(s) or to install repaired or replacement part(s). By use of these limited warranties, Buyer accepts their terms and limitations, and waives any rights it would otherwise have to claim or assert that such warranties fail of their essential purpose. Buyer agrees that venue for any court action to enforce these limited warranties shall be in Barry or Greene Counties in the State of Missouri.

LIMITATIONS: All warranty periods begin on the date of Miracle's invoice. Repaired and/ or replacement part(s) are warranted only for the balance of the original limited warranty period. Warranties extend only to the original Buyer/end user for products purchased from Miracle or a Miracle authorized reseller, and are not transferrable

Warranties apply only to Miracle products that are erected and installed in conformance with Miracle's installation instructions, and that are maintained and inspected in conformance with Miracle maintenance and operational instructions.

Unless manufactured with coastal coatings, product installed within 500 yards of a saltwater shoreline will only be covered for half the period of the standard product warranty for defects caused by corrosion.

Warranties specifically do not cover Miracle products:

- for cosmetic damage or flaws occurring under normal use, such as surface scratches. minor chips, hairline cracks, dents, marring, efflorescence, color fade (except for shade fabric as noted above), discoloration, corrosion/rust, fraying, or warping of recycled plastic lumber;
- · that have been modified, altered, or repaired by unauthorized third parties;
- · that have not been used as designed or intended, or misused
- to which non-Miracle parts have been added or substituted:
- that have been removed from their original location and re-installed elsewhere, without pre-approval by Miracle;
- or that have been damaged due to excessive wear and tear, vandalism, abnormal use, abuse, negligence, environmental factors (such as wind-blown sand, salt spray unless the product is manufactured with coastal coating, or airborne emissions from industrial sources), extreme weather (such as hail, flooding, lightning, tornados, sandstorms, earthquakes, or wind storms), and acts of God.

THE FOREGOING LIMITED WARRANTY IS THE SOLE AND EXCLUSIVE WARRANTY FOR SELLER'S PRODUCTS, AND IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, IN LAW OR IN FACT. SELLER SPECIFICALLY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE OR PURPOSE, AND ANY IMPLIED WARRANTIES ARISING OUT OF COURSE OF DEALING OR PERFORMANCE OR TRADE USAGE. SELLER SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL, EXEMPLARY, SPECIAL, OR PUNITIVE DAMAGES, OR ANY LOSS OF REVENUE, PROFIT OR USE, ARISING OUT OF A BREACH OF THIS WARRANTY OR IN CONNECTION WITH THE SALE, INSTALLATION, MAINTENANCE, USE, OPERATION OR REPAIR OF ANY PRODUCT. IN NO EVENT WILL SELLER BE LIABLE FOR ANY AMOUNT GREATER THAN THE PURCHASE PRICE OF A DEFECTIVE PRODUCT.

Prices are subject to change without notice and are exclusive of installation, surfacing, transportation, insurance, taxes, license fees, customs fees, duties, premiums, fees, and other changes. Prices shown are in US dollars.

CERTIFICATIONS



ISO 9001 Certification: The International Standards Organization is a network of national standard institutes that work in partnership with international organizations, governments, industry, business, and consumer representatives to develop universal standards for quality, environmental, and intertek management processes.



The Miracle Recreation Equipment company has been certified to 14001:2015 for its environmental management system.



European Norm EN-1176. Miracle® offers playgrounds that have been certified by TüV Product Service, the recognized testing house designated by the European Union. This certification demonstrates compliance with the European Harmonized Standard for Commercial Play Equipment, EN 1176.



The space requirements in this catalog are shown to ASTM standards. Requirements for other standards may be different.



Canadian Welding Bureau Certified



IPEMA Member: Miracle® is a member in good standing of the International Play Equipment Manufacturer's Association (IPEMA), a member-driven international trade organization which represents and promotes an open market for manufacturers of play equipment.

In the interest of playground safety, the International Play Equipment Manufacturers Association (IPEMA) provides a Third Party Certification Service whereby a designated independent laboratory, TÜV SÜD America Inc., (TÜV), validates an equipment manufacturer's certification of conformance to the ASTM F1487 Standard Consumer Safety Performance Specification for Playground Equipment for Public Use, except sections 7.1.1, 10, 13.1.1, 13.1.2, 13.2, and 13.3; to CAN/CSA Z614 Children's Playspaces and Equipment, except clauses 10 and 11; or both. A list of current validated products may be viewed at www.ipema.org.

In the Interest of playground safety, the International Play Equipment Manufacturers Association (IPEMA) provides a Third Party Certification program whereby a designated independent laboratory, TÜV SÜD America Inc., (TÜV), validates a surfacing manufacturer's certification of conformance to ASTM F1292, Standard Specification for Impact Attenuation Under and Around Playground Equipment Performance Criterion, Section 4.2; ASTM F1292, Standard Specification for Impact Attenuation Under and Around Playground Equipment Performance Criterion (in its entirety); ASTM F3351, Standard Test Method for Impact Testing In Laboratory at Specified Test Height; and for an engineered wood fiber manufacturer its certification of conformance, also to ASTM F2075, Standard Specification for Engineered Wood Fiber for Use as a Playground Safety Surface Under and Around Playground Equipment; and for a Loose Fill Rubber manufacturer its certification of conformance, also to ASTM F3012, Standard Specification for Loose Fill Rubber for Use as a Playground Safety Surface under and around Playground Equipment. A list of current validated products, their thickness and critical height may be viewed at www.ipema.org.





CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 03/01/2023

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed.

If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).											
PRODUCER				CONTACT Michelle Bromley NAME:							
Shomo-Madsen Insurance				PHONE (A/C, No, Ext): (641) 753-6691 FAX (A/C, No): (641) 752-5360							
22 E Main St				E-MAIL ADDRES	mhramlau	@shomo-mad		A/C, NO).			
					INSURER(S) AFFORDING COVERAGE NAIC #				NAIC #		
Marshalltown IA 50158			IA 50158	INSURER A: Nautilus Insurance Co							
INSU					INSURER B: Travelers Casualty Ins Co			19046			
	Gazaway & Associates				INSURER C: Travelers Prop Casualty Ins				25674		
	dba Boland Recreation				INSURER D :						
2347 Oak Park Road			INSURER E :								
	Marshalltown			IA 50158-9465	INSURER F:						
_				NUMBER: Master23-24	REVISION NUMBER:						
THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS. INSR! POLICY EFF POLICY EXP											
INSR LTR	TYPE OF INSURANCE		WVD	POLICY NUMBER		POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)		LIMITS		
	CLAIMS-MADE OCCUR							EACH OCCURRENCE DAMAGE TO RENTED		100	0,000
	CLAIIVIS-IVIADE CCCUR			1				FREMISES (La occurrence)		<i>-</i>	
Α				NN1515652		03/01/2023	03/01/2024	WED EXI (Ally one person)		4.00	0,000
	GEN'L AGGREGATE LIMIT APPLIES PER:			1						0,000	
	POLICY PRO- JECT LOC			1				PRODUCTS - COMP/OP AGG \$ 2,000,00			
	OTHER:			1				TROBUGIO COMITO	9		
	AUTOMOBILE LIABILITY						COMBINED SINGLE LI (Ea accident)	IMIT 5	1,00	0,000	
	X ANY AUTO			1				BODILY INJURY (Per person) \$			
В	H			BA4R709529		01/01/2023	01/01/2024	BODILY INJURY (Per a	DDILY INJURY (Per accident) \$		
	HIRED AUTOS ONLY NON-OWNED AUTOS ONLY							PROPERTY DAMAGE (Per accident)		5	
	AUTOS ONET						(i ei accident)		5		
	UMBRELLA LIAB X OCCUR						03/01/2024	EACH OCCURRENCE		2,00	0,000
Α	EXCESS LIAB CLAIMS-MADE			AN1278674	AN1278674			AGGREGATE		2,00	0,000
	DED RETENTION \$ 0			1					<u> </u>		
	WORKERS COMPENSATION					01/01/2023	01/01/2024	➤ PER STATUTE	OTH- ER		
С	AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH)			UB4R712595				E.L. EACH ACCIDENT		500,	000
				UB4K712393		01/01/2023	01/01/2024	E.L. DISEASE - EA EMPLOYEE \$ 500			
	If yes, describe under DESCRIPTION OF OPERATIONS below							E.L. DISEASE - POLIC	Y LIMIT	500,	000
				1							
DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)											
CERTIFICATE HOLDER					CANCELLATION						
Evidence Only					SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.						
				AUTHO	RIZED REPRESEN						
				$A \cap A \cap A$							

Color Choices

ROCK-ITE® PLASTIC COLOR CHOICES

Roofs, Slides, Big Timber® Components, Crawl Tubes, Bongos™, Bumpers and Panels.



MIRACLE SWING SEAT COLORS



Yellow

Red





Royal Blue







Forest Green

Sand

Black

MIRA-LENE™ PANEL COLOR CHOICES



Red-Sand

Lime-Sand

Green

Red-Yellow















Yellow-Black Orange-Sand

Blue-Yellow



Blue-Sand

Brown-Sand






Blue-White



Plum-Sand Forest



Beige-Forest Beige-Red Beige-Gray

Dark









Black-White White-Black

MIRA-COTE® POWDER-COATED PAINTED METAL COLOR CHOICES

Posts, Arches, Swings and Accents (Railings & Climbers).




ANTI-MICROBIAL PAINTED METAL COLORS

This proprietary treatment helps prevent bacterial mold, algae growth and stains.



TEXTURED MIRA-THERM™ COLOR CHOICES

Mira-Therm™ coatings for Decks, Steps, Ramps, Bridges and Cargo Climbers are available in either orthophtalate-free Mira-Therm™ 2 (vinyl) or Mira-Therm™ PE (polyethylene)-based coatings with anti-microbial enhancements.



Miracle® uses high quality materials and state of the art manufacturing processes. Commercial playgrounds and products are subjected to years of environmental and solar exposure. Such extreme exposure takes its toll on paints and pigments, and all colors will fade over time. So Miracle® does not warrant against color fading or discoloration. It is important to properly maintain your playground to ensure its longevity. Depending on environmental conditions at your location, the installation of fabric shade structures may help to delay fading and discoloration. Actual colors in catalog may vary due to four color printing process.





512-847-2473 DuraPlay.com

5 Year Warranty

Project:		
Project Owner:		
Project Site:		
Date Surfacing Installation Completed:		
Final Inspection By:		
Date Inspected:		
Contractor:		
DuraPlay, Inc. Representative:		
DuraPlay Surfacing Description:		
	Total Square Footage of Surfacing	

DuraPlay, Inc. warrants to the owner of the project described above, subject to the terms, conditions, and limitations stated herein, as follows:

The surface includes DuraPlay Primer, DuraPlay Base and DuraPlay Wearing Surface. That the DuraPlay Surfacing System will not peel, delaminate, or crack as a result of normal weather conditions and that the DuraPlay Surfacing System will be in complete compliance with ASTM 1292 standards for the first three (3) years of the Warranty Period.

The Warranty shall continue for a period of two (2) subsequent years, for a total five (5) Year Warranty Period, commencing from the date of the final inspections of the DuraPlay Surfacing System as shown above, provided the Owner gives DuraPlay written notice of any defects in the Surfacing System within 30 days from the discovery of such defects. These subsequent two (2) years of compliance, Years Four (4) and Five (5) of the Warranty Period, exclude ASTM 1292 standards compliance coverage.

The foregoing Warranty does not cover defects of damage caused by (1) structural or design defect related to the substrate, area drainage system, or any other adjacent system which may impact the DuraPlay Surfacing System; (2) misuse, vandalism, civil disobedience, act of war; (3) any condition caused by any negligence or accidents in maintaining the Surfacing System; (4) act of God, including lightening, hurricanes, tornados, earthquakes, fumes, flood, chemical fumes, foreign substances in the atmosphere or by other unusual natural occurrences. The obligations contained herein do not cover any material used on the Surfacing System which was not supplied by DuraPlay unless specifically indicated above.

Owner's Compliance with Maintenance Manual

The Warranties stated above are subject to and conditioned upon the Owner's compliance with DuraPlay, Inc's maintenance procedures.







Exclusions from Warranties

The Warranties stated above exclude damage caused by:

- Improper or faulty subsurface grading and/or substrate preparation
- Lack of an adequate and functioning area drainage system to prevent subsurface ponding and/or erosion
- Movement of stone aggregate substrate caused by subgrade movement
- Shrinkage (which is an inherent characteristic of elastic rubber)
- Normal wear and tear
- Slight color variations
- Improper snow removal
- Neglect, abuse, deliberate act, accident, or vandalism
- Act of God, casualty
- Improper dry-cleaning fluids
- Improper cleaning methods and/or cleaning methods not sanctioned by DuraPlay, Inc.

Warranty Claims Procedure

All Warranty claims must be made in writing and sent with photographs to DuraPlay, Inc. at the address listed below, within thirty (30) days after Owner has or should have knowledge of the alleged defect. Within a reasonable time of receipt of notice, DuraPlay, Inc. shall have the opportunity to inspect the site and investigate the affected area, including the right to take any photographs and/or tests of the area. Any repair or replacement work performed by a party other than DuraPlay, Inc. shall invalidate this Warranty and terminate any further obligation of DuraPlay, Inc.

<u>Limitations and Exclusions of Warranty/Remedy</u>

If an area of the surface is determined to be covered by this Warranty, DuraPlay, Inc's obligations under this Warranty shall be to repair or replace the area. The remedy of the repair or replacement shall be the Owner's sole and exclusive remedy. Except in the case of personal injury, DuraPlay, Inc. shall not be liable for consequential damages. In no event shall DuraPlay, Inc. be liable for punitive damages.

This Warranty shall be of no enforce if DuraPlay, Inc. is not paid in full for the System and DuraPlay Inc's obligations under this Warranty are expressly contingent upon DuraPlay, Inc. being paid in full for the System. DuraPlay, Inc must be paid at least 90% of its contract balance within one hundred and twenty (120) days of the substantial completion of its work and fully paid within one year of the substantial completion of its work, or when the retainage is due by the Contract. In the event that repairs are required which would otherwise be covered under the Warranty but for non-payment, DuraPlay, Inc. and the Owner may mutually agree that DuraPlay, Inc. shall perform such repairs on a pre-pay basis.

NO OTHER WARRANTIES OR REPRESENTATIVES, EXPRESS OR IMPLIED AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE ARE MADE AND ALL OTHER WARRANTIES EXCEPT AS EXPRESSLY STATED HEREIN ARE DISCLAIMED.

This Warranty is issued by DuraPlay, Inc in the state of Texas and shall be governed by and interpreted in accordance with the laws of the State of Texas.

DuraPlay, Inc.	Project Owner:
Ву:	By: